

OBSERVATIONS

ON

TERRESTRIAL MAGNETISM

AND ON THE

DEVIATIONS OF THE COMPASSES

OF THE UNITED STATES IRON CLAD MONADNOCK DURING HER CRUISE FROM PHILADELPHIA
TO SAN FRANCISCO, IN 1865 AND 1866.

BY

WM. HARKNESS, M.D.,
PROFESSOR OF MATHEMATICS, UNITED STATES NAVY.

[ACCEPTED FOR PUBLICATION, SEPTEMBER, 1871.]

INTRODUCTORY NOTE.

THIS paper was originally an official report presented to the Navy Department by Professor Harkness; but, as that department made no use of it, the National Academy of Sciences, in August, 1867, passed a resolution asking for the manuscript. This request was complied with; and, an abstract of the paper having been read to the Academy in April, 1869, it was referred to a commission consisting of the President of the Academy, Professors J. H. C. Coffin, and F. Rogers, in accordance with whose recommendation it is now published by the Smithsonian Institution.

JOSEPH HENRY,
Secretary S. I.

TABLE OF CONTENTS.

SECTION I.

INTRODUCTION.

	PAGE
Introductory remarks	1
Plan of observation	1
Instruments employed	2

SECTION II.

DESCRIPTIONS OF STATIONS.

Philadelphia	4
Gosport	4
St. Thomas	5
Isle Royal	5
Ceara	5
Pernambuco	6
Bahia	6
Rio Janeiro	6
Monte Video	7
Sandy Point	8
Valparaiso	9
Callao	9
Payta	10
Panama	10
Acapulco	11
Magdalena Bay	11
San Francisco	12

SECTION III.

ASTRONOMICAL OBSERVATIONS.

General remarks	13
Observations of the sun for latitude	13
Observations of the sun for time	14
Mode of determining true bearings	26
Observations of the sun for the determination of true bearings	28
Triangulation at Ceara	32
Table of observed latitudes	34
Errors of pocket chronometer, Fletcher, No. 906	35
Chronometer comparisons	36
True bearings of objects used as azimuth marks	36

SECTION IV.

OBSERVATIONS ON TERRESTRIAL MAGNETISM.

	PAGE
Description of the portable declinometer, D. 22	37
Description of the transit theodolite	37
General remarks on the methods of using the instruments	38
Mode of determining absolute declinations	39
Mode of making observations of vibrations	42
Mode of making observations of deflections	44
Mode of calculating horizontal force	45
Determination of constants peculiar to the portable declinometer, D. 22	
Temperature coefficients of magnets	50
Value of magnet scales	50
Moment of inertia of the magnet, C. 32	51
The constant P.	53
Magnetic moment of the magnet C. 32.	55
Mode of making observations of inclination	56
Mode of computing the vertical and total force	60
Abstract of observations for magnetic declination, inclination, and force	60
Final values of the magnetic elements at each station	61
Observations of magnetic declination	62
Observations of magnetic inclination	75
Horizontal intensity. Observations of vibrations	101
Horizontal intensity. Observations of deflections	110

SECTION V.

OBSERVATIONS ON THE MAGNETISM OF THE SHIP.

Description of the Monadnock	119
Positions of the compasses	120
Mode of swinging the ship	120
Corrections peculiar to the After Binnacle and After Ritchie Compasses	121
Officers who observed the compasses	122
Mode of measuring magnetic force on board ship	122
Mathematical theory of the deviations of the compass	123
Correction of observed deviations for constant errors	129
Observations for determining the deviations of the Admiralty Standard Compass	133
Observations for determining the deviations of the After Binnacle Compass	140
Observations for determining the deviations of the After Ritchie Compass	147
Observations for determining the deviations of the After Azimuth Compass	154
Observations for determining the deviations of the Forward Alidade Compass	160
Observations for determining the deviations of the Forward Binnacle Compass	167
Observations for determining the deviations of the Forward Ritchie Compass	174
Mode of computing the coefficients A_1, B_1, C_1, D_1, E_1	181
Values of these coefficients for each compass at each station	182
Probable errors of the values of the coefficients A_1, B_1, C_1, D_1, E_1	184
Computation of the constants $A_1, \frac{c}{\lambda}, \frac{P}{\lambda}, \frac{\Delta P}{\lambda}, \frac{f}{\lambda}, \frac{Q}{\lambda}$, and $\frac{\Delta Q}{\lambda}$, for each compass	185
Values of the coefficients $\mathcal{A}, \mathcal{B}, \mathcal{C}, \mathcal{D}, \mathcal{E}$, for each compass at each station	191
Table showing the values of the constants $A_1 = \mathcal{A}, \frac{c}{\lambda}, \frac{P}{\lambda}, \frac{\Delta P}{\lambda}, \frac{f}{\lambda}, \frac{Q}{\lambda}, \frac{\Delta Q}{\lambda}, \mathcal{D}$, and \mathcal{E} , for each compass	193

	PAGE
Computation of the coefficients \mathcal{H} , \mathcal{B} , \mathcal{C} , \mathcal{D} , \mathcal{E} , for each compass at each station, from the constants, $A_1, \frac{c}{\lambda}, \frac{P}{\lambda}, \frac{\Delta P}{\lambda}, \frac{f}{\lambda}, \frac{Q}{\lambda}, \frac{\Delta Q}{\lambda}, \mathcal{D}$, and \mathcal{E} .	193
Comparison of the coefficients thus computed with those found directly from the observations at each station	196
Resulting probable errors	198
Does the theory accurately represent the semi-circular deviation?	199
Tables showing the most important features of the deviations of each compass during the cruise.	199
Hard and soft iron forces	201
Magnetic moment of magnets used for measuring horizontal force on board ship	202
Observations for absolute force at the Admiralty Standard Compass	205
Observations for absolute force at the After Azimuth Compass	206
Values of λ	207
Values of g, h, k, R and ΔR , for the Admiralty Standard and After Azimuth Compasses	207
Values of a, b, e , and d , for the Admiralty Standard and After Azimuth Compasses	209
General equations for the determination of the deviations of the Admiralty Standard Compass	210
General equations for the determination of the deviations of the After Azimuth Compass	211
Variations of the hard iron force, during the cruise, at the Admiralty Standard and After Azimuth Compasses	211
Computation of the coefficients A_1, B_1, C_1, D_1, E_1 , for each compass, at places where the deviations were observed on less than thirty-two points	211
Recapitulation of results	219
Final conclusions	220

REPORT ON MAGNETIC OBSERVATIONS.

SECTION I.

INTRODUCTION.

ON the fifth of October, 1865, I was ordered to the U. S. Iron-clad *Monadnock*¹ for the purpose of making observations on the action of her compasses during the cruise which she was about to undertake from Philadelphia to San Francisco, by way of the Straits of Magellan. She was then fitting out at the Philadelphia Navy Yard, and the work on her was so far advanced that it was expected she would sail in about two weeks. As the department had not previously intimated its intention of assigning me to this duty, and as everything relating to the number and kind of observations to be made, and the instruments required, was left entirely to my own discretion, it will be seen that the time available for making plans and collecting the necessary apparatus was very limited.

The plan of observation ultimately adopted was that at every port in which we remained for more than twenty-four hours the following operations should be gone through with. 1st. The ship should be swung, and as her head pointed successively to each of the thirty-two true magnetic points, the reading of every compass on board should be recorded for each point. 2d. That at such of the compasses as were so situated as to render it possible, the horizontal force and inclination should be determined. 3d. The position of the dividing line between the north and south polarity should be traced on each turret. 4th. The magnetic declination, inclination, and horizontal force should be determined on shore. While at sea it was intended to observe the declination—and consequently the deviation—and horizontal force daily, by means of the standard compass; but this turned out to be impracticable, because the only place in the ship where it was possible to mount that instrument was on top of the after pilot-house; a situation

¹ The *Monadnock* is a double-turreted vessel of the monitor type. During the cruise in question, Lieutenant Commander Francis M. Bunce, U. S. N., was her captain, and she was attached to the squadron commanded by Commodore (now Rear-Admiral) John Rogers, U. S. N., at whose special request I was detailed by the Navy Department to make the observations which are the subject of this paper.

where no binnacle could be put, and where the compass was nearly on a level with the top of the smoke-stack. Thus, while at sea, the position occupied by it was almost constantly enveloped in smoke and gas, rendering it absolutely necessary, whenever we left port, to dismount the instrument in order to preserve it from injury.

Owing to the very short time at my disposal previous to sailing, there was great difficulty in providing proper instruments, but I succeeded in obtaining all that were absolutely necessary. The following is a list of them:

- 1 Portable Declinometer and stand.
- 1 Five-inch Altitude and Azimuth Instrument.
- 1 Dip Circle, with two needles, each three and a half inches long.
- 1 Pair of eight-inch Bar Magnets.
- 1 Pair of eleven-inch Bar Magnets.
- 2 Admiralty Standard Compasses, with stands and deflectors.
- 1 Burt's Solar Compass and stand.
- 1 Prismatic Sextant of six inches radius.
- 1 Mercurial Artificial Horizon.
- 1 Pocket Chronometer, Fletcher, No. 906.
- 1 Silver Comparing Watch.
- 2 Pocket Thermometers.
- 2 Pocket Compasses.
- 2 Magnetic Needles, not mounted, each 2.75 inches long, and 0.33 of an inch broad.
- 1 Fifty feet Chesterman's Patent Tape Line.
- 1 Case of Drawing Instruments.
- 1 Gunter's Scale, two feet long.

The portable declinometer belonged to the U. S. Coast Survey, and was kindly lent by Prof. J. E. Hilgard.

The small unmounted magnetic needles were intended to be used for measuring the relative horizontal force on shore and at each of the compasses on board ship. For this purpose it was proposed to vibrate one of them on shore, and then taking it on board ship to the compass at which it was desired to measure the relative horizontal force, to remove the compass card from the centre-point, and putting the small needle in its place, vibrate it again. Unfortunately the small needles were not finished till just before we left Philadelphia, and there was no opportunity of trying them till after we were at sea, when, to my great regret, it was found that the jewels were so small that they would not fit on the centre-point of any compass on board, thus rendering them entirely useless. Under the circumstances, for horizontal force on board ship it was necessary to rely entirely upon measures made with the deflectors belonging to the Admiralty standard compasses—a method certainly not so convenient, and, owing to the constant swinging of the ship when at anchor, probably not so accurate as counting the vibrations of a small needle.

The observations on terrestrial magnetism, and for latitude, time, and true bearings, were all made by myself and recorded by Mr. Corrin F. Smith, who was captain's clerk on the *Monadnock*, and acted as my assistant when I was observing. My best thanks are due to him for the efficient manner in which he performed his duties, sometimes under circumstances of very considerable physical discomfort.

The reductions and discussions in this report have been made by me, so that I am personally responsible, not only for the general plan of the work, but for every figure contained in it. All the results have been very carefully checked, and it is hoped no material error will be found in them; still, absolute accuracy is scarcely to be expected in any work involving so many figures, the more especially as much of it has been done during moments snatched from other and more pressing professional duties.

The observations naturally divide themselves into three classes: 1st. Those relating to astronomy. 2d. Those relating to terrestrial magnetism. 3d. Those relating to the magnetism of the ship. As that is the order in which they must necessarily be reduced, they will be so treated of in the subsequent sections of this report.

SECTION II.

DESCRIPTIONS OF STATIONS.

UNLESS otherwise stated, the assumed positions of light-houses, forts, etc., have been taken from the English Admiralty Charts, or from the English Admiralty List of Lights, the latest editions obtainable in 1865 being employed. The longitudes are counted from the meridian of Greenwich.

The method used in testing a station for local attraction by means of fore and back sights with a compass, was as follows: The compass was set up at the station, and the bearing of a point distant one hundred yards, or more, was observed. Then the compass was transferred to that point, and the bearing of the station was observed. These two bearings should evidently differ from each other by 180° ; if they did not, it was certain that local attraction existed at one or both of the points, and a new station was sought for. This process is almost certain to detect any strictly local magnetic attraction, but it will not suffice to demonstrate the existence of an abnormal state of the magnetic elements extending over a large territory.

PHILADELPHIA, *Pa.* The magnetic observations were made at a spot on the east bank of the Delaware river, about twenty feet from the water's edge. It is nearly southeast from the U. S. Navy Yard, from which it is distant about three-quarters of a mile. The soil is a dark—nearly black—earth, which appears to have been deposited by the river. The approximate position of the station was

Lat. $39^\circ 55' N.$
Long. $5^h 0^m 32^s W.$

GOSPORT, *Va.* The magnetic observations were made on a white sandy beach, on the west bank of the Elizabeth river, about thirty feet from the water's edge. From the place where the instruments stood, the flagstaff in the U. S. Navy Yard bore due north by compass, and was distant about half a mile.

Assuming the position of the flagstaff to be lat. $36^\circ 49' 32'' N.$, long. $5^h 5^m 9^s.8 W.$, as stated by the authorities at the Navy Yard, the position of the spot occupied by the instruments is approximately

Lat. $36^\circ 49' 0'' N.$
Long. $5^h 5^m 9^s.8 W.$

The ship was swung at the compass station in Hampton Roads, on November 1st, 1865, in the usual manner. Her position at the time was lat. $36^\circ 58' N.$, long. $76^\circ 20' W.$ Joint XII on the after turret was 14.4 inches to port.

ST. THOMAS, *West Indies*. The ship was swung in this harbor, on November 18th, 1865, in the usual manner. Her position at the time was lat. $18^{\circ} 19' N.$, long. $64^{\circ} 56' W.$ Joint XII on the after turret was 14.4 inches to port.

The observations on shore were made in Long Bay, at a spot about thirty feet from the water's edge, on a gravelly beach, to the eastward of the town. From the place where the instruments stood the true bearing of Fort Cowell, at the entrance to the harbor, is $S. 34^{\circ} 50' W.$, and it is distant about one mile.

Assuming the position of Fort Christian to be lat. $18^{\circ} 20' 27'' N.$, long. $4^h 19^m 42^s.7 W.$, then, according to the English Admiralty Chart, the position of the spot where the instruments were set up is

Lat. $18^{\circ} 20' 22'' N.$
 Long. $4^h 19^m 40^s.6 W.$

ISLE ROYAL, *Salute Islands*. An attempt was made to swing the ship here, on November 30th, 1865, in the usual manner, but it failed on account of the continual rain which shut off the view of the distant azimuth mark. The position of the ship at the time was lat. $5^{\circ} 17' N.$, long. $52^{\circ} 33' W.$ Joint XII on the after turret was 0.6 of an inch to starboard.

The magnetic and astronomical observations on shore were made on the southwest side of the island, at a spot from which the corner made by the southeast and southwest faces of the government coal sheds bears $N. 64^{\circ} W.$ (true), and is distant one hundred and thirty-two feet. The place was examined carefully for local attraction by taking fore and back sights with a compass, but none could be detected. The position occupied by the instruments is in

Lat. $5^{\circ} 17' 29'' N.$
 Long. $3^h 30^m 11^s.4 W.$

The latitude was determined from a single set of circummeridian altitudes of the sun observed by me, and the longitude was taken from the French chart.

CEARA, *Brazil*. An attempt was made to swing the ship here, on December 19th, 1865, in the usual manner, but although a very favorable opportunity was chosen, she could only be made to turn through ten points. Her position at the time was lat. $3^{\circ} 44' S.$, long. $38^{\circ} 34' W.$ Joint XII on the after turret was 0.6 of an inch to starboard. The wind, current, and sea are so strong here that vessels at anchor in the roads always ride with their heads nearly in the same direction, never swinging more than about three points.

At this place there is no harbor whatever, merely an open roadstead. A heavy surf is constantly running on the beach, and as there are almost no facilities for landing in small boats, getting the instruments on shore involved a good deal of trouble and some risk. However, I succeeded in landing them safely, and obtained a very good set of observations on the white sand beach at a spot about one hundred and fifty feet from the water's edge, and from which the true bearing of the southeast corner of the custom-house on the wharf is $N. 53^{\circ} 19' W.$, and its distance two hundred feet. From the same spot the true bearing of

Point Macoripe Light-house is N. $75^{\circ} 38'$ E. The position occupied by the instruments is in

Lat. $3^{\circ} 43' 59''$ S.
 Long. $2^{\text{h}} 34^{\text{m}} 6^{\text{s}}$ W.

The latitude was deduced from my own observations, and the longitude was taken from the list of geographical positions given in Raper's Navigation.

PERNAMBUCO, *Brazil*. The ship was not swung in this port because there was not room to do it in the position where she took her coal, and as she only remained in the harbor twenty-four hours, there was not time to take up another position in order to swing.

The magnetic and astronomical observations on shore were made on the white sand beach, at a spot from which the true bearing of the salient angle of the southeast bastion of Fort Brum is N. $15^{\circ} 46'$ W., and its distance four hundred and thirty feet.

Assuming the position of the light-house, near to Fort Picao, to be lat. $8^{\circ} 3' 42''$ S., long. $2^{\text{h}} 19^{\text{m}} 26^{\text{s}}.8$ W., as it is given in the English Admiralty List of Lights, edition of 1866, then, according to the English Admiralty Chart, the position occupied by the instruments is in

Lat. $8^{\circ} 3' 37''$ S.
 Long. $2^{\text{h}} 19^{\text{m}} 28^{\text{s}}.2$ W.

BAHIA, *Brazil*. The ship was swung in this harbor, on December 30th, 1865, in the usual manner. Her position at the time was lat. $12^{\circ} 59'$ S., long. $38^{\circ} 31'$ W. Joint XII on the after turret was 0.6 of an inch to starboard.

The magnetic and astronomical observations of December 27th were made at a spot, one hundred and fifty feet from the water's edge, situated in a cocoanut grove on the beach about half-way between Monserat Point and Fort Victoria. The soil is a coarse white sand. It was not possible to get any bearings which would define the exact position, but the above directions are sufficient to enable any one to find the place very nearly.

Assuming the position of Fort St. Antonio Light to be lat. $13^{\circ} 0' 55''$ S., long. $2^{\text{h}} 34^{\text{m}} 6^{\text{s}}.9$ W., then, according to the English Admiralty Chart, the position occupied by the instruments is in

Lat. $12^{\circ} 56' 55''$ S.
 Long. $2^{\text{h}} 34^{\text{m}} 0^{\text{s}}.5$ W.

RIO JANEIRO, *Brazil*. The ship was swung in this harbor, on January 10th, 1866, in the usual manner; but, owing to a strong wind which was blowing at the time, it was not possible to get her through more than seventeen points. Her position was lat. $22^{\circ} 54'$ S., long. $43^{\circ} 9'$ W. Joint XII on the after turret was 0.8 of an inch to port.

During the whole week we were at Rio there was not one clear day. Consequently it was extremely difficult to make astronomical observations, and it was only by patiently watching for the sun and seizing the opportunities when it was

momentarily visible through breaks in the clouds, that the few sights necessary in order to complete the magnetic observations were obtained.

With a single exception, all the magnetic and astronomical observations were made at a spot from which the true bearing of the entrance on the north face of Fort Caraguata (erroneously spelled Gravata on the English charts) is S. 70° W., and its distance fifty-five feet. There were no guns in the fort at the time. The surrounding country is very hilly, the bare, coarse, granite rocks cropping out everywhere from the hill-sides, but in the more level places they are thinly covered with earth. Assuming the position of Fort Villegagnon to be lat. 22° 54' 42" S., long. 2^h 52^m 36^s.0 W., then, according to the English Admiralty Chart, the position occupied by the instruments is in

Lat. 22° 54' 5" S.

Long. 2^h 52^m 30^s.7 W.

The exception referred to above is some observations of the sun for time, made on January 9th. They were got on Rat Island, the spot where naval officers usually go to rate their chronometers when lying in this harbor. Assuming the position of Fort Villegagnon as above, then, according to the English Admiralty Chart, the position of Rat Island is

Lat. 22° 53' 45" S.

Long. 2^h 52^m 37^s.9 W.

MONTE VIDEO, *Uruguay*. The ship was swung in this harbor, on January 24th, 1866, in the usual manner. We first attempted to get her around about 1 P. M., but owing to the force of the wind and tide we only obtained ten points, viz., those from E. by S. to S. S. W. Just at sunset we tried it again, and succeeded in getting the remainder of the circle. It was nearly dark when we finished, but as the distant object used for an azimuth mark shone plainly against the sky, there was sufficient light to see pretty distinctly when it was in range with the sights of the compass.

The readings of part of the circle on the After Ritchie compass were lost, owing to the failure of daylight and delay in procuring a lantern. The officer who usually read the After Azimuth compass was on shore at the time, and the duty of making the observations at that instrument was assigned to another, but it turned out that he did not understand how to read an azimuth compass, and his observations were worthless.

While we were lying at Monte Video the tide was very irregular. Most of the time the ship only swung to it about 90°, but two or three times she swung 180°. At the time we swung her to obtain the deviation of the compasses her position was lat. 34° 55' S., long. 56° 13' W., and joint XII on the after turret was 4.5 inches to port.

The greater part of the magnetic observations on shore were made on January 18th, at a station on the ground occupied by Tomkinson's slaughtering establishment. The instruments were set up at a spot where there are four large umbu trees standing in a line. The exact position may be recovered by means of the following true bearings. The corner made by the south and west sides of the dwelling-house

bears N. 39° E., and is distant about one hundred feet. The light-house on the Mount, on the west side of the harbor, bears N. 59° 0' W. The water's edge is distant from the station about four hundred feet. The soil is a thin stratum of very poor earth, covering a greenish-colored slaty rock, which crops out in many places. Assuming the position of the light-house on the Mount to be lat. 34° 53' 15" S., long. 3^h 44^m 59^s.0 W., then, according to the English Admiralty Charts, the position occupied by the instruments is in

Lat. 34° 53' 39" S.
Long. 3^h 44^m 55^s.8 W.

As a check, some magnetic observations were made, on January 19th, at a station from which the true bearing of the light-house on the Mount is N. 89° 41' W., and the true bearing of the light on the Cathedral is S. 17° 42' W. Assuming the position of the light-house to be as stated above, and the light on the cathedral to be in lat. 34° 54' 20" S., long. 3^h 44^m 50^s.0 W., as given in the English Admiralty List of Lights in South America, edition of 1865, the geographical position of this station was

Lat. 34° 53' 16" S.
Long. 3^h 44^m 48^s.3 W.

It will be observed that the difference of longitude between the lights on the Mount and on the cathedral, as deduced from the Admiralty List cited above, cannot be made to agree with the positions given on the English Admiralty Chart.

On January 24th some observations for time were made on Rat Island. Assuming the position of the light-house on the Mount to be as stated above, then, according to the English Admiralty Chart, the position of the station on Rat Island was

Lat. 34° 53' 18" S.
Long. 3^h 44^m 52^s.9 W.

SANDY POINT, Straits of Magellan. The ship was swung in this harbor, on February 10th, 1866, in the usual manner. Her position at the time was lat. 53° 11' S., long. 70° 55' W. Joint XII on the after turret was 4.5 inches to port. While we were lying here the ship was perfectly free to swing to the tide, but she generally turned through an arc of only about ninety degrees, namely, from W.N.W. to N.N.E.

The observations on shore were made in the meadow, between the settlement and the beach, at a spot from which the true bearing of the flagstaff was N. 47° 8' W., and its distance about eight hundred feet. The soil is sandy, and there is no rock anywhere near. The place was examined for local attraction by taking fore and back sights with a compass, but nothing of the kind could be detected.

Assuming the position of the flagstaff to be lat. 53° 10' 15" S., long. 4^h 43^m 36^s.0 W., as given on the English Admiralty Chart, edition of 1861, the position occupied by the instruments is in

Lat. 53° 10' 20" S.
Long. 4^h 43^m 35^s.3 W.

VALPARAISO, *Chile*. The ship was swung in this harbor, on April 4th, 1866, in the usual manner. Her position at the time was lat. $33^{\circ} 2' S.$, long. $71^{\circ} 38' W.$ Joint XII on the after turret was 4.25 inches to port. While we were lying at Valparaiso the ship was perfectly free to swing to the tide, and she turned in all directions.

The observations taken on shore March 2d were made on the south end of the white sand beach at the Estero de Quilpue, at a spot about two hundred and fifty feet from the rocks. Assuming the position of Fort San Antonio to be lat. $33^{\circ} 1' 53'' S.$, long. $4^h 46^m 46^s.0 W.$, then, according to the English Admiralty Chart, the position of this station was approximately

Lat. $33^{\circ} 1'.4 S.$
Long. $4^h 46^m 31^s W.$

The observations of March 19th, and all taken subsequently to that date, were made at a spot distant about six hundred and fifty feet, nearly true north, from the most northern of the custom-houses. The instruments were set up, near to the water's edge, on the public road which here runs along under a high bank of rock. The true bearing of the flagstaff at Fort San Antonio, on the top of the hill, was $S. 31^{\circ} 45' W.$, and its estimated distance was seven hundred feet. Assuming the position of the fort to be as stated above, the position occupied by the instruments is in

Lat. $33^{\circ} 1' 47'' S.$
Long. $4^h 46^m 45^s.7 W.$

Both this station and that of March 2d were carefully tested for local attraction by taking fore and back sights with a compass, but none could be detected.

In adopting $4^h 46^m 46^s.0$ as the longitude of Fort San Antonio, I have followed Raper, but this value is doubtless too large. Capt. Jas. M. Gilliss, U. S. N., from a series of occultations and moon culminations, observed during the years 1850-51-52, determined the longitude of the Observatory on the hill of Santa Lucia, in Santiago, to be $4^h 42^m 33^s.8$. Dr. Moesta, from subsequent observations up to the year 1862, corrected this value to $4^h 42^m 33^s.0$. Capt. Gilliss, by means of the electric telegraph, found the difference of longitude between the Observatory at Santiago and Mr. Mouatt's Observatory at Valparaiso to be $3^m 56^s.5$. Hence, adopting Dr. Moesta's value of the longitude of Santiago, we have

$4^h 46^m 29^s.5 W.$

as the longitude of Mr. Mouatt's Observatory; but I have been unable to find any description of its position, and consequently cannot refer this longitude to Fort San Antonio.

Findlay, in his "Directory to the South Pacific Ocean," edition of 1863, gives for the longitude of Fort San Antonio $4^h 46^m 28^s.8$, and quotes Dr. Moesta as the authority. The *Connaissance des Temps*, for the year 1868, on the same authority gives $4^h 46^m 27^s.5$ for the same position. Which of the two values is nearest correct I am unable to say.

CALLAO, *Peru*. The ship was swung in this harbor, on April 29th, 1866, in the usual manner. Her position at the time was lat. $12^{\circ} 3' S.$, long. $77^{\circ} 14' W.$ Joint

XII on the after turret was 5.5 inches to port. While we were lying at Callao the ship was perfectly free to swing to the tide, but the wind and current were so strong that she did not do so, but always lay with her head pointing in a southerly direction.

The observations taken on shore, April 26th, were made on the northeast side of San Lorenzo Island, about two and a half miles southeast of the light-house. The island is a mass of hills, rising to an elevation of more than a thousand feet, composed of loose friable rock which seems to be of volcanic origin, and which is constantly disintegrating into a fine yellow sand. The place selected for making the observations is at the foot of a gorge where there is a beach, about a quarter of a mile long, of the yellow sand mentioned above. On the beach stand a number of fishermen's huts, and a few steps back, at the foot of the gorge, stands a large, square, two-story house. The spot where the instruments stood is on the southeast end of the beach, a little beyond the fishermen's huts, and just above high-water mark. Assuming the position of the light-house to be lat. $12^{\circ} 4' 0''$ S., long. $5^{\text{h}} 9^{\text{m}} 18^{\text{s}}.0$ W., the position occupied by the instruments is in

Lat. $12^{\circ} 5' 14''$ S.
Long. $5^{\text{h}} 9^{\text{m}} 9^{\text{s}}.1$ W.

The place was carefully tested for local attraction by taking fore and back sights with a compass, but none could be detected.

PAYTA, *Peru*. We remained in this port only from $2^{\text{h}} 30^{\text{m}}$ P. M. of May 6th, 1866, till 6^{h} P. M. of May 7th, and there was neither time nor opportunity to swing the ship. However, a complete set of magnetic observations were made on shore at a station on the beach four-tenths of a mile northwest of the large iron building which stands just back from the mole, and is used by the government as a custom-house, etc. As nearly as could be determined from angles carefully measured, and plotted on the English Admiralty Chart, this station is identical with the one occupied by the officers of H. B. M. surveying vessel "Beagle," in the year 1836, when making their observations for determining the position of Payta. According to their determinations it is in

Lat. $5^{\circ} 5' 36''$ S.
Long. $5^{\text{h}} 24^{\text{m}} 22^{\text{s}}.0$ W.,

the longitude depending upon the position of the northeast bastion at Panama, New Granada, which is taken to be $5^{\text{h}} 18^{\text{m}} 4^{\text{s}}.6$ W.

The instruments were set up, just above high-water mark, on the gray sand beach, about fifty feet back from which the land rises into bluffs, two hundred feet high, composed of a hard yellow earth, alternating with sedimentary rocks. The station was carefully examined for local attraction, by taking fore and back sights with a compass, but none could be detected.

PANAMA, *New Granada*. The ship was swung in this roadstead, on May 20th, 1866, in the usual manner. Her position at the time was lat. $8^{\circ} 55'$ N., long. $79^{\circ} 30'$ W. Joint XII on the after turret was 5.5 inches to port. While we were lying here the ship was swinging freely in all directions to the wind and tide.

The observations taken on shore, May 14th, were made on the northern side of Flamenco Island, to the westward of a small cocoanut grove, and northeast of the Naval Cemetery. The instruments were set up about ten feet north of the most western of the ruins which are to be found there. The island is rocky, but at this station the rocks are covered with earth. The spot was carefully tested for local attraction by taking fore and back sights with a compass, but none could be detected.

If we assume the position of the northeast bastion at Panama to be lat. $8^{\circ} 56'$ $56''$ N., long. $5^{\text{h}} 18^{\text{m}} 4^{\text{s}}.6$ W., as given by Capt. H. Kellet, R. N., then, according to the English Admiralty Chart, the position occupied by the instruments is in

Lat. $8^{\circ} 54' 31''$ N.
Long. $5^{\text{h}} 18^{\text{m}} 1^{\text{s}}.8$ W.

ACAPULCO, *Mexico*. The ship was swung in this harbor, on June 1st, 1866, in the usual manner. Her position at the time was lat. $16^{\circ} 50'$ N., long. $99^{\circ} 52'$ W. Joint XII on the after turret was 5.5 inches to port. During the three days we were lying at Acapulco the ship was swinging freely to the wind and tide.

At the extreme south end of St. Lucia Bay, in this harbor, are two cocoanut groves, the most western of the two containing the graves of a number of our naval officers. The western end of the eastern grove is the place where the observations taken on shore, on May 30th, were made. The trees come almost close down to high-water mark, and the soil is a gray sand. The instruments were set up about forty feet from high-water mark, at a spot from which the true bearing of the gate of Fort St. Diego is N. $6^{\circ} 22'$ E.

If we assume the position of this gate to be lat. $16^{\circ} 50' 56''$ N., long. $6^{\text{h}} 39^{\text{m}} 29^{\text{s}}.0$ W., as given on the English Admiralty Chart, then, according to that chart, the position occupied by the instruments is in

Lat. $16^{\circ} 50' 3''$ N.
Long. $6^{\text{h}} 39^{\text{m}} 29^{\text{s}}.4$ W.

MAGDALENA BAY, *Lower California*. An attempt was made to swing the ship in this bay, on June 9th, 1866, in the usual manner, but owing to a very stiff breeze which was blowing at the time, she could only be turned through fourteen points. Her position was lat. $24^{\circ} 38'$ N., long. $112^{\circ} 6'$ W. Joint XII on the after turret was 5.5 inches to port. During the three days that we lay in this bay the wind was so strong that the ship did not swing to the tide, but rode with her head constantly to the west.

As it is difficult to describe the land-marks here, the most convenient way of giving positions will be to refer them to the English Admiralty Chart, the position formerly occupied by Capt. Sir Edw. Belcher's observatory being taken to be lat. $24^{\circ} 38' 18''$ N., long. $7^{\text{h}} 28^{\text{m}} 25^{\text{s}}.4$ W., as given on the chart.

On June 8th a landing was effected at a spot on the beach, about a mile south of the position of Capt. Belcher's observatory, for the purpose of making a set of magnetic observations; but, after getting a time sight, it was found that there was a great deal of local attraction, nearly all the stones on the beach being magnetic, and consequently it was useless to attempt anything there. The approximate position of this spot is

Lat. $24^{\circ} 38' N.$
 Long. $7^h 28^m 24^s W.$

On June 9th, after going to the extreme northern end of the bay, and pulling a short distance up a creek, a place was found which, upon careful examination by taking fore and back sights with a compass, seemed to be entirely free from all local attraction. The land there is composed of fine white-sand hillocks, which are constantly being shifted by the wind, and are so loose that a man will sink half-way to his knees in walking over them. The only place where the surface was sufficiently solid to admit of the instruments being set up was below high-water mark, where the sand was wet. A complete set of magnetic observations were made there, which, however, were not as satisfactory as could have been wished, owing to the magnets being disturbed by a stiff breeze which shook the instruments, and from which there was no shelter. The position of this station was

Lat. $24^{\circ} 39' 36'' N.$
 Long. $7^h 28^m 26^s.2 W.$

It was on the east side of the creek (on its left-hand bank), at a place where there is a sharp bend in its course, and can easily be found by plotting the position, given above, on the chart.

SAN DIEGO BAY, *California*. We were only in this harbor from 11 A.M. of June 15th, 1866, till 11 A.M. of June 16th, and there was no time to swing the ship. However, during the afternoon of the 15th a complete and very satisfactory set of magnetic observations were made on shore at a spot on the beach near the extreme southern end of the slightly rising ground at La Playa. The instruments were set up just above high-water mark, and nearly due east of the U.S. Coast Survey Astronomical Station. The true bearing of the light-house on Point Loma was S. $3^{\circ} 56' W.$, and its distance exactly two statute miles in a direct line. The spot was tested for local attraction by taking fore and back sights with a compass, but none could be detected.

The position of the station, according to the U.S. Coast Survey Chart, was

Lat. $32^{\circ} 41' 58'' N.$
 Long. $7^h 48^m 52^s.6 W.$

SAN FRANCISCO, *California*. The ship was swung in this harbor, on June 23d, 1866, in the usual manner. Her position at the time was lat. $37^{\circ} 48' N.$, long. $122^{\circ} 22' W.$ Joint XII on the after turret was 5.3 inches to port. While we were lying here the ship was swinging freely to the wind and tide.

The observations taken on shore June 26th were made on the sand beach in a cove on the east side of Yerba Buena Island, the instruments being set up just at high-water mark, and about one hundred and fifty feet north of a long pier which runs out over a mud flat. The place was tested for local attraction by taking fore and back sights with a compass, but none could be detected.

According to the U.S. Coast Survey Chart the position of this station was

Lat. $37^{\circ} 48' 46'' N.$
 Long. $8^h 9^m 22^s.6 W.$

SECTION III.

ASTRONOMICAL OBSERVATIONS.

THE observations contained in this section were all made on the sun, and are for the determination of latitude, local time, and true bearings. The instruments used were a prismatic sextant of six inches radius, by Pistor and Martins; a mercurial artificial horizon; and a pocket mean time chronometer, by Fletcher, marked number 906.

The index correction of the sextant was usually obtained by measuring the diameter of the sun, both on and off the arc. For determining the density of the atmosphere thermometers with Fahrenheit scales, and a mercurial barometer graduated to English inches, were employed.

The refractions have been computed by means of BESSEL'S tables, as given in LOOMIS' "Practical Astronomy;" from which book the tabular parts of the reductions to the meridian have also been taken. The necessary fundamental data have been obtained from the American Nautical Almanac.

Observations of circummeridian altitudes of the sun for latitude were made in sets of twelve, so arranged as to eliminate both the sun's semi-diameter, and all errors depending on the roof of the artificial horizon.

Circummeridian Altitudes of the Sun for Latitude, observed at the south front of Fort Christian, St. Thomas, November 17th, 1865.

10 ^h	55 ^m	0 ^s	105°	14'	20"	} 2⊙	359°	Index correction.				
	55	48		15	20			11'	10"	0°	15'	50"
	56	14		16	50			11	10		16	10
10	57	3		18	0	} 2⊙	11	40		16	20	
11	0	31		21	40		<hr/>					
	1	5		22	20		35	11	20.0	0	16	6.7
	1	33	104	18	10	} 2⊙	Correction = +16' 16".7					
	2	9		18	20		Ex. ther.	83°				
	2	46		18	25		At. ther.	86				
	3	28		18	50		Bar.	30.16 inches.				
	3	59		18	55							
	4	29		18	40							

Mean of chronometer times	11 ^h	0 ^m	2 ^s .0
Chronometer slow of local mean time	0	40	47.3
Equation of time	+	14	47.1
Local apparent time	11	55	36.4
Mean of observed double altitudes	104°	48'	19".2
Index correction	+	16	16.7
Apparent altitude of sun's centre	52	32	18.0
Refraction	—	0	42.1

Parallax + 0° 0' 5".3
Reduction to meridian + 1 19.4
Sun's declination -19 6 59.1
Latitude 18° 20' 0" N.

Circummeridian Altitudes of the Sun for Latitude, observed at Isle Royal, Salute Islands, November 28th, 1865.

10 ^h 13 ^m 57 ^s .	125° 50' 30"	} 2⊙	Index correction.	
14 35.5	49 30		359° 11' 10"	0° 16' 0"
15 9.5	49 30		11 10	16 0
15 52	49 20		<hr/>	
16 24.5	48 50		359 11 10	0 16 0
17 1.5	48 40	Correction = +16' 25".0		
17 38	126 52 10	} 2⊙	Ex. ther.	91°
18 14.5	51 10		At. ther.	85
20 17	48 20		Bar.	30.13 inches.
21 9	46 10			
31 46.5	30 0			
32 30	26 50			

Mean of chronometer times	10 ^h 19 ^m 37 ^s .9
Chronometer slow of local mean time	1 30 19.4
Equation of time + 11 42.6
Local apparent time 12 1 39.9
Mean of observed double altitudes 126° 15' 55".0
Index correction + 16 25.0
Apparent altitude of sun's centre 63 16 10.0
Refraction - 0 27.1
Parallax + 0 3.9
Reduction to meridian + 2 35.7
Sun's declination -21 24 8.5
Latitude 5° 17' 29" N.

Observations for time were usually made in such a manner as to eliminate both the sun's semi-diameter and all errors which might be produced by the roof of the artificial horizon. For full details of the method see page 33 of the "Reports on Observations of the Total Eclipse of the Sun, August 7, 1869," published by the U. S. Naval Observatory, Washington.

The reduction of the observations for time has been effected by means of the following formulæ:

$$a = \frac{A + \omega}{2} - r + p$$

$$S = \frac{a + d + \phi}{2}$$

$$\sin \frac{1}{2}t = \sqrt{\sin (S - a) \cos S \sec \phi \operatorname{cosec} d}$$

$$dt = t + \tau - T$$

T = mean of observed chronometer times.

A = mean of observed double altitudes.

ω = index correction.

r = refraction.

p = parallax.

a = true geocentric altitude of sun's centre.

\bar{d} = sun's polar distance, measured from the elevated pole.

ϕ = latitude of place where observation is made.

t = hour angle at the pole.

τ = equation of time.

dt = correction of chronometer to reduce the reading of its face to local mean time.

Double Altitudes of the Sun, for Time, observed at the flagstaff in the Navy-yard at Portsmouth, Va., October 29th, 1865.

8 ^h 51 ^m 7 ^s	49° 27' 50"	} 2☉	Index correction,
51 42	38 20		
52 22	49 30		
53 23	50 7 40		
53 56.5	17 50		
54 47	50 32 20		
55 50	49 47 0		
56 25	57 20		
56 57.5	50 6 20		
57 59.5	24 50		
58 32.5	34 30		
59 13.5	45 50		

= + 15' 42"

Ex. ther. 50°.	At. ther. 92°.	Bar. 30.40 inches.
Refraction = - 125"	Sun's declination - 13° 35' 16"	
Parallax = + 8	Latitude + 36 49 32	

Mean of observed double altitudes	50° 7' 27"
Local apparent time	9 ^h 6 ^m 40 ^s .8
Equation of time	— 16 10.6
Local mean time	8 50 30.2
Mean of chronometer times	8 55 11.3
Chronometer fast of local mean time	0 4 41.1
Longitude west	5 5 9.8
Chronometer slow of Greenwich mean time	5 0 28.7

Double Altitudes of the Sun for Time, observed at the flagstaff in the Navy-yard at Portsmouth, Va., October 29th, 1865.

3 ^h 11 ^m 55 ^s	40° 10' 10"	} 2☉	Index correction,
12 54	39 51 20		
13 32.5	38 30		
14 9.5	40 30 30		
14 51	17 0		
15 36.5	2 20		
16 52.5	39 37 30		
17 37	23 10		
18 24.5	8 30		
19 16.5	37 46 0		
20 2	31 30		
20 55.5	20 10		

= + 15' 42"

Ex. ther. 55°	At. ther. 79	Bar. 30.36 inches.
Refraction = - 170".1	Sun's declination - 13° 40' 42".0	
Parallax = + 8.0	Latitude + 36 49 32.	

Mean of observed double altitudes	39° 16' 23".3
Local apparent time	3 ^h 27 ^m 51 ^s .9

REPORT ON

Equation of time	— 0 ^h 16 ^m 11 ^s .6
Local mean time	3 11 40.3
Mean of chronometer times	3 16 20.4
Chronometer fast of local mean time	0 4 40.1
Longitude west	5 5 9.8
Chronometer slow of Greenwich mean time	5 0 29.7

Double Altitudes of the Sun for Time, observed at Fort Christian, St. Thomas, West Indies, November 13th, 1865.

9 ^h 0 ^m 42 ^s .5	84° 32' 50"	} 2 [⊙]	Index correction.	
1 21.5	46 20		359° 10' 50"	0° 16' 20"
2 2	57 30		11 0	16 10
3 2.5	85 16 50		11 10	16 40
4 4	35 10		<hr/>	
4 54	85 51 0		359 11 0.0	0 16 23.3
6 0.5	87 15 20		Correction = +16' 18".4	
6 41	28 30			
7 10	37 0			
7 54.5	50 20			
8 21.5	59 20			
8 48.5	88 7 0			

Ex. ther. 84°	At. ther. 86°	Bar. 30.12 inches.
Refraction = -57".7	Sun's declination -18° 5' 2".5	
Parallax = + 6.2	Latitude + 18 20 27.	

Mean of observed double altitudes	86° 26' 25".8
Local apparent time	10 ^h 1 ^m 20 ^s .0
Equation of time	— 15 31.2
Local mean time	9 45 48.8
Mean of chronometer times	9 5 5.2
Chronometer slow of local mean time	0 40 43.6
Longitude west	4 19 42.7
Chronometer slow of Greenwich mean time	5 0 26.3

Double Altitudes of the Sun for Time, observed at Isle Royal, Salute Islands, November 28th, 1865.

8 ^h 47 ^m 58 ^s	109° 58' 20"	} 2 [⊙]	Index correction.	
48 35	110 9 50		359° 11' 0"	0° 15' 50"
49 8	20 0		11 0	16 0
49 58	35 30		10 50	16 10
50 31	45 50		<hr/>	
50 56.5	52 50		359 10 56.7	0 16 0.0
51 44.5	112 13 0		Correction = +16' 31".6	
52 39.5	30 0			
53 13.5	40 0			
53 47	50 0			
54 19	113 0 0			
54 53.5	10 0			

Ex. ther. 93°	At. ther. 85°	Bar. 30.13 inches.
Refraction = -36".3	Sun's declination -21° 23' 30".3	
Parallax = + 4.9	Latitude + 5 17 29.	

Mean of observed double altitudes	111° 35' 26".6
Local apparent time	10 ^h 33 ^m 31 ^s .8
Equation of time	— 11 43.8
Local mean time	10 21 48.0
Mean of chronometer times	8 51 28.6

Chronometer slow of local mean time.	1 ^h 30 ^m 19 ^s .4
Longitude west	3 30 11.4
Chronometer slow of Greenwich mean time	5 0 30.8

Double Altitudes of the Sun for Time, observed at Ceara, Brazil, December 13th, 1865.

1 ^h 15 ^m 13 ^s .5	63° 0' 0"	} 2⊙	Index correction.	
15 58.5	62 40 0		359° 11' 0"	0° 16' 0"
16 41	20 0		10 50	10
17 3.5	10 0		10 40	0
17 26	62 0 0		<hr/>	
18 43	62 30 0		359 10 50.0	0 16 3.3
19 5	20 0			
19 26.5	10 0			
19 50	62 0 0			
20 11.5	61 50 0			

Correction = +16' 33".3

Ex. ther. 84°	At. ther. 82°	Bar. 30.05 inches.
Refraction = -89".5	Sun's declination -23° 12' 4".0	
Parallax = + 7.4		

Mean of observed double altitudes	62° 18' 0".0
Mean of chronometer times	1 ^h 17 ^m 57 ^s .8
Equation of time	- 5 20.9

Reducing this observation with latitude = - 3° 43' 15", we find the chronometer 2^h 26^m 29^s.6 slow of local mean time. Reducing it with latitude = - 3° 44' 15", we find the chronometer 2^h 26^m 32^s.0 slow of local mean time.

Double Altitudes of the Sun for Time, observed at Ceara, Brazil, December 14th, 1865.

7 ^h 2 ^m 0 ^s .5	99° 30' 0"	} 2⊙	Index correction.	
2 24.5	40 0		359° 10' 30"	0° 16' 10"
2 49	50 0		40	20
3 12.5	100 0 0		40	20
3 36	10 0		<hr/>	
6 9	100 10 0		359 10 36.7	0 16 16.7
6 32.5	20 0			
6 57.5	30 0			
7 21.5	40 0			
7 45.5	100 50 0			

Correction = +16' 33".3

Ex. ther. 81°	At. ther. 82°	Bar. 30.12 inches.
Refraction = -45".9	Sun's declination -23° 14' 46".2	
Parallax = + 5.6		

Mean of observed double altitudes	100° 10' 0".0
Mean of chronometer times	7 ^h 4 ^m 52 ^s .8
Equation of time	- 4 59.5

Reducing this observation with latitude = - 3° 43' 15", we find the chronometer 2^h 26^m 33^s.7 slow of local mean time. Reducing it with latitude = - 3° 44' 15", we find the chronometer 2^h 26^m 30^s.9 slow of local mean time.

Double Altitudes of the Sun for Time, observed at Ceara, Brazil, December 14th, 1865.

$11^h \ 51^m \ 51^s$ $52 \ 14.5$ $52 \ 37$ $53 \ 1.5$ $53 \ 26$ $56 \ 0$ $56 \ 23$ $56 \ 48$ $57 \ 11.5$ $57 \ 34$	$100^\circ \ 50' \ 0''$ $40 \ 0$ $30 \ 0$ $20 \ 0$ $10 \ 0$ $98 \ 0 \ 0$ $97 \ 50 \ 0$ $40 \ 0$ $30 \ 0$ $20 \ 0$	$\left. \begin{array}{l} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \end{array} \right\} \begin{array}{l} 2\ominus \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \end{array}$	<table style="border-collapse: collapse; width: 100%;"> <tr> <td colspan="2" style="text-align: center;">Index correction.</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 5px;">$359^\circ \ 10' \ 50''$</td> <td style="padding: 5px;">$0^\circ \ 15' \ 50''$</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 5px;">40</td> <td style="padding: 5px;">$16 \ 20$</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 5px;">20</td> <td style="padding: 5px;">$16 \ 0$</td> </tr> <tr> <td style="border-top: 1px solid black; border-right: 1px solid black; padding: 5px;">$359 \ 10 \ 36.7$</td> <td style="border-top: 1px solid black; padding: 5px;">$0 \ 16 \ 3.3$</td> </tr> <tr> <td colspan="2" style="text-align: center;">Correction = +16' 40".0</td> </tr> </table>	Index correction.		$359^\circ \ 10' \ 50''$	$0^\circ \ 15' \ 50''$	40	$16 \ 20$	20	$16 \ 0$	$359 \ 10 \ 36.7$	$0 \ 16 \ 3.3$	Correction = +16' 40".0	
Index correction.															
$359^\circ \ 10' \ 50''$	$0^\circ \ 15' \ 50''$														
40	$16 \ 20$														
20	$16 \ 0$														
$359 \ 10 \ 36.7$	$0 \ 16 \ 3.3$														
Correction = +16' 40".0															

Ex. ther. 86° At. ther. 83° Bar. 30.00 inches.
 Refraction = -45".6 Sun's declination -23° 15' 27".4
 Parallax = + 5.6

Mean of observed double altitudes $99^\circ \ 5' \ 0''.0$
 Mean of chronometer times $11^h \ 54^m \ 42^s.6$
 Equation of time - 4 53.7

Reducing this observation with latitude = -3° 43' 15", we find the chronometer 2^h 26^m 30^s.7 slow of local mean time. Reducing it with latitude = -3° 44' 15", we find the chronometer 2^h 26^m 33^s.1 slow of local mean time.

In order to determine both the latitude of Ceara and the error of the chronometer from the three observations which have just been given, we proceed as follows:

Comparing the error obtained on the afternoon of December 13th, with that obtained on the afternoon of December 14th, we find that the chronometer was losing 1.17 seconds per day; and this rate is independent of any small change in the adopted value of the latitude.

By means of this rate, reducing all the observed chronometer errors to 2^h 26^m P. M. December 14th, and then plotting them according to Sumner's method, we get for the place of observation

Latitude 3° 43' 59" S.

and for the chronometer,

Chronometer slow of local mean time 2^h 26^m 32^s.5
 Longitude west 2 34 6
 Chronometer slow of Greenwich mean time 5 0 38.5

Double Altitudes of the Sun for Time, observed at Pernambuco, Brazil, December 23d, 1865.

$7^h \ 30^m \ 15^s$ $30 \ 39.5$ $31 \ 3$ $32 \ 52.5$ $33 \ 15$ $33 \ 40$	$118^\circ \ 10' \ 0''$ $20 \ 0$ $30 \ 0$ $118 \ 10 \ 0$ $20 \ 0$ $30 \ 0$	$\left. \begin{array}{l} \\ \\ \\ \\ \\ \end{array} \right\} \begin{array}{l} 2\ominus \\ \\ \\ \\ \end{array}$	<table style="border-collapse: collapse; width: 100%;"> <tr> <td colspan="2" style="text-align: center;">Index correction.</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 5px;">$359^\circ \ 10' \ 50''$</td> <td style="padding: 5px;">$0^\circ \ 16' \ 0''$</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 5px;">50</td> <td style="padding: 5px;">$16 \ 10$</td> </tr> <tr> <td style="border-top: 1px solid black; border-right: 1px solid black; padding: 5px;">$359 \ 10 \ 50.0$</td> <td style="border-top: 1px solid black; padding: 5px;">$0 \ 16 \ 5.0$</td> </tr> <tr> <td colspan="2" style="text-align: center;">Correction = +16' 32".5</td> </tr> </table>	Index correction.		$359^\circ \ 10' \ 50''$	$0^\circ \ 16' \ 0''$	50	$16 \ 10$	$359 \ 10 \ 50.0$	$0 \ 16 \ 5.0$	Correction = +16' 32".5	
Index correction.													
$359^\circ \ 10' \ 50''$	$0^\circ \ 16' \ 0''$												
50	$16 \ 10$												
$359 \ 10 \ 50.0$	$0 \ 16 \ 5.0$												
Correction = +16' 32".5													

Ex. ther. 83° At. ther. Bar.
 Refraction = -32".1 Sun's declination -23° 26' 31"
 Parallax = + 4.5 Latitude - 8 3 37

Mean of observed double altitudes $118^\circ \ 20' \ 0''.0$
 Local apparent time $10^h \ 9^m \ 3^s.5$
 Equation of time - 0 31.2
 Local mean time 10 8 32.3

Mean of chronometer times	7 ^h 31 ^m 57 ^s .5
Chronometer slow of local mean time	2 36 34.8
Longitude west	2 19 28.2
Chronometer slow of Greenwich mean time	4 56 3.0

Double Altitudes of the Sun for Time, observed at Bahia, Brazil, December 27th, 1865.

6 ^h 52 ^m 10 ^s	98° 30' 0"	} 2 [⊖]	Index correction.	
52 31.5	40 0 0		359° 10' 40"	0° 16' 10"
52 54.5	50 0 0	} 2 [⊙]	50	0
54 32	98 30 0		359 10 45.0	0 16 5.0
54 53.5	40 0 0		Correction = +16' 35".0	
55 16.5	50 0 0			

Ex. ther. 88°	At. ther.	Bar.
Refraction = - 45".9	Sun's declination - 23° 19' 33".8	
Parallax = + 5.7	Latitude - 12 56 55.	

Mean of observed double altitudes	98° 40' 0".0
Local apparent time	9 ^h 14 ^m 22 ^s .5
Equation of time	+ 1 27.3
Local mean time	9 15 49.8
Mean of chronometer times	6 53 43.0
Chronometer slow of local mean time	2 22 6.8
Longitude west	2 34 0.5
Chronometer slow of Greenwich mean time	4 56 7.3

Double Altitudes of the Sun for Time, observed at the Light-house in Fort St. Antonio, Bahia, Brazil, December 29th, 1865.

8 ^h 14 ^m 46 ^s .5	134° 50' 0"	} 2 [⊖]	Index correction.	
15 10	135 0 0		359° 10' 50"	0° 16' 0"
15 31	10 0 0	} 2 [⊙]	50	10
15 56	20 0 0		40	10
16 19.5	30 0 0		Correction = +16' 33".3	
17 17.5	134 50 0			
17 44	135 0 0	} 2 [⊙]	359 10 46.7	0 16 6.7
18 7	10 0 0			
18 31.5	20 0 0			
18 54	30 0 0			

Ex. ther. 84°	At. ther.	Bar.
Refraction = - 22".1	Sun's declination - 23° 13' 31".1	
Parallax = + 3.3	Latitude - 13 0 55.	

Mean of observed double altitudes	135° 10' 0".0
Local apparent time	10 ^h 36 ^m 25 ^s .7
Equation of time	+ 2 27.6
Local mean time	10 38 53.3
Mean of chronometer times	8 16 49.7
Chronometer slow of local mean time	2 22 3.6
Longitude west	2 34 6.9
Chronometer slow of Greenwich mean time	4 56 10.5

REPORT ON

Double Altitudes of the Sun for Time, observed at Rio Janeiro, Brazil, January 9th, 1866.

5^h 13 ^m 17 ^s 13 39 14 3.5 14 26.5 15 43 16 8 16 29 16 53	47° 40' 0" 50 0 0 48 0 0 10 0 0 47 40 0 50 0 0 48 0 0 10 0 0	} 2☉ } 2☉	Index correction. 359° 10' 40" 30 <hr style="width: 50%; margin: 0 auto;"/> 359 10 35.0 0 15 55.0	0° 16' 0" 15 50 <hr style="width: 50%; margin: 0 auto;"/> 0 15 55.0 Correction = +16' 45".0
--	--	------------------	---	--

Ex. ther. 74°	At. ther. 77°	Bar. 29.94 inches.
Refraction = -123".2	Sun's declination -22° 6' 24".6	
Parallax = + 7.9	Latitude -22 54 5.	

Mean of observed double altitudes	47° 55' 0".0
Local apparent time	7^h 11 ^m 19 ^s .5
Equation of time	+ 7 23.8
Local mean time	7 18 43.3
Mean of chronometer times	5 15 4.9
Chronometer slow of local mean time	2 3 38.4
Longitude west	2 52 30.7
Chronometer slow of Greenwich mean time	4 56 9.1

Double Altitudes of the Sun for Time, observed at Rat Island, harbor of Rio Janeiro, January 9th, 1866.

7^h 27 ^m 0 ^s 27 20 27 42.5 28 4.5 28 26.5 29 21 29 45 30 5 30 26.5 30 48	108° 0' 0" 10 0 0 20 0 0 30 0 0 40 0 0 108 0 0 10 0 0 20 0 0 30 0 0 40 0 0	} 2☉ } 2☉	Index correction. 359° 10' 30" 40 40 <hr style="width: 50%; margin: 0 auto;"/> 359 10 36.7 0 15 50.0	0° 15' 50" 50 50 <hr style="width: 50%; margin: 0 auto;"/> 0 15 50.0 Correction = +16' 46".6
---	--	------------------	---	--

Ex. ther. 75°	At. ther. 77°	Bar. 29.94 inches.
Refraction = -39".8	Sun's declination -22° 5' 37".3	
Parallax = + 5.1	Latitude -22 53 45.	

Mean of observed double altitudes	108° 20' 0".0
Local apparent time	9^h 25 ^m 0 ^s .7
Equation of time	+ 7 26.0
Local mean time	9 32 26.7
Mean of chronometer times	7 28 53.9
Chronometer slow of local mean time	2 3 32.8
Longitude west	2 52 37.9
Chronometer slow of Greenwich mean time	4 56 10.7

Double Altitudes of the Sun for Time, observed at Monte Video, Uruguay, January 18th, 1866.

4^h 0 ^m 26 ^s .5 0 51.5 1 17 2 3.5 3 5.5 3 30 3 56.5 4 46	45° 50' 0" 40 0 0 30 0 0 10 0 0 45 50 0 40 0 0 30 0 0 10 0 0	} 2☉ } 2☉	Index correction. 359° 10' 30" 40 40 <hr style="width: 50%; margin: 0 auto;"/> 359 10 36.7 0 15 43.3	0° 15' 50" 40 40 <hr style="width: 50%; margin: 0 auto;"/> 0 15 43.3 Correction = +16' 50".0
---	--	------------------	---	--

Ex. ther. 76° At. ther. 79° Bar. 30.02 inches.
 Refraction = $-130''.2$ Sun's declination $-20^{\circ} 26' 55''.2$
 Parallax = $+ 8.0$ Latitude $-34 53 39$

Mean of observed double altitudes $45^{\circ} 32' 30''.0$
 Local apparent time $5^h 3^m 5^s.2$
 Equation of time $+ 10 51.4$
 Local mean time $5 13 56.6$
 Mean of chronometer times $4 2 29.6$
 Chronometer slow of local mean time $1 11 27.0$
 Longitude west $3 44 55.8$
 Chronometer slow of Greenwich mean time $4 56 22.8$

Double Altitudes of the Sun for Time, observed on Rat Island, harbor of Monte Video, Uruguay, January 24th, 1866.

$2^h 29^m 1^s.5$ $29 25.5$ $29 50.5$ $30 13.5$ $30 38.5$ $31 38.5$ $32 3$ $32 26$ $32 51$ $33 16$	$82^{\circ} 30' 0''$ $20 0$ $10 0$ $82 0 0$ $81 50 0$ $82 30 0$ $20 0$ $10 0$ $82 0 0$ $81 50 0$	$\left. \begin{array}{l} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \end{array} \right\} 2\odot$ $\left. \begin{array}{l} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \end{array} \right\} 2\ominus$	Index correction. $359^{\circ} 10' 10''$ $10 10$ $10 10$ <hr/> $359 10 10.0$	$0^{\circ} 15' 40''$ 40 20 <hr/> $0 15 33.3$ Correction = $+ 17' 8''.3$
--	---	--	--	---

Ex. ther. 74° At. ther. Bar.
 Refraction = $-62''.7$ Sun's declination $-19^{\circ} 6' 33''.8$
 Parallax = $+ 6.5$ Latitude $-34 53 18$

Mean of observed double altitudes $82^{\circ} 10' 0''.0$
 Local apparent time $3^h 30^m 5^s.7$
 Equation of time $+ 12 29.2$
 Local mean time $3 42 34.9$
 Mean of chronometer times $2 31 8.4$
 Chronometer slow of local mean time $1 11 26.5$
 Longitude west $3 44 52.9$
 Chronometer slow of Greenwich mean time $4 56 19.4$

Double Altitudes of the Sun, for Time, observed at Sandy Point, in the Straits of Magellan, February 7th, 1866.

$9^h 59^m 24^s.5$ $10 0 11$ $1 1$ $1 49.5$ $2 37.5$ $4 39.5$ $5 27.5$ $6 18.5$ $7 9$ $7 58.5$	$90^{\circ} 30' 0''$ $40 0$ $50 0$ $91 0 0$ $10 0$ $90 30 0$ $40 0$ $50 0$ $91 0 0$ $10 0$	$\left. \begin{array}{l} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \end{array} \right\} 2\odot$ $\left. \begin{array}{l} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \end{array} \right\} 2\ominus$	Index correction. $359^{\circ} 10' 20''$ 30 35 <hr/> $359 10 28.3$	$0^{\circ} 15' 40''$ 50 35 <hr/> $0 15 41.7$ Correction = $+ 16' 55''.0$
--	---	--	--	--

Ex. ther. 52° At. ther. 70° Bar. 30.04 inches.
 Refraction = $-56''.9$ Sun's declination $-15^{\circ} 14' 15''.6$
 Parallax = $+ 6.1$ Latitude $-53 10 20$

Mean of observed double altitudes $90^{\circ} 50' 0''$
 Local apparent time $10^h 2^m 2^s.2$
 Equation of time $+ 14 25.5$

Local mean time	10 ^h 16 ^m 27 ^s .7
Mean of chronometer times	10 3 39.6
Chronometer slow of local mean time	0 12 48.1
Longitude west	4 43 35.3
Chronometer slow of Greenwich mean time	4 56 23.4

Double Altitudes of the Sun for Time, observed near Valparaiso, Chile, March 2d, 1866.

3 ^h 50 ^m 15 ^s .5	62° 0' 0"	} 2⊖	Index correction.		
50 39.5	61 50 0		359° 10' 40"	0° 15' 0"	
51 3	40 0	} 2⊖	45		5
51 51.5	20 0		40		10
52 52	62 0 0	} 2⊖	<hr/>		
53 15.5	61 50 0		359 10 41.7	0 15 5.0	
53 39.5	40 0				
54 30	20 0				
			Correction = + 17' 6".6		

Ex. ther. 67°	At. ther.	Bar.
Refraction = - 92".4	Sun's declination - 7° 1' 53"	
Parallax = + 7.4	Latitude - 33 1.4	
Mean of observed double altitudes	61° 42' 30".0	
Local apparent time	3 ^h 49 ^m 44 ^s .3	
Equation of time	+ 12 17.9	
Local mean time	4 2 2.2	
Mean of chronometer times	3 52 15.8	
Chronometer slow of local mean time	0 9 46.4	
Longitude west	4 46 31	
Chronometer slow of Greenwich mean time	4 56 17.4	

Double Altitudes of the Sun for Time, observed in Valparaiso, Chile, March 29th, 1866.

2 ^h 36 ^m 55 ^s	73° 30' 0"	} 2⊖	Index correction.		
37 40	15 0 0		359° 10' 20"	0° 14' 50"	
38 23	0 0 0	} 2⊖	50		45
40 1.5	73 30 0		45		55
40 45.5	15 0 0	} 2⊖	<hr/>		
41 28.5	0 0 0		359 10 38.3	0 14 50.0	
			Correction = + 17' 15".8		

Ex. ther. 71°	At. ther. 69°	Bar. 30.23 inches.
Refraction = - 75".1	Sun's declination + 3° 31' 38"	
Parallax = + 6.9	Latitude - 33 1 47	
Mean of observed double altitudes	73° 15' 0".0	
Local apparent time	2 ^h 43 ^m 52 ^s .0	
Equation of time	+ 4 47.0	
Local mean time	2 48 39.0	
Mean of chronometer times	2 39 12.2	
Chronometer slow of local mean time.	0 9 26.8	
Longitude west	4 46 45.7	
Chronometer slow of Greenwich mean time	4 56 12.5	

Double Altitudes of the Sun for Time, observed in Valparaiso, Chile, April 7th, 1866.

9 ^h 36 ^m 26 ^s .5	77° 30' 0"	} 2⊖	Index correction.		
37 16.5	45 0 0		359° 10' 50"	0° 15' 10"	
38 9	78 0 0	} 2⊖	50		10
40 1.5	77 30 0		50		10
40 53	45 0 0	} 2⊖	<hr/>		
41 44.5	78 0 0		359 10 50.0	0 15 10.0	
			Correction = + 17' 0".0		

Ex. ther.	67°	At. ther.	65°	Bar.	30.17 inches.
Refraction	= - 69".8	Sun's declination	+ 6° 53' 28".6		
Parallax	= + 6.7	Latitude	- 33 1 47		
Mean of observed double altitudes			77° 45' 0".0	
Local apparent time			9 ^h 46 ^m 19 ^s .6	
Equation of time			+ 2 8.9	
Local mean time			9 48 28.5	
Mean of chronometer times			9 39 5.2	
Chronometer slow of local mean time			0 9 23.3	
Longitude west			4 46 45.7	
Chronometer slow of Greenwich mean time			4 56 9.0	

Double Altitudes of the Sun for Time, observed in Valparaiso, Chile, April 7th, 1866.

9 ^h 43 ^m 15 ^s .5	79° 30' 0"	} 2 [⊖]	Index correction
44 6.5	80 0 0		
45 0.5	79 30 0	} 2 [⊖]	= + 17' 0".0
46 57	80 0 0		
47 49.5			
48 44.5			

Ex. ther.	67°	At. ther.	65°	Bar.	30.17 inches.
Refraction	= - 67".3	Sun's declination	- 6° 53' 35".4		
Parallax	= + 6.6	Latitude	- 33 1 47		
Mean of observed double altitudes			79° 45' 0".0	
Local apparent time			9 ^h 53 ^m 14 ^s .0	
Equation of time			+ 2 8.8	
Local mean time			9 55 22.8	
Mean of chronometer times			9 45 58.9	
Chronometer slow of local mean time			0 9 23.9	
Longitude west			4 46 45.7	
Chronometer slow of Greenwich mean time			4 56 9.6	

Double Altitudes of the Sun for Time, observed in Valparaiso, Chile, April 14th, 1866.

3 ^h 50 ^m 20 ^s .5	36° 30' 0"	} 2 [⊖]	Index correction.	
51 1.5	15 0 0		359° 10' 40"	0° 14' 50"
51 39	0 0 0		45	
53 7	36 30 0	} 2 [⊖]	45	50
53 46	15 0 0			
54 24.5	0 0 0			
			359 10 41.6	0 14 48.3
			Correction = + 17' 15".0	

Ex. ther.	65°	At. ther.	66°	Bar.	30.13 inches.
Refraction	= - 170".3	Sun's declination	+ 9° 33' 33".6		
Parallax	= + 8.1	Latitude	- 33 1 47		
Mean of observed double altitudes			36° 15' 0".0	
Local apparent time			4 ^h 3 ^m 13 ^s .2	
Equation of time			+ 0 11.6	
Local mean time			4 3 24.8	
Mean of chronometer times			3 52 23.1	
Chronometer slow of local mean time			0 11 1.7	
Longitude west			4 46 45.7	
Chronometer slow of Greenwich mean time			4 57 47.4	

Double Altitudes of the Sun for Time, observed on the Island of San Lorenzo, near Callao, Peru, April 26th, 1866.

<table style="width: 100%; border-collapse: collapse;"> <tr><td style="padding: 2px 10px;">11^h 17^m 45^s</td><td style="padding: 2px 10px;">123° 0' 0"</td><td rowspan="2" style="font-size: 2em; padding: 0 5px;">}</td><td rowspan="2" style="padding: 0 5px;">2☉</td></tr> <tr><td style="padding: 2px 10px;">18 52</td><td style="padding: 2px 10px;">15 0 0</td></tr> <tr><td style="padding: 2px 10px;">20 3</td><td style="padding: 2px 10px;">30 0 0</td><td colspan="2"></td></tr> <tr><td style="padding: 2px 10px;">22 46</td><td style="padding: 2px 10px;">123 0 0</td><td rowspan="2" style="font-size: 2em; padding: 0 5px;">}</td><td rowspan="2" style="padding: 0 5px;">2☉</td></tr> <tr><td style="padding: 2px 10px;">24 2</td><td style="padding: 2px 10px;">15 0 0</td></tr> <tr><td style="padding: 2px 10px;">25 18</td><td style="padding: 2px 10px;">30 0 0</td><td colspan="2"></td></tr> </table>	11 ^h 17 ^m 45 ^s	123° 0' 0"	}	2☉	18 52	15 0 0	20 3	30 0 0			22 46	123 0 0	}	2☉	24 2	15 0 0	25 18	30 0 0			<table style="width: 100%; border-collapse: collapse;"> <tr><td style="padding: 2px 10px;">359° 11' 10"</td><td style="padding: 2px 10px;">0° 15' 0"</td></tr> <tr><td style="padding: 2px 10px;">10</td><td style="padding: 2px 10px;">0</td></tr> <tr><td colspan="2" style="border-top: 1px solid black;"></td></tr> <tr><td style="padding: 2px 10px;">359 11 10.0</td><td style="padding: 2px 10px;">0 15 0.0</td></tr> <tr><td colspan="2" style="text-align: center;">Correction = + 16' 55".0</td></tr> </table>	359° 11' 10"	0° 15' 0"	10	0			359 11 10.0	0 15 0.0	Correction = + 16' 55".0	
11 ^h 17 ^m 45 ^s	123° 0' 0"	}			2☉																										
18 52	15 0 0																														
20 3	30 0 0																														
22 46	123 0 0	}	2☉																												
24 2	15 0 0																														
25 18	30 0 0																														
359° 11' 10"	0° 15' 0"																														
10	0																														
359 11 10.0	0 15 0.0																														
Correction = + 16' 55".0																															

Ex. ther. 80°	At. ther.	Bar.
Refraction = - 29".2	Sun's declination + 13° 35' 18"	
Parallax = + 4.0	Latitude - 12 5 14	

Mean of observed double altitudes	123° 15' 0".0
Local apparent time	11 ^h 12 ^m 33 ^s .0
Equation of time	— 2 18.8
Local mean time	11 10 14.2
Mean of chronometer times	11 21 27.7
Chronometer fast of local mean time	0 11 13.5
Longitude west	5 9 9.1
Chronometer slow of Greenwich mean time	4 57 55.6

Double Altitudes of the Sun for Time, observed at Payta, Peru, May 7th, 1866.

<table style="width: 100%; border-collapse: collapse;"> <tr><td style="padding: 2px 10px;">8^h 40^m 44^s.5</td><td style="padding: 2px 10px;">62° 0' 0"</td><td rowspan="2" style="font-size: 2em; padding: 0 5px;">}</td><td rowspan="2" style="padding: 0 5px;">2☉</td></tr> <tr><td style="padding: 2px 10px;">41 17.5</td><td style="padding: 2px 10px;">15 0 0</td></tr> <tr><td style="padding: 2px 10px;">41 51</td><td style="padding: 2px 10px;">30 0 0</td><td colspan="2"></td></tr> <tr><td style="padding: 2px 10px;">43 1.5</td><td style="padding: 2px 10px;">62 0 0</td><td rowspan="2" style="font-size: 2em; padding: 0 5px;">}</td><td rowspan="2" style="padding: 0 5px;">2☉</td></tr> <tr><td style="padding: 2px 10px;">43 34.5</td><td style="padding: 2px 10px;">15 0 0</td></tr> <tr><td style="padding: 2px 10px;">44 7.5</td><td style="padding: 2px 10px;">30 0 0</td><td colspan="2"></td></tr> </table>	8 ^h 40 ^m 44 ^s .5	62° 0' 0"	}	2☉	41 17.5	15 0 0	41 51	30 0 0			43 1.5	62 0 0	}	2☉	43 34.5	15 0 0	44 7.5	30 0 0			<table style="width: 100%; border-collapse: collapse;"> <tr><td style="padding: 2px 10px;">359° 11' 30"</td><td style="padding: 2px 10px;">0° 15' 0"</td></tr> <tr><td style="padding: 2px 10px;">25</td><td style="padding: 2px 10px;">0</td></tr> <tr><td style="padding: 2px 10px;">25</td><td style="padding: 2px 10px;">0</td></tr> <tr><td colspan="2" style="border-top: 1px solid black;"></td></tr> <tr><td style="padding: 2px 10px;">359 11 26.7</td><td style="padding: 2px 10px;">0 15 0.0</td></tr> <tr><td colspan="2" style="text-align: center;">Correction = + 16' 46".6</td></tr> </table>	359° 11' 30"	0° 15' 0"	25	0	25	0			359 11 26.7	0 15 0.0	Correction = + 16' 46".6	
8 ^h 40 ^m 44 ^s .5	62° 0' 0"	}			2☉																												
41 17.5	15 0 0																																
41 51	30 0 0																																
43 1.5	62 0 0	}	2☉																														
43 34.5	15 0 0																																
44 7.5	30 0 0																																
359° 11' 30"	0° 15' 0"																																
25	0																																
25	0																																
359 11 26.7	0 15 0.0																																
Correction = + 16' 46".6																																	

Ex. ther. 78°	At. ther. 80°	Bar. 30.06 inches.
Refraction = - 90".7	Sun's declination + 16° 50' 46"	
Parallax = + 7.3	Latitude - 5 5 36	

Mean of observed double altitudes	62° 15' 0".0
Local apparent time	8 ^h 19 ^m 22 ^s .3
Equation of time	— 3 38.1
Local mean time	8 15 44.2
Mean of chronometer times	8 42 26.1
Chronometer fast of local mean time	0 26 41.9
Longitude west	5 24 22.0
Chronometer slow of Greenwich mean time	4 57 40.1

Double Altitudes of the Sun for Time, observed on Flamenco Island, Panama Bay, May 14th, 1866.

<table style="width: 100%; border-collapse: collapse;"> <tr><td style="padding: 2px 10px;">9^h 24^m 59^s</td><td style="padding: 2px 10px;">95° 0' 0"</td><td rowspan="2" style="font-size: 2em; padding: 0 5px;">}</td><td rowspan="2" style="padding: 0 5px;">2☉</td></tr> <tr><td style="padding: 2px 10px;">25 31</td><td style="padding: 2px 10px;">15 0 0</td></tr> <tr><td style="padding: 2px 10px;">26 3.5</td><td style="padding: 2px 10px;">30 0 0</td><td colspan="2"></td></tr> <tr><td style="padding: 2px 10px;">27 12</td><td style="padding: 2px 10px;">95 0 0</td><td rowspan="2" style="font-size: 2em; padding: 0 5px;">}</td><td rowspan="2" style="padding: 0 5px;">2☉</td></tr> <tr><td style="padding: 2px 10px;">27 43.5</td><td style="padding: 2px 10px;">15 0 0</td></tr> <tr><td style="padding: 2px 10px;">28 15</td><td style="padding: 2px 10px;">30 0 0</td><td colspan="2"></td></tr> </table>	9 ^h 24 ^m 59 ^s	95° 0' 0"	}	2☉	25 31	15 0 0	26 3.5	30 0 0			27 12	95 0 0	}	2☉	27 43.5	15 0 0	28 15	30 0 0			<table style="width: 100%; border-collapse: collapse;"> <tr><td style="padding: 2px 10px;">359° 11' 30"</td><td style="padding: 2px 10px;">0° 15' 10"</td></tr> <tr><td style="padding: 2px 10px;">20</td><td style="padding: 2px 10px;">14 55</td></tr> <tr><td style="padding: 2px 10px;">20</td><td style="padding: 2px 10px;">14 40</td></tr> <tr><td colspan="2" style="border-top: 1px solid black;"></td></tr> <tr><td style="padding: 2px 10px;">359 11 23.3</td><td style="padding: 2px 10px;">0 14 55.0</td></tr> <tr><td colspan="2" style="text-align: center;">Correction = + 16' 50".8</td></tr> </table>	359° 11' 30"	0° 15' 10"	20	14 55	20	14 40			359 11 23.3	0 14 55.0	Correction = + 16' 50".8	
9 ^h 24 ^m 59 ^s	95° 0' 0"	}			2☉																												
25 31	15 0 0																																
26 3.5	30 0 0																																
27 12	95 0 0	}	2☉																														
27 43.5	15 0 0																																
28 15	30 0 0																																
359° 11' 30"	0° 15' 10"																																
20	14 55																																
20	14 40																																
359 11 23.3	0 14 55.0																																
Correction = + 16' 50".8																																	

Ex. ther. 85°	At. ther. 85°	Bar. 30.10 inches.
Refraction = - 49".5	Sun's declination + 18° 39' 49"	
Parallax = + 5.7	Latitude + 8 54 31	

Mean of observed double altitudes	95° 15' 0".0
Local apparent time	9 ^h 10 ^m 13 ^s .5
Equation of time	— 3 53.1
Local mean time	9 6 20.4
Mean of chronometer times	9 26 37.3
Chronometer fast of local mean time	0 20 16.9
Longitude west	5 18 1.8
Chronometer slow of Greenwich mean time	4 57 44.9

Double Altitudes of the Sun for Time, observed at Acapulco, Mexico, May 30th, 1866.

10 ^h 25 ^m 36 ^s	89° 0' 0" } 2⊖	359° 11' 10"	Index correction.	0° 15' 0"
26 5.5	15 0 0			14 40
26 38.5	30 0 0			15 0
27 49.5	89 0 0 } 2⊖	20		
28 22	15 0 0			
28 54	30 0 0	359 11 10.0		0 14 53.3
Correction = + 16' 58".3				

Ex. ther. 89°	At. ther. 85°	Bar. 30.10 inches.
Refraction = - 54".5	Sun's declination + 21° 48' 7"	
Parallax = + 6.0	Latitude + 16 50 3	

Mean of observed double altitudes	89° 15' 0".0
Local apparent time	8 ^h 48 ^m 38 ^s .4
Equation of time	— 2 46.4
Local mean time	8 45 52.0
Mean of chronometer times	10 27 14.2
Chronometer fast of local mean time	1 41 22.2
Longitude west	6 39 29.4
Chronometer slow of Greenwich mean time	4 58 7.2

Double Altitudes of the Sun for Time, observed in Magdalena Bay, Lower California, June 8th, 1866.

5 ^h 20 ^m 49 ^s	100° 45' 0" } 2⊖	359° 10' 50"	Index correction.	0° 14' 40"
21 23	30 0 0			14 50
21 56	15 0 0			15 0
23 8.5	100 45 0 } 2⊖	10 30		
23 41.5	30 0 0			
24 5	15 0 0	359 10 53.3		0 14 50.0
Correction = + 17' 8".4				

Ex. ther. 69°	At. ther. 70°	Bar. 30.02 inches.
Refraction = - 46".4	Sun's declination + 22° 53' 42"	
Parallax = + 5.4	Latitude + 24 38	

Mean of observed double altitudes	100° 30' 0".0
Local apparent time	2 ^h 53 ^m 42 ^s .3
Equation of time	— 1 14.5
Local mean time	2 52 27.8
Mean of chronometer times	5 22 32.2
Chronometer fast of local mean time	2 30 4.4
Longitude west	7 28 24.0
Chronometer slow of Greenwich mean time	4 58 19.6

*Double Altitudes of the Sun for Time, observed at La Playa, San Diego Bay, California,
June 15th, 1866.*

$5^h \ 16^m \ 41^s.$ $17 \ 16$ $17 \ 51.5$ $19 \ 10$ $19 \ 46$ $20 \ 21.5$	112° 112	$30'$ $15 \ 0$ $0 \ 0$ $30 \ 0$ $15 \ 0$ $0 \ 0$	$\left. \begin{array}{l} \\ \\ \\ \\ \\ \end{array} \right\} 2\odot$ $\left. \begin{array}{l} \\ \\ \\ \\ \\ \end{array} \right\} 2\ominus$	<table style="border-collapse: collapse; width: 100%;"> <tr><td colspan="2" style="text-align: center;">Index correction.</td></tr> <tr><td style="border-right: 1px solid black; padding-right: 5px;">$359^\circ \ 11' \ 30''$</td><td style="padding-left: 5px;">$0^\circ \ 14' \ 50''$</td></tr> <tr><td style="border-right: 1px solid black; padding-right: 5px;">35</td><td style="padding-left: 5px;">30</td></tr> <tr><td style="border-right: 1px solid black; padding-right: 5px;">20</td><td style="padding-left: 5px;">50</td></tr> <tr><td colspan="2" style="border-top: 1px solid black; border-bottom: 1px solid black;"></td></tr> <tr><td style="border-right: 1px solid black; padding-right: 5px;">$359 \ 11 \ 28.3$</td><td style="padding-left: 5px;">$0 \ 14 \ 43.3$</td></tr> <tr><td colspan="2" style="text-align: center;">Correction = + 16' 54".2</td></tr> </table>	Index correction.		$359^\circ \ 11' \ 30''$	$0^\circ \ 14' \ 50''$	35	30	20	50			$359 \ 11 \ 28.3$	$0 \ 14 \ 43.3$	Correction = + 16' 54".2	
Index correction.																		
$359^\circ \ 11' \ 30''$	$0^\circ \ 14' \ 50''$																	
35	30																	
20	50																	
$359 \ 11 \ 28.3$	$0 \ 14 \ 43.3$																	
Correction = + 16' 54".2																		

Ex. ther. 71°	At. ther. 72°	Bar. 30.12 inches.
Refraction = - 37".4	Sun's declination + 23° 20' 22"	
Parallax = + 4.7	Latitude + 32 41 58	

Mean of observed double altitudes	112° 15' 0".0
Local apparent time	2 ^h 27 ^m 47 ^s .3
Equation of time	+ 0 11.3
Local mean time	2 27 58.6
Mean of chronometer times	5 18 31.1
Chronometer fast of local mean time	2 50 32.5
Longitude west	7 48 52.6
Chronometer slow of Greenwich mean time	4 58 20.1

*Double Altitudes of the Sun for Time, observed on Yerba Buena Island, San Francisco Bay,
California, June 26th, 1866.*

$4^h \ 16^m \ 40^s.5$ $17 \ 18$ $17 \ 55.5$ $19 \ 18.5$ $19 \ 54.5$ $20 \ 30$	75° 75	$15'$ $30 \ 0$ $45 \ 0$ $15 \ 0$ $30 \ 0$ $45 \ 0$	$\left. \begin{array}{l} \\ \\ \\ \\ \\ \end{array} \right\} 2\ominus$ $\left. \begin{array}{l} \\ \\ \\ \\ \\ \end{array} \right\} 2\odot$	<table style="border-collapse: collapse; width: 100%;"> <tr><td colspan="2" style="text-align: center;">Index correction.</td></tr> <tr><td style="border-right: 1px solid black; padding-right: 5px;">$359^\circ \ 11' \ 30''$</td><td style="padding-left: 5px;">$0^\circ \ 14' \ 30''$</td></tr> <tr><td style="border-right: 1px solid black; padding-right: 5px;">35</td><td style="padding-left: 5px;">50</td></tr> <tr><td style="border-right: 1px solid black; padding-right: 5px;">25</td><td style="padding-left: 5px;">50</td></tr> <tr><td colspan="2" style="border-top: 1px solid black; border-bottom: 1px solid black;"></td></tr> <tr><td style="border-right: 1px solid black; padding-right: 5px;">$359 \ 11 \ 30.0$</td><td style="padding-left: 5px;">$0 \ 14 \ 43.3$</td></tr> <tr><td colspan="2" style="text-align: center;">Correction = + 16' 53".4</td></tr> </table>	Index correction.		$359^\circ \ 11' \ 30''$	$0^\circ \ 14' \ 30''$	35	50	25	50			$359 \ 11 \ 30.0$	$0 \ 14 \ 43.3$	Correction = + 16' 53".4	
Index correction.																		
$359^\circ \ 11' \ 30''$	$0^\circ \ 14' \ 30''$																	
35	50																	
25	50																	
$359 \ 11 \ 30.0$	$0 \ 14 \ 43.3$																	
Correction = + 16' 53".4																		

Ex. ther. 67°	At. ther.	Bar.
Refraction = - 72".5	Sun's declination + 23° 22' 7"	
Parallax = + 6.6	Latitude + 37 48 46	

Mean of observed double altitudes	75° 30' 0".0
Local apparent time	8 ^h 2 ^m 58 ^s .4
Equation of time	+ 2 29.6
Local mean time	8 5 28.0
Mean of chronometer times	4 18 36.2
Chronometer fast of local mean time	8 13 8.2
Longitude west	8 9 22.6
Chronometer fast of Greenwich mean time	0 3 45.6

The chronometer used in making this observation was T. S. and J. D. Negus' No. 1287.

True bearings were determined by measuring with a sextant the angle between the sun's limb and some well-defined terrestrial object, the time being noted at the instant the angle was observed. If the terrestrial object was much elevated above the horizon its angular altitude was also measured. Knowing the latitude of the place of observation, the local time, and the sun's declination, the sun's zenith distance and true bearing were calculated. Then, having the zenith distance of the sun, the zenith distance of the terrestrial object, and the measured angle between the sun and the terrestrial object, the horizontal angle between them

was computed, and applying it to the sun's true bearing the true bearing of the terrestrial object at once became known.

The formulæ employed were as follows. Let

T = mean of observed chronometer times.

dt = correction of chronometer to reduce the reading of its face to local mean time.

τ = equation of time.

t = sun's hour angle, or the apparent time.

Ω = mean of observed angular distances between the sun's limb and the terrestrial object.

ω = index correction of sextant.

s = sun's semi-diameter.

a = apparent zenith distance of sun's centre.

b = zenith distance of terrestrial object.

c = true angular distance between the sun's centre and the terrestrial object.

C = horizontal angle included between the sun's centre and the terrestrial object.

ϕ = latitude of the place of observation.

A = azimuth, or true bearing, of sun's centre.

ζ = true zenith distance of sun's centre.

δ = sun's declination.

r = refraction due to apparent altitude of sun's limb.

B = true bearing of terrestrial object.

Then we have

$$t = T + dt + \tau$$

$$\tan M = \frac{\tan \delta}{\cos t}$$

$$\tan A = \frac{\tan t \cos M}{\sin(\phi - M)}$$

$$\tan \zeta = \frac{\tan(\phi - M)}{\cos A}$$

where A is to be taken greater or less than 180° , according as t is greater or less than 180° .

$$a = \zeta - r$$

$$c = \Omega + \omega + s$$

If b is exactly 90° , we have

$$\cos C = \frac{\cos c}{\sin a}$$

But if b is either greater or less than 90° , we have

$$S = \frac{a + b + c}{2}$$

$$\tan \frac{1}{2} C = \sqrt{\frac{\sin(S - a) \sin(S - b)}{\sin S \sin(S - c)}}$$

Finally

$$B = A \pm C$$

In a few instances true bearings were obtained by observing the sun when its apparent elevation above the horizon was equal to its diameter. In that case

$$\zeta = 90^\circ$$

and then

$$\cos A = \frac{\sin \delta}{\cos \phi}$$

in which the azimuth will be north or south of the prime vertical according as the sun's declination is north or south.

Observations of the Sun, made October 31st, 1865, to determine the true bearing of the object used as an azimuth mark in swinging the ship at Hampton Roads, Va.

	10 ^h 10 ^m 50 ^s		127° 20'
	11 45		38
	12 15		45
	14 0		128 4
	14 39		8
<i>T</i>	10 12 42	Ω	127 47
Chronometer fast	0 4 50	ω	+ 16
τ	+ 16 16	<i>s</i>	+ 16
Apparent time	10 24 8	<i>c</i>	128 19
<i>t</i>	23° 58'	ζ	55 59
δ	— 14 16	<i>r</i>	— 1
ϕ	36 58	<i>a</i>	55 58
<i>M</i>	— 15 33	<i>b</i> nearly	90
$\phi - M$	52 31	<i>C</i>	138 26
True bearing of sun			S. 28° 21' E.
\angle Seminary to sun			138 26
\angle Seminary to Rip Raps			62 44
\angle Rip Raps to tree			114 37
True bearing of tree			S. 10 34 W.

Observations of the Sun, made November 18th, 1865, to determine the true bearing of the object used as an azimuth mark in swinging the ship at St. Thomas, West Indies.

	7 ^h 0 ^m 5 ^s		34° 13'
	2 15		15
	4 45		10
	8 15		12
	9 45		12
<i>T</i>	7 5 1	Ω	34 12
Chronometer slow	0 40 47	ω	+ 16
τ	+ 14 36	<i>s</i>	+ 16
Apparent time	8 0 24	<i>c</i>	34 44
<i>t</i>	59° 54'	ζ	69 48
δ	— 19 19	<i>r</i>	— 2
ϕ	18 20	<i>a</i>	69 46
<i>M</i>	— 34 57	<i>b</i> nearly	90
$\phi - M$	53 17	<i>C</i>	28 52
True bearing of sun			S. 60° 27' E.
\angle Sun to Peak			28 52
True bearing of Peak			S. 31 35 E.

Observations of the Sun, made Novem. er 28th, 1865, to determine the true bearing of the object used as an azimuth mark in swinging the ship at Isle Royal, Salute Islands.

	6 ^h 27 ^m 5 ^s 28 59 31 8		74° 50' 46 40
<i>T</i>	6 29 4	Ω	74 45
Chronometer slow	1 30 19	ω	+ 17
τ	+ 11 45	<i>s</i>	+ 16
Apparent time	8 11 8	<i>c</i>	75 18
<i>t</i>	57° 13'	ζ	62 4
δ	— 21 22	<i>r</i>	— 2
ϕ	5 17	<i>a</i>	62 2
<i>M</i>	— 35 52	<i>b</i> nearly	90
$\phi - M$	41 9	<i>C</i>	73 18
True bearing of sun			S. 62° 24' E.
\angle Sun to Nob			73 18
True bearing of Nob			S. 10 54 W.

Observations of the Sun, made December 12th, 1865, to determine the true bearing of the object used as an azimuth mark in swinging the ship at Ceara, Brazil.

	3 ^h 11 ^m 8 ^s 13 0 14 32		87° 30' 22 21
<i>T</i>	3 12 53	Ω	87 24
Chronometer slow	2 26 32	ω	+ 16
τ	+ 5 47	<i>s</i>	+ 16
Apparent time	5 45 12	<i>c</i>	87 56
<i>t</i>	86° 18'	ζ	85 4
δ	— 23 8	<i>r</i>	— 18
ϕ	— 3 43	<i>a</i>	84 46
<i>M</i>	— 81 25	<i>b</i> nearly	90
$\phi - M$	77 42	<i>C</i>	87 56
True bearing of sun			S. 67° 3' W.
\angle Lantern to sun			87 56
\angle Light-house to Lantern			77 0
True bearing of Light-house			N. 82 7 E.

Observations of the Sun, made December 29th, 1865, to determine the true bearing of the object used as an azimuth mark in swinging the ship at Bahia, Brazil.

When the sun's true zenith distance was about 90°, the angle between its nearest limb and a conspicuous tree was measured and found to be 31° 38', the tree being to the right of the sun.

$\phi = -12^\circ 59'$	$\delta = -23^\circ 12'$
True bearing of sun	S. 66° 9' W.
\angle Sun to tree	31 38
Sun's semi-diameter	0 16
True bearing of tree	N. 81 57 W.

Observations of the Sun, made January 7th, 1866, to determine the true bearing of the object used as an azimuth mark in swinging the ship at Rio Janeiro, Brazil.

	5 ^h 51 ^m 30 ^s		112° 2
	53 45		7
	55 0		12
<i>T</i>	5 53 25	Ω	112 15
Chronometer slow	2 3 32	ω	+ 17
τ	— 6 36	<i>s</i>	—
Apparent time	7 50 21	<i>c</i>	112 32
<i>t</i>	62° 25'	ζ	57 9
δ	— 22 22	<i>r</i>	— 1
ϕ	— 22 54	<i>a</i>	57 8
<i>M</i>	— 41 38	<i>b</i>	85 16
$\phi - M$	18 44	<i>C</i>	120 45
True bearing of sun			S. 77° 21' E.
\angle Sun to Corcovado			120 45
\angle Corcovado to building			83 8
True bearing of building			<u>N. 53 28 W.</u>

Observations of the Sun, made January 23d, 1866, to determine the true bearing of the object used as an azimuth mark in swinging the ship at Monte Video, Uruguay.

Near sunset, when the true zenith distance of the sun was about 90°, the angle between its nearest limb and the Light-house on the Mount, on the west side of the harbor, was measured. The uncorrected reading of the sextant was 69° 40', and the sun was to the left of the Light-house.

	Ω 69° 40'	ϕ — 34° 53'
	ω + 17	δ — 19 19
	<i>s</i> + 16	
	<i>c</i> 70 13	
True bearing of sun		S. 66° 13' W.
\angle Sun to Light-house		70 13
\angle Hillock to Light-house		34 18
True bearing of hillock		<u>N. 77 52 W.</u>

Observations of the Sun, made February 9th, 1866, to determine the true bearing of the object used as an azimuth mark in swinging the ship at Sandy Point, in the Straits of Magellan.

	9 ^h 13 ^m 57 ^s		119° 15'
	15 19		32
	16 40		42
<i>T</i>	9 15 19	Ω	119 30
Chronometer slow	0 12 48	ω	+ 17
τ	— 14 30	<i>s</i>	+ 16
Apparent time	9 13 37	<i>c</i>	120 3
<i>t</i>	— 41° 36'	ζ	50 32
δ	— 14 37	<i>r</i>	— 1
ϕ	— 53 11	<i>a</i>	50 31
<i>M</i>	— 19 14	<i>b</i>	89 34
$\phi - M$	33 57	<i>C</i>	130 54
True bearing of sun			N. 56° 20' E.
\angle Mount St. Felipe to sun			130 54
True bearing of Mount St. Felipe			<u>S. 7 14 W.</u>

Observations of the Sun, made April 2d, 1866, to determine the true bearing of the object used as an azimuth mark in swinging the ship at Valparaiso, Chile.

	5 ^h 10 ^m 5 ^s 11 20 12 10		110° 20' 35 42
<i>T</i>			
Chronometer slow	5 11 12 0 9 25 — 3 32	Ω ω <i>s</i>	110 32 + 17 —
Apparent time	5 17 5	<i>c</i>	110 49
<i>t</i>	79° 16'	ζ	83 52
δ	5 7	<i>r</i>	— 8
ϕ	— 33 2	<i>a</i>	83 44
<i>M</i>	+ 25 40	<i>b</i> nearly	90
$\phi - M$	— 58 42	<i>C</i>	110 56
True bearing of sun		N. 79° 49' W.
\angle Sun to Point		110 56
True bearing of Point		N. 31 7 E.

Observations of the Sun, made April 27th, 1866, to determine the true bearing of the object used as an azimuth mark in swinging the ship at Callao, Peru.

	7 ^h 0 ^m 30 ^s 2 20 3 50		100° 50' 55 101 1
<i>T</i>			
Chronometer fast	7 2 13 0 11 1 + 2 27	Ω ω <i>s</i>	100 55 + 17 —
Apparent time	6 53 39	<i>c</i>	101 12
<i>t</i>	— 76° 35'	ζ	80 12
δ	13 51	<i>r</i>	— 5
ϕ	— 12 3	<i>a</i>	80 7
<i>M</i>	+ 46 44	<i>b</i> nearly	90
$\phi - M$	— 58 47	<i>C</i>	101 21
True bearing of sun		N. 73° 26' E.
\angle Sun to flagstaff		101 21
\angle Flagstaff to Light-house.		88 34
True bearing of Light-house		S. 83 21 W.

Observations of the Sun, made May 13th, 1866, to determine the true bearing of the object used as an azimuth mark in swinging the ship in Panama Bay, New Granada.

	6 ^h 17 ^m 3 ^s 18 15		86° 56' 58
<i>T</i>			
Chronometer fast	6 17 39 0 20 17 + 3 53	Ω ω <i>s</i>	86 57 + 17 —
Apparent time(P.M.)	6 1 15	<i>c</i>	87 14
<i>t</i>	90° 19'	ζ	86 54
δ	18 31	<i>r</i>	— 14
ϕ	8 55	<i>a</i>	86 40
<i>M</i>	89 3	<i>b</i> nearly	90
$\phi - M$	— 80 8	<i>C</i>	86 14

True bearing of sun	N. 71° 49' W.
∠ Peak to sun	87 14

True bearing of Peak	S. 20 57 W.

Observations to determine the true bearing of the object used as an azimuth mark in swinging the ship in the harbor of Acapulco, Mexico.

When determining the magnetic declination with the portable declinometer, on May 30th, 1866, an observation of the sun with the theodolite gave N. 6° 22' E. as the true bearing of the gate of Fort St. Diego from the shore station. We then have

True bearing from station to Fort	N. 6° 22' E.
∠ Monadnock to Fort	26 54

True bearing from station to Monadnock	N. 20 32 W.

True bearing from Monadnock to station	S. 20° 32' E.
∠ Clump to station	87 45

True bearing of clump	N. 71 43 E.

Observations of the Sun, made June 9th, 1866, to determine the true bearing of the object used as an azimuth mark in swinging the ship in Magdalena Bay, Lower California.

Owing to a combination of unfortunate circumstances, the only available method of determining a true bearing was by observing with the solar compass, set up on the quarterdeck of the ship. In that way I found

True bearing of Peak S. 46° 30' E.

which can only be considered as a near approximation to the truth.

Observations of the Sun, made June 23d, 1866, to determine the true bearing of the object used as an azimuth mark in swinging the ship at San Francisco, California.

	7 ^h 5 ^m 17 ^s		92° 22'
	6 52		39
	7 55		43
<i>T</i>	7 6 41	<i>Ω</i>	92 35
Chronometer fast	0 3 12	<i>ω</i>	+ 17
<i>τ</i>	— 1 51	<i>s</i>	—
Apparent time	7 1 38	<i>c</i>	92 52
<i>t</i>	— 74 35'	<i>ζ</i>	64 8
<i>δ</i>	23 26	<i>r</i>	— 2
<i>φ</i>	37 48	<i>a</i>	64 6
<i>M</i>	58 30	<i>b</i>	89 51
<i>φ — M</i>	— 20 42	<i>C</i>	93 16

True bearing of sun			N. 79° 26' E.
∠ Red Rock to sun			93 16


True bearing of Red Rock			N. 13 50 W.

The following triangulation was made for the purpose of determining the geographical position of some points in and about Ceara, Brazil. The angles were observed on December 14th, 15th, and 16th, 1865. Those between the Powhattan,

Monadnock, and Custom-house were not measured simultaneously, and as the two ships were riding at anchor with a considerable amount of chain out, it is probable that they shifted their positions after the angle at the Powhattan was measured, and before the angles at the Monadnock and Custom-house were taken. This will account for the excess of the sum of the three angles over 180°.

In the accompanying sketch the different points are designated as follows:

- A = Point Macoripie Light-house.
- B = Northeast corner of Custom-house on the wharf.
- C = U. S. Iron-clad Monadnock.
- D = U. S. Sloop of War Powhattan.
- E = most southern of the two steeples on the Church of the Conception.
- F = most southern of the two steeples on St. Joseph's Church.
- M = Magnetic and Astronomical Station of December 13th and 14th.



The observed angles were as follows:

<i>Angles at B.</i>	<i>Angles at C.</i>	<i>Angles at D.</i>
<i>D to A = 55° 12'</i>	<i>D to A = 36° 19'</i>	<i>A to B = 101° 35'</i>
<i>D to C = 84 17</i>	<i>D to B = 71 14</i>	<i>B to C = 25 13</i>
<i>F to C = 73 12</i>	<i>B to F = 42 28</i>	<i>A to C = 126 49</i>
<i>E to C = 125 6</i>	<i>B to E = 15 40</i>	
<i>E to F = 52 15</i>		
<i>A to E = 95 6</i>		

From these we obtain the following corrected

<i>Angles at B.</i>	<i>Angles at C.</i>	<i>Angles at D.</i>
<i>A to E = 95° 11'</i>	<i>D to B = 70° 58</i>	<i>A to B = 101° 36'</i>
<i>E to F = 52 9</i>	<i>D to A = 36 14</i>	<i>B to C = 24 57</i>
<i>F to C = 73 14</i>	<i>A to B = 34 44</i>	
<i>C to D = 84 5</i>	<i>B to E = 15 40</i>	
<i>D to A = 55 21</i>	<i>E to F = 26 48</i>	

The Powhattan fired a salute, and, from the mean of seven observations, the interval between the flash and report, noted at *B*, was 6.55 seconds. External thermometer 86° . Hence the distance from *B* to *D* was 7526 feet.

Distance from *B* to *M* = 200 feet.

Azimuth from *M* to *A* = N. $75^{\circ} 38'$ E.

Angle *A M B* = $128^{\circ} 57'$.

From these data we find the distances between the several points as follows:

<i>AD</i> = 15814 feet.	<i>CE</i> = 4355 feet.	<i>BE</i> = 1443 feet.
<i>AC</i> = 21491 "	<i>BC</i> = 3358 "	<i>CD</i> = 7919 "
<i>AB</i> = 18826 "	<i>BF</i> = 2516 "	<i>CF</i> = 3568 "
<i>AM</i> = 18702 "		

Angle *B A M* = $0^{\circ} 28'$ | Angle *A M B* = $128^{\circ} 57'$ | Angle *A B M* = $50^{\circ} 35'$

Azimuth from *M* to *A* = N. $75^{\circ} 38'$ E. | Azimuth from *B* to *E* = S. $8^{\circ} 43'$ E.
 " " *B* to *A* = N. $76^{\circ} 6'$ E. | " " *B* to *F* = S. $43^{\circ} 26'$ W.

Assuming the position of *M* to be

Lat. $3^{\circ} 43' 59''.0$ S.
 Long. $2^{\text{h}} 34^{\text{m}} 6^{\text{s}}.00$ W.

we get finally

Station.	Latitude.	Longitude.
<i>B</i>	$3^{\circ} 43' 57''.8$ S.	$2^{\text{h}} 34^{\text{m}} 6^{\text{s}}.11$ W.
<i>E</i>	3 44 12.0	2 34 5.97
<i>F</i>	3 44 15.9	2 34 7.25
<i>A</i>	3 43 13.3	2 33 54.10

For convenience of reference the results of the observations contained in this section, together with the chronometer comparisons made during the cruise, are here collected and appended.

Observed Latitudes.

Name of station.	Latitude.
Fort Christian, St. Thomas	$18^{\circ} 20' 0''$ N.
Isle Royal, Salute Islands	5 17 29 N.
Magnetic Station, Ceara, Brazil	3 43 59 S.
Custom-house, " "	3 43 58 S.
Church of the Conception, Ceara, Brazil	3 44 12 S.
St. Joseph's Church, " "	3 44 16 S.
Point Macoripie Light-house, " "	3 43 13 S.

Errors of Pocket Chronometer, Fletcher, No. 906.

Station.	Date.	Error on Local Mean Time.	Error on Greenwich Mean Time.
Portsmouth, Va.	October 29, 1865	0 ^h 4 ^m 41 ^s .1 fast	5 ^h 0 ^m 28 ^s .7 slow
Portsmouth, Va.	" " "	4 40.1 "	0 29.7 "
St. Thomas	November 13, "	0 40 43.6 slow	0 26.3 "
Isle Royal	" 28, "	1 30 19.4 "	0 30.8 "
Ceara	December 14, "	2 26 32.5 "	5 0 38.5 "
Pernambuco	" 23, "	2 36 34.8 "	4 56 3.0 "
Bahia.	" 27, "	2 22 6.8 "	56 7.3 "
Bahia.	" 29, "	2 22 3.6 "	56 10.5 "
Rio Janeiro	January 9, 1866	2 3 38.4 "	56 9.1 "
Rio Janeiro	" " "	2 3 32.8 "	56 10.7 "
Monte Video	" 18, "	1 11 27.0 "	56 22.8 "
Monte Video	" 24, "	1 11 26.5 "	56 19.4 "
Sandy Point	February 7, "	0 12 48.1 "	56 23.4 "
Valparaiso	March 2, "	0 9 46.4 "	56 17.4 "
Valparaiso	" 29, "	9 26.8 "	56 12.5 "
Valparaiso	April 7, "	9 23.3 "	56 9.0 "
Valparaiso	" " "	0 9 23.9 "	4 56 9.6 "
Valparaiso	" 14, "	0 11 1.7 "	4 57 47.4 "
Callao	" 26, "	0 11 13.5 fast	57 55.6 "
Payta.	May 7, "	0 26 41.9 "	57 40.1 "
Panama	" 14, "	0 20 16.9 "	4 57 44.9 "
Acapulco	" 30, "	1 41 22.2 "	4 58 7.2 "
Magdalena Bay	June 8, "	2 30 4.4 "	58 19.6 "
San Diego	" 15, "	2 50 32.5 "	4 58 20.1 "

This chronometer (Fletcher, 906) was habitually carried in my pocket. It was accidentally allowed to run down on the night of December 17th and 18th, 1865, and after remaining stopped twelve hours was wound and compared. Some time between 5^h P. M. of April 13th and 3^h P. M. of April 14th, 1866, it stopped for about 1^m 37^s, but started again of itself. On June 20th, 1866, when its face showed 6^h 45^m P. M. it stopped without any apparent cause, and, as it would not run again, it became useless.

In observing at San Francisco the box chronometer T. S. and J. D. Negus, No. 1287 was used. The observations on June 26th, 1866, showed it to be

8^h 13^m 8^s.2 fast of local mean time;

and

0^h 3^m 45^s.6 fast of Greenwich mean time.

REPORT ON

Chronometer Comparisons.

Date.	Fletcher, 906.	T. S. and J. D. Negus, 1317.	T. S. and J. D. Negus, 1287.
October 29, 1865	7 ^h 39 ^m 56 ^s .8 A. M.	12 ^h 44 ^m 0 ^s .0	
October 29, "	2 28 56.0 P. M.	7 33 0.0	
October 31, "	12 8 48.2 "	5 13 0.0	
November 3, "	4 17 33.0 "	9 22 0.0	
November 13, "	8 21 4.8 A. M.	1 26 0.0	
November 13, "	1 28 0.0	1 ^h 16 ^m 23 ^s .5
November 17, "	12 18 46.0 "	5 24 0.0	
November 28, "	6 55 10.8 "	12 1 0.0	
November 28, "	6 56 56.8 "	11 50 0.0
November 28, "	2 39 9.8 P. M.	7 45 0.0	
December 14, "	6 29 23.0 A. M.	11 36 0.0	
December 14, "	6 30 19.8 "	11 25 0.0
December 14, "	12 43 22.5 P. M.	5 50 0.0	
December 16, "	8 54 16.0 A. M.	2 1 0.0	
December 16, "	8 56 15.2 "	1 51 0.0
December 18, "	9 44 42.8 P. M.	2 47 0.0	
December 23, "	8 7 28.0 A. M.	1 10 0.0	
December 23, "	8 8 32.5 "	12 59 0.0
December 29, "	6 22 59.2 "	11 26 0.0	
December 29, "	6 24 9.0 "	11 15 0.0
January 9, 1866	6 46 21.8 "	11 50 0.0	
January 9, "	6 46 43.2 "	11 38 0.0
January 24, "	12 41 4.0 P. M.	5 46 0.0	
January 24, "	12 41 50.8 "	5 34 0.0
April 14, "	4 16 24.4 "	9 29 0.0	
May 7, "	11 34 26.4 A. M.	4 49 0.0	
May 14, "	12 2 49.6 P. M.	5 18 0.0	
May 30, "	11 55 13.2 A. M.	5 12 0.0	
June 8, "	6 28 24.8 P. M.	11 46 0.0	
June 15, "	12 0 46.8 A. M.	5 19 0.0	
June 26, "	6 34 0.0 P.M.	6 17 0.2

Table showing the True Bearings of the various objects used as azimuth marks in swinging the U. S. Iron-clad Monadnock during her cruise from Philadelphia to San Francisco in 1865 and 1866.

Station.	True bearing.
Hampton Roads, Va.	S. 10° 34' W.
St. Thomas	S. 31 35 E.
Isle Royal, Salute Islands	S. 10 54 W.
Ceara	N. 82 7 E.
Bahia	N. 81 57 W.
Rio Janeiro	N. 53 28 W.
Monte Video	N. 77 52 W.
Sandy Point	S. 7 14 W.
Valparaiso	N. 31 7 E.
Callao	S. 83 21 W.
Panama Bay	S. 20 57 W.
Acapulco	N. 71 43 E.
Magdalena Bay	S. 46 30 E.
San Francisco Bay	N. 13 50 W.

SECTION IV.

OBSERVATIONS ON TERRESTRIAL MAGNETISM.

THE observations of magnetic declination and force were made by means of the same instruments—a portable declinometer, and a transit theodolite.

The Declinometer, kindly lent by the U. S. Coast Survey, and marked D. 22, was originally constructed by Jones, of London, but had been altered in many particulars so as to make it more convenient for field use. It was provided with two collimator magnets which were hollow cylinders of steel, each 0.70 of an inch in external diameter, and 0.58 of an inch in internal diameter. One of them, marked C. 32, was 3.92 inches long; while the other, marked S. 8, was 3.25 inches long. Each of these magnets carried in its south end a lens; and in its north end, at the solar focus of the lens just mentioned, a piece of plane glass on which was cut a scale of equal parts containing one hundred and seventy divisions, each division being equal to 0.00255 of an inch. Both magnets were provided with light sliding brass rings which were intended to be used for keeping them horizontal under great changes of magnetic declination, but the slight play which the magnets had in the stirrup was found quite sufficient for that purpose, and the rings were never employed. The same suspension was used during the whole of the observations. It consisted originally of six parallel fibres of unspun silk, each about nine inches long; but at Callao one of the fibres was accidentally broken, and after that the remaining five were used. The torsion circle, which formed part of the suspension apparatus, was 0.88 of an inch in diameter, divided to every three degrees, and read by means of a vernier to single degrees.

The Transit Theodolite, which perhaps might be more correctly called an altitude and azimuth instrument, was provided with a horizontal and a vertical circle, each five inches in diameter, and each reading by means of two opposite verniers to thirty seconds. The telescope had an object-glass with a clear aperture of one inch, and a focal length of about nine inches. It was provided with two eye-pieces; a direct one magnifying about twenty times, which was employed in almost all the observations; and a diagonal one of lower power, which was sometimes used for objects near the zenith. Both these eye-pieces had colored glasses for observing the sun. The system of wires in the focus of the object-glass was a simple rectangular cross, one wire being vertical, the other horizontal.

For the sake of convenience in setting up the instruments, and also for the perfect security which it affords against changes in the angular value of the divisions of the magnet scales depending upon changes in the distance between them and

the telescope, a special table was provided, which was mounted upon a tripod stand, and which carried both the declinometer and theodolite in a fixed and invariable position relatively to each other—the object-glass of the telescope being about three inches from the south end of the magnet.

Pocket Chronometer, Fletcher, No. 906, was always used to note time. Its errors have been already given in detail in Section III.

General remarks on the method of using the instruments. When observations were to be made the tripod stand was set up, and the table, having been placed upon it, was approximately levelled by the eye, and set, by means of a pocket compass, so that its longest side was nearly in the magnetic meridian, the end destined to carry the declinometer being to the north. In packing the declinometer for travelling, the glass suspension tube was never unscrewed from the magnet-box, but when the collimator magnet was lifted from the stirrup a cylinder of wood of the same size was at once substituted, and two pieces of wood, provided for the purpose, were slipped in, one from each side of the magnet-box. These pieces of wood completely filled up the box, and at the same time held the wooden cylinder securely between them in such a manner that it could neither break the suspension fibres, nor allow them to twist in the slightest. With this packing, after the suspension fibres were once thoroughly freed from torsion, they remained so, and it was not necessary to examine them whenever the instrument was used, but only at considerable intervals, thus saving much time in the field. The brass carriers for the deflecting magnet having been screwed, one on each end of the wooden bar, and the bar in its turn having been screwed to the bottom of the magnet-box, the declinometer was placed upon the table in such a position that its three levelling screws fitted into the cavities provided for their reception. Then the packing blocks were taken out of the magnet-box, and the wooden cylinder having been removed from the stirrup, the collimator magnet was put in its place, and left free to assume its proper direction. The magnet-box was next levelled. For that purpose the suspension fibres were used as a plumb line, and the box was assumed to be level when they were seen to hang in the axis of the suspension tube throughout its whole length. Finally, the magnet was made to hang nearly level by moving it a little endwise in its stirrup; its scale was placed horizontal, with the figures erect; it was shaded from the direct rays of the sun by covering the glass top of the box; the mirror was screwed to the back of the box and adjusted so as to illuminate the magnet scale properly; and a thermometer was placed inside the magnet-box. The theodolite was next placed in its proper position on the other end of the table and levelled; particular care being taken that the horizontal axis of the telescope was truly level—especially if the altitude of the sun was considerable. The telescope having been turned towards the magnet and adjusted so as to obtain distinct vision of its scale, the horizontal circle was firmly clamped in such a position that the vertical wire in the field of the telescope cut the magnet scale as nearly as possible at the magnetic axis. By means of the vertical circle the optical axis of the telescope was then placed truly level, and the final adjustment of the magnet for horizontality was

made by shifting it endwise in its stirrup till the scale was seen in the field of the telescope parallel to, and just in contact with, the horizontal wire.

When making my first observations considerable difficulty was experienced in getting a proper illumination of the magnet scale, but after some practice the following perfectly satisfactory plan was adopted. In cloudy weather the light of a white cloud was reflected into the magnet by means of the concave mirror. In clear weather the light of the blue sky, reflected from the mirror, was not sufficient, and it would not do to throw in the direct rays of the sun because of their heating power, which would certainly have led to the use of a wrong value of the magnetic moment; because the magnet would have been at a higher temperature than that shown by the thermometer in the box. Under these circumstances, in place of the mirror a piece of perfectly white paper was substituted, and the direct rays of the sun being allowed to fall upon it, it afforded a beautiful illumination of the magnet scale.

The copper damper, provided to slip into the magnet-box for the purpose of quieting the vibrations of the magnet, was never used. As the observations were all made in the open air, and as there was frequently wind enough to cause the instruments to vibrate perceptibly, the magnets seldom or never came to a state of absolute rest. Hence, the plan adopted to secure accurate readings of the scales was as follows. A screw-driver was slightly magnetized, and by approaching its south pole for an instant towards the south pole of the vibrating magnet, at a time when the magnet was moving towards the screw-driver, the arc of vibration was readily made quite small. Then, placing my eye to the telescope, I read off, and called out to my assistant, the scale reading at the instant the magnet attained the limit of its excursion in the eastern direction, and again when it attained the limit in a western direction—in other words, the greatest and least readings of the scale were noted. Five complete vibrations were generally observed, thus giving three eastern and three western readings, and the mean of the six was assumed to be the reading which would have been obtained if the magnet had been in a state of perfect rest.

In order to preserve the magnetism of the collimator magnets, they were always packed in a vertical position, with that pole downwards which would be lowest in a dipping needle.

Absolute Declinations were observed as follows: The instruments having been set up and adjusted in the manner already explained, the long magnet, C. 32, was suspended in the magnet-box, the telescope pointed nearly to its magnetic axis, and the horizontal circle of the theodolite firmly clamped. Then, 1°. The horizontal limb of the theodolite was read. 2°. The magnet scale being erect—that is, the figures upon it being right side up—the point upon it cut by the vertical wire of the telescope was observed. 3°. The telescope remaining as before, the magnet scale was inverted—that is, the magnet was turned on its axis through 180°, so that the figures upon its scale were seen inverted—and the point upon it cut by the vertical wire was again noted. 4°. The horizontal circle was unclamped, a colored glass placed upon the eye-piece, and the telescope pointed so that its vertical wire was just in advance of the first limb of the sun. Then the horizontal circle

was clamped, the time of transit of the sun's first limb over the vertical wire noted, and the horizontal circle read. 5°. If the observation was made at a time of day when the sun's azimuth was changing tolerably rapidly, the telescope was not moved in azimuth at all, but, the reading of the horizontal circle remaining precisely as before, the sun was followed by moving the telescope in altitude, and the transit of its second limb was waited for and noted. If, however, the sun was changing its altitude much more rapidly than its azimuth then, in order to save time, the horizontal circle was unclamped, the telescope moved till its vertical wire was just in advance of the sun's second limb, the horizontal circle clamped, the time of transit of the sun's second limb over the vertical wire noted, and the horizontal circle read. 6°. The telescope of the theodolite was reversed in its Y's. 7°. The transit of the sun's first limb over the vertical wire was observed, and the horizontal circle read. 8°. The transit of the sun's second limb over the vertical wire was observed, and the horizontal circle read. 9°. The colored glass was removed from the eye-piece of the telescope, and a reading of the magnet scale (which was still inverted) was taken. 10°. The magnet was revolved on its axis through 180°, so as to place the scale erect, and another reading of the scale was taken. 11°. The horizontal circle was read.

Immediately before, and immediately after, going through with the operations just described, the telescope should be pointed to some well-defined distant object, and the reading of the horizontal circle noted. By so doing a check is afforded against any accidental shift of the horizontal circle; and if the same station is occupied at another time, absolute declinations may be determined without again referring to the sun, thus rendering it possible to observe during cloudy weather.

In the instruments under consideration the reading of the horizontal circle of the theodolite increases from left to right; and in both the magnets, C. 32 and S. 8, when the scale is erect an increase of scale reading indicates a motion of the north end of the magnet towards the east.

Let

ρ = reading of magnet, scale erect.

ρ' = reading of magnet, scale inverted.

R' = reading of horizontal circle of theodolite at the time the readings ρ and ρ' were observed.

d = value, in minutes of arc, of one division of the magnet scale.

R'' = reading of horizontal circle of the theodolite at the time of transit of sun's first limb over the vertical wire.

R''' = reading of horizontal circle of the theodolite at the time of transit of sun's second limb over the vertical wire.

α = observed chronometer time of transit of sun's first limb over the vertical wire.

α' = observed chronometer time of transit of sun's second limb over the vertical wire.

dt = correction of chronometer to reduce the reading of its face to local mean time.

τ = equation of time.

t = the sun's hour angle at the pole.

ϕ = latitude of the place of observation; positive when north of the equator.

A = azimuth of sun's centre at the time of its transit over the vertical wire: the azimuth being counted from the south around by the west.

δ = sun's declination; positive when north.

Then we have

$$t = \frac{\alpha + \alpha'}{2} + dt + \tau$$

$$\tan M = \frac{\tan \delta}{\cos t}$$

$$\tan A = \frac{\tan t \cos M}{\sin(\phi - M)}$$

where A is to be taken greater or less than 180° according as t is greater or less than 180° .

$$\text{Magnetic declination} = R' + \frac{d}{2}(\rho - \rho') + A - 180^\circ - \frac{R'' + R'''}{2}$$

in which the declination is east if its sign is positive; west if its sign is negative.

The reading of the magnetic axis of the magnet is

$$\frac{1}{2}(\rho + \rho')$$

which we will designate by c . It should be constant. Then, if at any station the magnet has only been observed with its scale erect, if c is known the observation may be reduced by the formula

$$\text{Magnetic declination} = R' + d(\rho - c) + A - 180^\circ - \frac{R'' + R'''}{2}$$

The following example shows fully the form employed in recording and reducing the observations.

Magnetic Declination.

Station, Acapulco, Mexico. Date, May 30, 1866. Portable Declinometer, D. 22. Magnet C. 32.
Observer, WM. HARKNESS.

Circle readings.		Reading of magnet.		
Telescope direct.	Vernier . . .	12° 23' 30"	(1) Scale erect	78 ^d .0
			(2) Scale inverted	80.3
			(1) - (2) = Δ	- 2.3
	Transit of sun's			
	Vernier . . .	75° 25' 30"	1st limb	8 ^h 14 ^m 28 ^s
	Vernier . . .	74 55 30	2d limb	15 28
Mean . . .	75 10 30	Mean	8 14 58.0	

Circle readings.			Transit of sun's			
Telescope reversed.	Vernier . . .	75° 36' 0"	1st limb	8 ^h 17 ^m 29 ^s		
	Vernier . . .	75 6 30	2d limb	18 38		
	Mean . . .	75 21 15	Mean	8 18 3.5		
	Reading of magnet.					
	Vernier . . .	12° 28' 0"	(1) Scale inverted	81 ^d .3		
		(2) Scale erect	77.2			
		(2) — (1) = Δ	— 4.1			

Value of one division of magnet scale = 2.349.

The telescope is direct when the vertical circle is on the left-hand side.

These observations were made *before* noon, and time was noted by chronometer *Fletcher*, 906, which was 1^h 41^m 22^s.2 *fast* of local mean time.

At the time the azimuth was observed, the reading of the horizontal circle, telescope direct, to distant referring mark was 10° 23' 30".

	Telescope direct.	Telescope reversed.
Equation of time	0 ^h 2 ^m 47 ^s .1	0 ^h 2 ^m 47 ^s .1
<i>t</i> (in time)	— 5 23 37.1	— 5 20 31.6
<i>t</i> (in arc)	— 80° 54' 16"	— 80° 7' 54"
δ	+ 21 47 18	+ 21 47 19
Tan δ	9.60177	9.60178
Sec <i>t</i>	0.80111	0.76602
Tan <i>M</i>	0.40288	0.36780
φ	+ 16° 50' 3"	+ 16° 50' 3"
<i>M</i>	+ 68 25 21	+ 66 47 35
(φ — <i>M</i>)	— 51 35 18	— 49 57 32
Tan <i>t</i>	0.79562	0.75955
Cos <i>M</i>	9.56557	9.59556
Cosec (φ — <i>M</i>)	0.10592	0.11600
Tan <i>A</i>	0.46711	0.47111
Circle reading to magnet . .	12° 23'.5	12° 28'.0
Δ × 1/2 scale division . . .	— 2.7	— 4.8
Sun's azimuth	251 9.9	251 19.6
Sum	263 30.7	263 42.8
180° + circle reading to sun	255 10.5	255 21.3
Magnetic declination	8 20.2 E.	8 21.5 E.

Observations of Vibrations were made as follows: The instrument having been set up and adjusted in the manner already explained, the long magnet, C. 32, was

suspended in the magnet-box; and the telescope having been pointed so that its vertical wire cut the magnet scale approximately at the magnetic axis, the horizontal limb of the theodolite was firmly clamped. Then, 1°. By quickly approaching and withdrawing the magnetised screw-driver the magnet was caused to vibrate horizontally through an arc extending to about twenty scale divisions on each side of the magnetic axis—that is, through a total arc of about $1^{\circ} 34'$. The semi-arc of vibration being only $47'$, no correction to the observed time of vibration was ever required on that account. 2°. My assistant having taken the chronometer, I placed my eye to the telescope, and at the instant the 80th division of the scale (which was very near the magnetic axis) crossed the vertical wire I cried “time,” and my assistant noted the minute, second, and fraction of a second indicated by the chronometer. Still keeping my eye at the telescope, I counted the transits of the 80th division over the wire, calling the one at which time was noted 0, the next 1, the next 2, and so on up to the 10th, when I again cried “time,” and my assistant once more noted the minute, second, and fraction of a second indicated by the chronometer. The difference of these two chronometer times gave a value for the time of ten vibrations of the magnet which was correct within about half a second. However, to guard against mistakes, the process was always repeated a second or third time. 3°. The temperature indicated by the thermometer in the magnet-box was noted; and then putting my eye to the telescope, I read the scale at the instant the magnet attained the eastern extremity, and again when it attained the western extremity, of its arc of vibration. These were the “extreme scale readings.” 4°. The chronometer employed was a pocket one, beating five times in two seconds. Taking it in my hand, I commenced counting its beats at some multiple of ten seconds. Then, holding it to my ear and still mentally counting the beats, I put my eye to the telescope and noted the beat, and fraction of a beat, at which the 80th scale division crossed the vertical wire. For example, suppose the beat was taken up at the instant the chronometer indicated $10^h 2^m 10^s$, and counting the first succeeding beat 1, the next 2, and so on, suppose that the 80th division crossed the wire exactly at the 14th beat. Then, as 14.0 beats are equal to 5.6 seconds, the time of transit of the 80th scale division was $10^h 2^m 15^s.6$. The time of transit thus obtained was recorded as the 0 vibration. Adding to it the time of making ten vibrations—before determined—the approximate time when the 10th vibration would be completed became known. Taking up the beat of the chronometer at the nearest even ten seconds *before* that time, I put my eye to the telescope and observed the time of transit of the 80th division at the completion of the 10th vibration. In the same manner the time of completing the 20th, 30th, 40th, 50th, 100th, 150th, 160th, 170th, 180th, 190th, and 200th vibration was observed. Subtracting the time of completing the 0 vibration from the 150th, the 10th from the 160th, &c., there result six values of the time of making one hundred and fifty vibrations, from the mean of which a very accurate value of the time of making one vibration is obtained. It will not escape notice that when observing in the manner just described there is no risk of making a mistake of one vibration, because the magnet must, at all subsequent transits, be moving in the same direction as at the first transit, while in order to make a mistake of one vibration it

would be necessary that it should be moving in the opposite direction. 5°. The extreme scale readings attained by the magnet at the eastern and western extremities of its arc of vibration were again observed; and then the thermometer in the magnet-box was read. 6°. The necessary observations for determining the coefficient of torsion of the suspension fibres were made. When the instrument was properly adjusted for observation the torsion circle always read 300°. With it remaining at that reading the arc of vibration of the magnet was reduced to four or five scale divisions (by means of the magnetized screw-driver) and then the scale was read. Next the torsion circle was turned *backward* one-quarter of a revolution, so as to make it indicate 210°, and the scale was again read. After that, the torsion circle was turned *forward* half a revolution (passing through the point 300°), so as to make it indicate 30°, and the scale was read. Finally, the torsion circle was turned *backward* one-quarter of a revolution, so as to make it indicate 300°, and the scale was once more read. Subtracting the second scale reading from the first, the second from the third, and the fourth from the third, gave three differences, which were added together and divided by four. The result was the number of scale divisions through which the magnet was deflected by a twist of ninety degrees in the suspension fibres.

Observations of Deflections were made as follows: The instruments having been set up and adjusted in the manner already explained, the short magnet, S. 8, was suspended in the magnet-box, and the telescope having been pointed so that its vertical wire cut the magnet scale approximately at its central division (not necessarily the magnetic axis) the horizontal limb of the theodolite was clamped firmly. Then, 1°. The time was noted. 2°. The thermometer inside the magnet-box was read. 3°. The long magnet C. 32 (which we will now call the deflecting magnet) was placed on the deflecting bar support, with its axis east and west, its centre on a level with and at a distance of two feet to the west of the suspended magnet, and its north end west; the vibrations of the suspended magnet were reduced to four or five scale divisions, by means of the magnetised screw-driver, and then its scale was read. 4°. The deflecting magnet (remaining in the same place on the deflecting bar support as before) was reversed end for end, so as to bring its north end east, and the scale of the suspended magnet was read. 5°. The reversals were repeated twice more, so as to give in all two scale readings with the north end of the deflecting magnet to the west, and two scale readings with it to the east. The mean of the two scale readings obtained with the north end of the deflecting magnet west, were subtracted from the mean of the two scale readings obtained with its north end east. The difference was twice the value of the angle of deflection, as resulting from observations made with the deflecting magnet west of the suspended magnet. 6°. The deflecting magnet was lifted from the deflecting bar support to the west, and placed on that to the east, of the suspended magnet; its distance from the suspended magnet being still two feet, and its north end being to the east, the scale of the suspended magnet was read. 7°. The deflecting magnet (remaining in the same place on the eastern deflecting bar support) was reversed end for end, so as to bring its north end west, and the scale of the suspended magnet was read. 8°. The reversals were repeated twice more, so to give in all two

scale readings with the north end of the deflecting magnet to the east, and two scale readings with it to the west. From the mean of the two scale readings obtained with the north end of the deflecting magnet east, the mean of the two scale readings obtained with its north end west were subtracted. The difference was twice the value of the angle of deflection, as resulting from observations made with the deflecting magnet east of the suspended magnet. The mean between this result and that obtained from the observations with the deflecting magnet west of the suspended magnet, was adopted as the true value of twice the angle of deflection, with the deflecting magnet at a distance of two feet from the suspended magnet. 9° . The thermometer inside the magnet-box was read. 10° . The time was noted. 11° . All the observations just described were repeated with the deflecting magnet at a distance of two and a half feet from the suspended magnet. 12° . The torsion of the suspension fibres was determined, precisely as described under the head of "observations of vibrations."

Horizontal Force was calculated from the observations of vibrations and deflections by the following formulæ:

T_0 = observed time of one vibration of the magnet.

T' = time of vibration, corrected for rate of chronometer and arc of vibration.

T = time of vibration, corrected for rate of chronometer, arc of vibration, torsion force of the suspending thread, temperature, and induction.

s = daily rate of chronometer, + when gaining, - when losing.

α, α' = semiarc of vibration, at the beginning and end of the observation, expressed in parts of radius.

$\frac{H}{F}$ = ratio of the force of torsion of the suspending thread to the magnetic directive force.

q = coefficient of the decrease of the magnetic moment of the magnet produced by an increase of temperature of 1° Fah. (This is not constant for all temperatures, and the correction is more exactly expressed by a formula of the form - correction to $t' = q(t' - t) + q'(t' - t)^2$, where t' is the observed temperature, and t an adopted standard temperature.)

K = moment of inertia of the magnet, including its suspending stirrup and other appendages. (This is constant for the same magnet and suspension, but varies slightly with the temperature, owing to the expansion of the materials.)

π = ratio of the circumference of a circle to its diameter = 3.14159.

μ = coefficient of increase in the magnetic moment of the magnet produced by the inducing action of a magnetic force equal to unity of the English system of absolute measurement.

r_0 = apparent distance between the centres of the deflecting and suspended magnets in the observations of deflections.

r = the same distance corrected for error of graduation and temperature.

($r = r_0 [1 + 0.00001(t' - 62^\circ)] +$ correction for scale error.)

d = value, in minutes of arc, of one division of the magnet scale.

u_0 = observed angle of deflection, in scale divisions.

u = angle of deflection, corrected for torsion force of the suspending thread.
 P = a constant depending upon the distribution of magnetism in the deflecting and suspended magnets.

m = magnetic moment of the deflecting or vibrating magnet.

X = horizontal component of the earth's magnetic force.

$\frac{m'}{X'}$ = value of $\frac{m}{X}$ before the application of the correction $(1 - \frac{P}{r^2})$

$$(1 + \frac{H}{F}) = \frac{5400 + v}{5400}$$

where v = the angle, expressed in minutes of arc, through which the suspended magnet is deflected by a twist of 90° in the suspension thread.

$$T' = T_0 (1 - \frac{s}{86400}) (1 - \frac{\alpha \alpha'}{16})$$

$$T^2 = T'^2 \left\{ 1 + \frac{H}{F} \right\} \left\{ 1 - (t' - t)q \right\} \left\{ 1 + \mu \frac{X'}{m'} \right\}$$

$$mX = \frac{\pi^2 K}{T^2}$$

$$u = du_0 (1 + \frac{H}{F})$$

$$\frac{m'}{X'} = \frac{1}{2} r^3 \tan u$$

$$\frac{m}{X} = \frac{m'}{X'} (1 - \frac{P}{r^2})$$

$$m = \sqrt{mX \frac{m}{X}}$$

$$X = \frac{mX}{m}$$

In order to facilitate the finding of $\log. \tan u$, in the reduction of observations of deflection, the following table has been prepared. With the argument $\log. u$ (u being expressed in minutes of arc) it gives the quantity ($\log. \tan u - \log. u$), or, in other words, the quantity which it is necessary to add to $\log. u$ in order to obtain $\log. \tan u$. The arrangement of the table is such that the quantity ($\log. \tan u - \log. u$) is to be added to the $\log. u$ on the same line with it, or to any other $\log. u$ less than the one on the line next below. For example, if it were required to find $\log. \tan u$ corresponding to any $\log. u$ from 8.0000 to 1.4340, it would only be necessary to add 6.46373 to the given $\log. u$.

Log. μ .	Log. $\tan \mu - \text{Log. } \mu$.	Log. μ .	Log. $\tan \mu - \text{Log. } \mu$.
8.0000	6.46373	2.1159	6.46394
1.4341	6.46374	2.1261	6.46395
1.5957	6.46375	2.1358	6.46396
1.6874	6.46376	2.1452	6.46397
1.7517	6.46377	2.1541	6.46398
1.8014	6.46378	2.1626	6.46399
1.8414	6.46379	2.1708	6.46400
1.8756	6.46380	2.1787	6.46401
1.9047	6.46381	2.1864	6.46402
1.9310	6.46382	2.1937	6.46403
1.9538	6.46383	2.2008	6.46404
1.9750	6.46384	2.2079	6.46405
1.9934	6.46385	2.2146	6.46406
2.0111	6.46386	2.2209	6.46407
2.0274	6.46387	2.2271	6.46408
2.0426	6.46388	2.2332	6.46409
2.0565	6.46389	2.2393	6.46410
2.0700	6.46390	2.2453	6.46411
2.0824	6.46391	2.2509	6.46412
2.0941	6.46392	2.2565	6.46413
2.1055	6.46393		

The following are specimens of the forms employed in recording and reducing the observations of vibrations and deflections.

HORIZONTAL INTENSITY.

Observations of Vibrations.

Station, Acapulco, Mexico. Date, May 30th, 1866. Magnet C. 32. Inertia ring No. Chron. Fletcher 906, rate, 1^s.38 losing on mean time.

Number of vibrations.	Time.	Temp. t'	Extreme scale readings.		Time of 150 vibrations.			
0	8 ^h 32 ^m 3 ^s .8	87°	57 ^d .8	102 ^d .2				
10	8 32 57.0							
20	8 33 50.6							
30	8 34 43.9							
40	8 35 37.0							
50	8 36 30.6							
100	8 40 57.2							
150	8 45 23.4							
160	8 46 17.2							
170	8 47 10.2							
180	8 48 3.7							
190	8 48 57.0							
200	8 49 50.5				91	65.2	95.0	13 19.9
	Means,				89.0			13 19.85

Coefficient of torsion. Value of one scale div. = 2'.349

Tor. cir.	Scale.	Diff's.	$v = 8'.0$ $5400' + v'$ 5400 (ar. co.) $1 + \frac{H}{F}$	Log's.
300°	80 ^d .1	3 ^d .4		3.73304
30	83.5	6.8		6.26761
210	76.7	3.4		
300	80.1			0.00065
Mean = $v = 3.40$				

REPORT ON

HORIZONTAL INTENSITY.

Calculation.

$$T^2 = T'^2 \left(1 + \frac{H}{F}\right) \left(1 - (t' - t) q\right)$$

Observed time of 150 vibrations = 799^s.85
 Time of one vibration = 5.332
 Correction for rate = .000
 T' = 5.332

q		T'	Log's.
t' - t	+ 4.3	T' ²	0.72689
(t' - t) q		1 + $\frac{H}{F}$	1.45378
1 - (t' - t) q		1 - (t' - t) q	65
$mX = \frac{\pi^2 K}{T^2}$		T ²	9.99962
		$\pi^2 K$	1.45405
		mX	2.17768
		m	0.72363
		7.740 = X	9.83487
			0.88876

* Ob's of def'n. Date. May 30th, 1866.

$\frac{*m}{X}$	8.94854
mX	0.72363
m ²	9.67217
m	9.83608

t = 84^o.7

The chronometer used in this observation was
 1^h 41^m 22^s.2 fast of local mean time.

HORIZONTAL INTENSITY.

Observations of Deflections.

Station, Acapulco, Mexico. Date, May 30th, 1866. Mag. C. 32 deflecting. Mag. S. 8 suspended.
 Observer, WM. HARKNESS.

Magnet.	North	Time. A. M. h. m.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	7 22	86 ^o	53 ^d .9	53 ^d .9	53 ^d .1	r = 2.0 ft. log. = 0.30103
	E.			107.0			
	W.			53.9			
	E.			107.0			
East.	E.	7 32	84	107.5	107.6	54.0	
	W.			53.5			
	E.			107.7			
	W.			53.8			
Means,			85.0		21 ^d	53.53	

Tors. cir.	Scale.	Diff's.		Log's.
300°	80 ^d .4	3 ^d .2	$\frac{1}{2}^d = 1'.4175 \dots$	1.72876
30	83.6	6.9		0.15152
210	76.7	3.7		79
300	80.4			
Mean = v = 3.45				
		Log's		
v = 9'.8				
5400' + v'		3.73318		
5400 (ar.co.)		6.26761		
$1 + \frac{H}{F}$		0.00079		
			$2u^d$	1.88107
			$1 + \frac{H}{F}$	6.46380
			Sum	8.34487
			$\frac{\text{Tan } u}{u'}$	0.90309
			Tan u	9.69897
			r^3	
			$\frac{1}{2}$	
			$\frac{m'}{X}$	8.94693
			$\frac{m}{X}$	8.94861

HORIZONTAL INTENSITY.

Observations of Deflections.

Station, Acapulco, Mexico. Date, May 30th, 1866. Mag. C. 32 deflecting. Mag. S. 8 suspended. Observer, WM. HARKNESS.

Magnet.	North end.	Time. A. M. h. m.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	7 32	84°	66 ^d .9	66 ^d .9	27 ^d .3	r = 2.5 ft. log. = 0.39794
	E.			94.1			
	W.		66.9	94.2			
	E.		94.2				
East.	E.	7 40	85	94.4	94.4	27.6	
	W.			66.8			
	E.		94.4	66.8			
	W.		66.8				
Means,			84.5		$2u^d$	27.45	
						Log's.	
						1.43854	
						0.15152	
						79	
						1.59085	
						6.46374	
						8.05459	
						1.19382	
						9.69897	
						8.94738	
						8.94846	

The constants, peculiar to the portable declinometer D 22, were obtained as follows:

The Temperature Coefficients of the magnets were furnished by Mr. Chas. A. Schott, of the U. S. Coast Survey. They had been used with the instrument for some years, and I had no opportunity to redetermine them. They are as follows:

For the magnet C 32	$q = 0.00020$
“ “ “ S 8	$q = 0.00027$

In reducing the observations a correction was always applied to the magnetic moment of the magnet C 32 to reduce it to what it would have been if C 32 had had the same temperature as S 8. Hence, the temperature coefficient of C 32 was the only one used, and in order to facilitate its application the following table was computed which furnishes the value of $\log. [1 - (t' - t) q]$ with the argument $(t' - t)$.

Correction of Magnet C. 32 for Temperature

$(t' - t)$	Log. $[1 - (t' - t) q]$	$(t' - t)$	Log. $[1 - (t' - t) q]$		
+ 1°	9.99991	— 1°	0.00009		
+ 2	9.99983	— 2	0.00017	P. P.	
+ 3	9.99974	— 3	0.00026		
+ 4	9.99965	— 4	0.00035	0.1	1
+ 5	9.99957	— 5	0.00043	0.2	2
+ 6	9.99948	— 6	0.00052	0.3	3
+ 7	9.99939	— 7	0.00061	0.4	4
+ 8	9.99930	— 8	0.00069	0.5	4
+ 9	9.99922	— 9	0.00078	0.6	5
+ 10	9.99913	— 10	0.00087	0.7	6
				0.8	7
				0.9	8

The Value of One Division of the Magnet Scale was determined for each magnet in the following manner: The instruments having been set up and adjusted as usual, the magnet was suspended in the magnet-box, and the packing blocks (before described as being used to prevent the suspension fibres from being twisted when the instrument was packed for travelling) were inserted in such a manner as to hold it perfectly steady. Then, the magnet scale being horizontal, the vertical wire of the theodolite telescope was made to coincide with any convenient scale division, and the horizontal circle of the theodolite was read. Next, the vertical wire was made to coincide with some other scale division, and the circle was again read. The difference of the two circle readings, divided by the difference of the two scale readings, gave the angular value of one scale division.

The following are the observations in detail for each magnet:

Magnet C. 32.

Date.	Circle Readings.	Differences.	Scale Readings.	Diff's.	Value of 1 Scale Division.
Nov. 16, 1865	4° 5' 15"		50 ^d .0		
Nov. 16, 1865	0 11 45	3° 53' 30"	150.0	100 ^d .0	2'.335
Nov. 16, 1865	4 6 45		50.0		
Nov. 16, 1865	0 11 45	3 55 0	150.0	100.0	2.350
Nov. 16, 1865	3 7 45		75.0		
Nov. 16, 1865	1 10 15	1 57 30	125.0	50.0	2.350
Nov. 16, 1865	3 7 45		75.0		
Nov. 16, 1865	1 10 15	1 57 30	125.0	50.0	2.350
Jan. 18, 1866	5 36 15		50.0		
Jan. 18, 1866	1 40 30	3 55 45	150.0	100.0	2.357
Jan. 18, 1866	4 37 0		75.0		
Jan. 18, 1866	2 39 30	1 57 30	125.0	50.0	2.350

Hence for the magnet C 32, we have
1 scale division = 2'.349 ± 0'.0020.

Magnet S. 8.

Date.	Circle Readings.	Differences.	Scale Readings.	Diff's.	Value of 1 Scale Division.
Nov. 16, 1865	4° 9' 45"		50 ^d .0		
Nov. 16, 1865	359 26 30	4° 43' 15'	150.0	100 ^d .0	2'.833
Nov. 16, 1865	4 9 45		50.0		
Nov. 16, 1865	359 26 30	4 43 15	150.0	100.0	2.832
Nov. 16, 1865	2 58 45		75.0		
Nov. 16, 1865	0 37 0	2 21 45	125.0	50.0	2.835
Nov. 16, 1865	2 59 0		75.0		
Nov. 16, 1865	0 37 30	2 21 30	125.0	50.0	2.830
Jan. 18, 1866	5 36 30		50.0		
Jan. 18, 1866	0 52 15	4 44 15	150.0	100.0	2.842
Jan. 18, 1866	4 25 30		75.0		
Jan. 18, 1866	2 3 30	2 22 0	125.0	50.0	2.840

Hence, for the magnet S 8, we have
1 scale division = 2'.835 ± 0'.0013.

The Moment of Inertia, and its Temperature Coefficient, of the Magnet C 32, was determined as follows: Let,

K_τ = moment of inertia of the magnet, including its suspending stirrup and other appendages, at the temperature τ .

ΔK = change in the value of K corresponding to a change of temperature of 1° Fah. in the magnet.

K'_τ = moment of inertia of the inertia ring, at the temperature τ .

d_i = internal diameter of the inertia ring, expressed in feet, at the temperature τ_0 .

d_e = external diameter of the inertia ring, expressed in feet, at the temperature τ_0 .

ϵ = coefficient of expansion for a change of temperature of 1° Fah. in the metal composing the inertia ring.

W = weight of the inertia ring expressed in grains.

t = time in which the magnet makes one vibration at the temperature τ_0 (corrected for chronometer rate, arc of vibration, and torsion.)

t' = time in which the magnet, loaded with the inertia ring, makes one vibration at the temperature τ_0 (corrected for chronometer rate, arc of vibration, and torsion)

Then

$$K'_\tau = W [1 + 2\varepsilon(\tau - \tau_0)] \left\{ \frac{d_t^2 + d_\varepsilon^2}{8} \right\}$$

$$K_\tau = K'_{\tau_0} \left(\frac{t^2}{t'^2 - t^2} \right) + \Delta K (\tau - \tau_0)$$

The inertia ring used in making my observations was of bronze. Mr. Joseph Saxton, Assistant Superintendent of the Office of Weights and Measures, very obligingly measured and weighed it, with the following result:

Internal diameter = 2.385 inches = 0.19875 foot

External diameter = 2.947 inches = 0.24558 foot

Weight = 798.72 grains

the temperature of the ring being 74° Fah.

Hence, assuming the coefficient of expansion for an increase of temperature of 1° Fah. in the metal of this ring to be 0.0000105, we find by the formula given above

$$K'_\tau = 9.9601 + (\tau - 50^\circ) 0.000209$$

or

$$\text{Log. } K'_\tau = 0.99827 + (\tau - 50^\circ) 0.0000091$$

The following table contains all the times of vibration which were observed for the purpose of determining the moment of inertia of the magnet, together with the computation of the corresponding values of $\log. K$ from them. The value of t' was always observed either immediately before, or immediately after, the corresponding value of t which was to be used with it. This was done in order to have the temperature in both cases as nearly as possible the same, so that the correction necessary to reduce t' to the same temperature as t was always very small. Then having a sufficient number of values of K , obtained from observations made at widely different temperatures, the value of ΔK was easily found.

Date.	τ	Log. t'^2	Log. t^2	Log. $(t'^2 - t^2)$	Log. $\left(\frac{t^2}{t'^2 - t^2}\right)$	Log. K'_τ	Log. K_τ
	°						
Oct. 28, 1865	73.0	1.88210	1.66424	1.47811	0.18613	0.99849	1.18462
Nov. 16, 1865	87.7	1.72767	1.50891	1.32504	0.18385	0.99862	1.18247
Nov. 28, 1865	90.0	1.72835	1.51108	1.32345	0.18763	0.99864	1.18627
Dec. 13, 1865	89.5	1.74459	1.52673	1.34060	0.18613	0.99864	1.18477
Dec. 27, 1865	98.0	1.76681	1.54810	1.36412	0.18398	0.99872	1.18270
Jan. 18, 1866	87.2	1.77770	1.55921	1.37467	0.18458	0.99861	1.18315
March 19, 1866	76.2	1.75849	1.54101	1.35391	0.18710	0.99851	1.18561
April 11, 1866	74.0	1.75824	1.54019	1.35454	0.18565	0.99850	1.18415
May 30, 1866	84.7	1.67351	1.45405	1.27196	0.18209	0.99859	1.18068
Nov. 2, 1866	70.0	1.90424	1.68479	1.50268	0.18211	0.99846	1.18057
Nov. 2, 1866	70.0	1.90391	1.68450	1.50229	0.18221	0.99846	1.18067
Nov. 2, 1866	53.5	1.92843	1.70989	1.52548	0.18441	0.99830	1.18271
	79.5						1.18320

Let K_0 represent the mean of all the logarithms of K in the above table ; then

$$K_0 = 1.18320$$

at a temperature of $79^\circ.5$. Now, assuming

$$\text{Log. } K_\tau = K_0 + (\tau - 79^\circ.5) \Delta K$$

we have

$$0 = K_0 - \log. K_\tau + (\tau - 79^\circ.5) \Delta K$$

and each value of $\log. K_\tau$, given in the table above, will furnish one equation of condition for the determination of ΔK , as follows: the absolute terms being in units of the fifth place of decimals.

$0 = -142 - 6.5 \Delta K$	$0 = -241 - 3.3 \Delta K$
$0 = +73 + 8.2 \Delta K$	$0 = -95 - 5.5 \Delta K$
$0 = -307 + 10.5 \Delta K$	$0 = +252 + 5.2 \Delta K$
$0 = -157 + 10.0 \Delta K$	$0 = +263 - 9.5 \Delta K$
$0 = +50 + 18.5 \Delta K$	$0 = +253 - 9.5 \Delta K$
$0 = +5 + 7.7 \Delta K$	$0 = +49 - 26.0 \Delta K$

From these equations of condition we obtain, by the method of least squares, the normal equation

$$0 = -5856.2 + 1646.0 \Delta K$$

whence

$$\text{Log. } \Delta K = 0.55119$$

$$\Delta K = +3.56$$

and finally

$$\text{Log. } K_\tau = 1.18320 + (\tau - 79^\circ.5) 0.0000356 \pm 0.000368$$

or

$$K_\tau = 15.248 + (\tau - 79^\circ.5) 0.00125 \pm 0.0129$$

Hence we have

$$\pi^2 K_\tau = 150.49 + (\tau - 79^\circ.5) 0.01234$$

or

$$\text{Log. } \pi^2 K_\tau = 2.17750 + (\tau - 79^\circ.5) 0.0000356$$

In order to facilitate the reduction of the observations of vibrations, the following table has been computed from the formula last given. It furnishes the value of $\log. \pi^2 K_\tau$ to the argument τ .

τ	Log. $\pi^2 K_\tau$	P. P.	
50°	2.17645	1°	4
		2	7
60	2.17681	3	11
		4	14
70	2.17716	5	18
		6	21
80	2.17752	7	25
		8	28
90	2.17787	9	32
100	2.17823		

The Constant P , depending upon the distribution of the magnetism in the magnets C 32 and S 8, was determined by means of the formula

$$P = \frac{A - A'}{\frac{A}{r^2} - \frac{A'}{r'^2}}$$

where

A = value of $\frac{m'}{X'}$ determined from an observation of deflection with the deflecting magnet at the distance r from the suspended magnet.

A' = value of $\frac{m'}{X'}$ determined from an observation of deflection with the deflecting magnet at the distance r' from the suspended magnet.

The following table contains all the observed values of A and A' , together with the computation of the corresponding values of P . The values of A were obtained from deflections at a distance of 2.0 feet: those of A' from deflections at a distance of 2.5 feet.

Date.	Log. A	Log. A'	Log. $(A-A')$	Log. $\frac{A}{r^2}$	Log. $\frac{A'}{r'^2}$	Log. $\left(\frac{A}{r^2} - \frac{A'}{r'^2}\right)$	Log. P	P
October 30, 1865	9.1660	9.1669	6.4829 <i>n</i>	8.5640	8.3711	8.1187	8.3643 <i>n</i>	-0.0231
November 13, 1865	9.0084	9.0094	6.3881 <i>n</i>	8.4063	8.2135	7.9608	8.4274 <i>n</i>	0.0268
November 16, 1865	9.0087	9.0088	5.1491 <i>n</i>	8.4067	8.2129	7.9629	7.1863 <i>n</i>	0.0015
November 28, 1865	9.0068	9.0078	6.3989 <i>n</i>	8.4047	8.2120	7.9591	8.4398 <i>n</i>	-0.0275
December 13, 1865	9.0234	9.0175	7.1527	8.4213	8.2216	7.9879	9.1649	+0.1462
December 23, 1865	9.0295	9.0317	6.7332 <i>n</i>	8.4274	8.2358	7.9798	8.7534 <i>n</i>	-0.0567
December 27, 1865	9.0421	9.0413	6.3230	8.4400	8.2454	7.9978	8.3252	+0.0211
January 6, 1866	9.0628	9.0633	6.0587 <i>n</i>	8.4608	8.2674	8.0163	8.0424 <i>n</i>	-0.0110
January 18, 1866	9.0531	9.0536	6.1399 <i>n</i>	8.4511	8.2578	8.0064	8.1335 <i>n</i>	0.0136
February 7, 1866	9.0486	9.0495	6.3751 <i>n</i>	8.4465	8.2536	8.0012	8.3739 <i>n</i>	0.0237
March 2, 1866	9.0328	9.0339	6.4250 <i>n</i>	8.4308	8.2380	7.9852	8.4398 <i>n</i>	-0.0275
March 19, 1866	9.0350	9.0342	6.3106	8.4330	8.2383	7.9907	8.3199	+0.0209
March 29, 1866	9.0347	9.0347	4.8740	8.4326	8.2388	7.9890	6.8850	+0.0008
April 7, 1866	9.0367	9.0373	6.1551 <i>n</i>	8.4346	8.2414	7.9899	8.1652 <i>n</i>	-0.0146
April 11, 1866	9.0356	9.0360	5.9295 <i>n</i>	8.4336	8.2401	7.9893	7.9402 <i>n</i>	0.0087
April 13, 1866	9.0343	9.0368	6.7852 <i>n</i>	8.4323	8.2409	7.9842	8.8010 <i>n</i>	-0.0632
April 26, 1866	8.9902	8.9896	6.1515	8.3882	8.1937	7.9456	8.2059	+0.0161
May 7, 1866	8.9680	8.9704	6.7188 <i>n</i>	8.3659	8.1745	7.9178	8.8010 <i>n</i>	-0.0632
May 14, 1866	8.9468	8.9544	7.1930 <i>n</i>	8.3447	8.1585	7.8872	9.3058 <i>n</i>	0.2022
May 30, 1866	8.9468	8.9472	5.8890 <i>n</i>	8.3448	8.1513	7.9004	7.9886 <i>n</i>	0.0097
June 9, 1866	8.9775	8.9817	6.9669 <i>n</i>	8.3754	8.1858	7.9241	9.0427 <i>n</i>	-0.1103
June 15, 1866	9.0376	9.0346	6.8666	8.4355	8.2387	7.9970	8.8697	+0.0741
June 26, 1866	9.0810	9.0826	6.6509 <i>n</i>	8.4790	8.2868	8.0324	8.6185 <i>n</i>	-0.0415
November 1, 1866	9.1991	9.1972	6.8414	8.5971	8.4014	8.1568	8.6847	+0.0484

The indiscriminate mean of all the observations gives

$$P = -0.0166 \pm 0.0088$$

But Peirce's criterion for the rejection of doubtful observations throws out those of December 13 and May 14. Accordingly, excluding them, and taking the mean of all the others, there results

$$P = -0.0155 \pm 0.0057$$

and that value I have adopted. Hence, for $r = 2.0$ feet, we have

$$\text{Log.} \left(1 - \frac{P}{r^2}\right) = 0.00168$$

and for $r = 2.5$ feet

$$\text{Log.} \left(1 - \frac{P}{r^2}\right) = 0.00108$$

The Magnetic Moment of the Magnet C 32 was computed as follows: Observations of deflection were always taken at two different distances, viz., at 2.0 feet and at 2.5 feet. In general, the two values of $\frac{m}{X}$ thus obtained differed slightly from each other, and the mean of the two was assumed to be correct. This mean was combined with the value of mX , obtained from a set of vibrations observed on the same day, and thus m was determined. In no case was more than one set of observations of deflections taken on any single day, but in a few instances several sets of observations of vibrations were made. Under such circumstances, the mean of all the observed values of mX was combined with the mean of the two values of $\frac{m}{X}$, and thus a single value of m was deduced.

Let

m_τ = observed value of the magnetic moment at the temperature τ .

m = value of m_τ after being multiplied by $[1 + (\tau - 75.8)q]$, or, in other words, after being reduced to the temperature 75.8 Fah.

m_0 = mean of all the observed values of m .

α = daily decrease in the value of log. m , expressed in units of the fifth decimal place.

d = time in days at which m is taken; d being counted from March 7th, 1866.

The following table contains all the observed values of log. m_τ , together with the computation from them of the final values of the same quantity. The column headed "days" gives the time in days counted from October 24th, 1865.

Date.	τ	Log. m_τ	Log. $[1 + (\tau - 75.8)q]$	Log. m	Days.	Concluded Log. m	Concluded Log. m_τ
October 24, 1865	57.5	9.84148	9.99841	9.83989	0	9.83990	9.84149
October 30, 1865	58.7	9.84139	9.99851	9.83990	6	9.83979	9.84128
November 13, 1865	85.5	9.83908	0.00082	9.83990	20	9.83951	9.83869
November 16, 1865	87.7	9.83951	0.00104	9.84055	23	9.83945	9.83841
November 28, 1865	90.0	9.83773	0.00121	9.83894	35	9.83922	9.83801
December 13, 1865	89.5	9.83645	0.00117	9.83762	50	9.83893	9.83776
December 23, 1865	87.2	9.83768	0.00100	9.83868	60	9.83873	9.83773
December 27, 1865	98.0	9.83655	0.00191	9.83846	64	9.83865	9.83674
January 6, 1866	74.2	9.83915	9.99986	9.83901	74	9.83846	9.83860
January 18, 1866	87.2	9.83666	0.00100	9.83766	86	9.83823	9.83723
February 7, 1866	69.5	9.83783	9.99945	9.83728	106	9.83784	9.83839
March 2, 1866	69.7	9.83831	9.99947	9.83778	129	9.83739	9.83792
March 19, 1866	76.2	9.83618	0.00004	9.83622	146	9.83706	9.83702
March 29, 1866	68.2	9.83780	9.99934	9.83714	156	9.83686	9.83752
April 7, 1866	67.0	9.83861	9.99923	9.83784	165	9.83669	9.83746
April 11, 1866	74.0	9.83716	9.99984	9.83700	169	9.83661	9.83677
April 13, 1866	65.7	9.83711	9.99912	9.83623	171	9.83657	9.83745
April 26, 1866	79.2	9.83626	0.00030	9.83656	184	9.83632	9.83602
May 7, 1866	77.0	9.83670	0.00009	9.83679	195	9.83610	9.83601
May 14, 1866	82.2	9.83448	0.00056	9.83504	202	9.83596	9.83540
May 30, 1866	84.7	9.83602	0.00078	9.83680	218	9.83565	9.83487
June 9, 1866	65.0	9.83662	9.99906	9.83568	228	9.83546	9.83640
June 15, 1866	71.0	9.83493	9.99958	9.83451	234	9.83534	9.85576
June 26, 1866	63.0	9.83548	9.99889	9.83437	245	9.83513	9.83624
November 1, 1866	66.2	9.83326	9.99916	9.83242	373	9.83263	9.83347
Means	75.8			9.83729	154		

The mean of the quantities in the column headed τ is $75^{\circ}.8$. Accordingly, adding $\log. [1 + (\tau - 75^{\circ}.8)q]$ to each $\log. m$, we obtain the values of $\log. m$ given in the table. Taking the mean of these values, and also the mean of the numbers in the column "days," we find that at 134 days, which corresponds to March 7th, 1866, the value of $\log. m$ was $9.83729 = \log. m_0$. Then, assuming

$$\text{Log. } m = \log. m_0 - ad$$

we have

$$0 = 9.83729 - \log. m - ad$$

and each value of $\log. m$ furnishes an equation of condition for the determination of α , as follows.

$0 = -260 + 134 a$	$0 = + 15 - 22 a$
$0 = -261 + 128 a$	$0 = - 55 - 31 a$
$0 = -261 + 114 a$	$0 = + 29 - 35 a$
$0 = -326 + 111 a$	$0 = + 106 - 37 a$
$0 = -165 + 99 a$	$0 = + 73 - 50 a$
$0 = - 33 + 84 a$	$0 = + 50 - 61 a$
$0 = -139 + 74 a$	$0 = + 225 - 68 a$
$0 = -117 + 70 a$	$0 = + 49 - 84 a$
$0 = -172 + 60 a$	$0 = + 161 - 94 a$
$0 = - 37 + 48 a$	$0 = + 278 - 100 a$
$0 = + 1 + 28 a$	$0 = + 292 - 111 a$
$0 = - 49 + 5 a$	$0 = + 487 - 239 a$
$0 = + 107 - 12 a$	

By the method of least squares we obtain the normal equation

$$0 = -397497 + 203965 a$$

Solving, we get

$$a = + 1.9488$$

Hence

$$\text{Log. } m = 9.83729 - 0.0000195 d \pm 0.000090$$

or

$$m = 0.68753 - 0.0000310 d \pm 0.000144$$

From the first of these expressions the quantities in the column "concluded $\log. m$ " were computed.

If, in the expression for $\log. m$, given above, we introduce the correction for temperature, we obtain

$$\text{Log. } m_{\tau} = 9.83729 - 0.0000195 d - 0.000087 (\tau - 75^{\circ}.8)$$

by means of which the quantities in the column "concluded $\log. m_{\tau}$ " were computed.

The probable error of a single observed value of $\log. m$ is ± 0.000452 , and of a single observed value of m it is ± 0.000719 .

Observations of Inclination were all made with a dip circle by Henry Barrow & Co., of London. It was provided with two needles, marked A 1 and A 2, each 3.5 inches long, and having axles 0.016 of an inch in diameter. The distance between the agate planes on which they rested was 0.74 of an inch. By means of two microscopes, one opposite each end of the needle—each of which, assuming distinct vision to be obtained at a distance of ten inches, magnified 18 diameters—the inclination of the needle was referred to, and read off upon a vertical circle six inches in diameter, divided to half degrees, and reading by means of two verniers to single minutes. The pointing of the microscopes to the ends of the needle was

effected by means of a clamp and tangent screw. The horizontal circle of the instrument was four inches in diameter, divided to half degrees, and reading by means of one vernier to single minutes. It was provided with a clamp, but no tangent screw.

Readings of the position of the dipping needle were made as follows: In the field of view of each microscope was a plate of glass upon which was engraved three fine parallel lines, the middle one being intended to represent one of the two extremities of a diameter passing through a vertical circle described about the prolongation of the axle of the needle. The north microscope having been turned till the centre line in its field of view coincided with the north end of the needle, the vernier belonging to that microscope was read off, and recorded as the reading of the north end of the needle. Then the south microscope was turned till the centre line in its field of view coincided with the south end of the needle, and the vernier belonging to that microscope was read off, and recorded as the reading of the south end of the needle. In order to distinguish between the two microscopes the letter N was scratched upon one of them, and that one was always, in all positions of the instrument, used to read the north end of the needle.

The instrument having been set up and levelled, before beginning to observe it was necessary to place the plane of the vertical circle in the magnetic meridian. At a few of the earlier stations this was accomplished as follows: The needle was placed on the agate planes, with the side on which the letters were marked facing the microscopes. Then 1°. The microscopes having been turned till they were nearly in a vertical line, the vernier of the lower one was set to 90° 0', and the vertical circle was moved in azimuth—so that its face (by which is meant the side on which the microscopes were) was south—till the lower end of the needle was bisected by the middle line in the lower microscope; the Y's were raised and lowered gently, and if the bisection of the needle was altered, it was corrected by turning the circle in azimuth. Then the horizontal circle was clamped and read off; and this reading was called A. 2°. The vernier of the upper microscope was set to 90° 0', and the horizontal circle having been unclamped, the vertical circle was moved in azimuth—its face still remaining south—till the upper end of the needle was bisected by the middle line in the upper microscope; the Y's were raised and lowered gently, and if the bisection of the needle was altered, it was corrected by turning the circle in azimuth. Then the horizontal circle was clamped and read off, and this reading was called B. 3°. The horizontal circle was unclamped, and turned in azimuth 180°, so as to bring the face of the instrument to the north, and then the 1° and 2° processes just described were repeated; thus giving two more readings of the horizontal circle, which were called C and D. Then

$$\frac{A + B + C + D}{4} = E$$

where E is the division of the horizontal circle at which it was necessary to set the vernier in order that the plane of the vertical circle might be *at right angles* to

the magnetic meridian. Therefore the vernier was set at $90^\circ + E$, and the plane of the vertical circle coincided with the magnetic meridian. However, it soon became evident that this process consumed too much time, and the following, which is quite as accurate and much more expeditious, was adopted: A fine line was marked permanently upon the top of the instrument parallel to the plane of the vertical circle; then, after the instrument had been levelled, but before the dipping needle had been placed upon the agate planes, a pocket compass, with a needle about one and a half inches long, was placed with its centre upon the fine line, and the vertical circle was turned in azimuth till the compass needle and line were parallel to each other. That being the case, the plane of the vertical circle was known to be in the magnetic meridian, and the horizontal circle was clamped and read off.

The following is the method which was adopted in making observations of dip: 1°. The agate planes, and those parts of the axle of the needle which would rest upon them, were carefully wiped with a piece of chamois leather (I have since seen reason to believe that a piece of cork would have answered the purpose better), and then the instrument was set up, levelled, and the plane of the vertical circle placed in the magnetic meridian by the process before described. 2°. The needle was secured upon a block, provided for the purpose, and magnetised by means of a pair of eight-inch bar magnets, in such a manner that its marked end acquired north polarity. It was considered to be saturated with magnetism when the bar magnets had been drawn from its centre to its extremities six times, the process being performed upon both of its sides, and then it was removed from the block and placed in position upon the agate planes, with its face (by which is meant that side upon which the letters were marked) towards the east. 3°. The plane of the vertical circle being in the magnetic meridian, with the face of the instrument towards the east, and the needle in position upon the agate planes, with its face also towards the east, the north and south ends of the needle were read. Let these readings be designated respectively as ϕ' and ϕ'' . 4°. The needle was reversed upon the agate planes, so as to bring its face towards the west, and its north and south ends were read. Let these readings be designated respectively ϕ''' and ϕ^{IV} . 5°. The horizontal circle was unclamped, the vertical circle turned in azimuth 180° , so as to bring its face towards the west, and the horizontal circle again clamped. The face of the needle now being towards the east, its north and south ends were read. Let these readings be designated respectively as ϕ^V and ϕ^{VI} . 6°. The needle was reversed upon the agate planes, so as to bring its face towards the west, and its north and south ends were read. Let these readings be designated respectively as ϕ^{VII} and ϕ^{VIII} . 7°. The time was noted, and then the needle, having been removed from the agate planes, was placed upon the block provided for the purpose, and remagnetised in such a manner that its marked end acquired south polarity; after which it was again placed in position upon the agate planes, with its face towards the west, and its north and south ends were read. Let these readings be designated respectively as ψ' and ψ'' . 8°. The needle was reversed upon the agate planes, so as to bring its face towards the east, and its north and south ends were read. Let these readings be designated respectively as ψ''' and ψ^{IV} . 9°. The horizontal circle was unclamped, the vertical circle turned in azimuth 180° ,

so as to bring its face to the east, and the horizontal circle again clamped. The face of the needle now being towards the west, its north and south ends were read. Let these readings be designated respectively as ψ^v and ψ^{vi} . 10° . The needle was reversed upon the agate planes, so as to bring its face towards the east, and its north and south ends were read. Let these readings be designated respectively as ψ^{vii} and ψ^{viii} .

At the first few stations each of the readings $\phi', \phi'', \phi''' \dots \phi^{viii}, \psi', \psi'', \psi''' \dots \psi^{viii}$, was repeated three times, the Y's being raised and lowered again between each repetition; but after some experience I became convinced that the increase of accuracy obtained by three repetitions, over that obtained by a single careful reading, was not sufficient to warrant the greatly increased expenditure of time, and accordingly the repetitions were abandoned.

The needle A 2 proved to be well balanced, and the observations made with it were therefore reduced by the usual formula, namely

$$\frac{\phi' + \phi'' + \phi''' + \phi^{iv} + \phi^v + \phi^{vi} + \phi^{vii} + \phi^{viii}}{8} = \alpha$$

$$\frac{\psi' + \psi'' + \psi''' + \psi^{iv} + \psi^v + \psi^{vi} + \psi^{vii} + \psi^{viii}}{8} = \beta$$

$$\theta = \frac{\alpha + \beta}{2}$$

where θ is the magnetic inclination or dip.

The needle A 1 proved not to be well balanced, which was shown by the great difference between the values of α and β obtained with it in low magnetic latitudes; although they agreed well enough at places where the dip was large. An examination of all the observations showed that in every case

$$\frac{\phi' + \phi'' + \phi^v + \phi^{vi}}{4} = \frac{\phi''' + \phi^{iv} + \phi^{vii} + \phi^{viii}}{4}$$

and

$$\frac{\psi' + \psi'' + \psi^v + \psi^{vi}}{4} = \frac{\psi''' + \psi^{iv} + \psi^{vii} + \psi^{viii}}{4}$$

at least within about one degree. It therefore followed that, although the centre of gravity of the needle did not lie in its axle, it did lie somewhere in the line joining the two extremities of the needle and passing through its axle. In such cases we have

$$\tan \theta = \frac{\tan \alpha + \tan \beta}{2}$$

and by that formula all the observations made with this needle were reduced.

At St. Thomas some observations of dip were made with the plane of the vertical circle out of the magnetic meridian. They were reduced by the formula

$$\tan \theta = \tan \theta' \cos \alpha$$

where θ is the true dip, and θ' the dip observed with the vertical circle in a plane whose azimuth, measured from the magnetic meridian, was α .

The values of the Vertical and Total Force have been computed from the horizontal force and inclination by the formulæ

$$Z = X \tan \theta$$

$$R = X \sec \theta$$

where

X = horizontal component of the earth's magnetic force.

Z = vertical component of the earth's magnetic force.

R = total magnetic intensity.

θ = magnetic inclination.

All values of force are expressed in English units; namely, in terms of grains, feet, and seconds. If it is desired to have them in metric units, expressed in terms of milligrams, millimeters, and seconds, they must be multiplied by 0.46108.

The observations of magnetic declination, inclination, and force are given in full at the end of this section, but for convenience of reference the following abstract of them is inserted here.

Station.	Date.	Declination.	Inclination.		Log. $\frac{m}{X}$	Log. mX	Temp.	$X =$ Hor. Force
			Needle A. 1.	Needle A. 2.				
Philadelphia, Pa.	Oct. 24, 1865	9.22363	0.45934	57.5	4.148
Gosport, Va.	Oct. 28, 1865	0.51303	73.0	4.709
Gosport, Va.	Oct. 30, 1865	2° 37'.8 W.	+69° 21'	+69° 54'	9.16787	0.51492	58.7	4.717
St. Thomas,	Nov. 13, 1865	+49 36	+49 32	9.01926	0.66791	85.5	6.749
St. Thomas,	Nov. 16, 1865	0 39.6 E.	+49 39	+49 44	9.01014	0.66888	87.7	6.768
Salute Islands,	Nov. 28, 1865	0 3.8 W.	+34 27	+34 42	9.00868	0.66679	90.0	6.742
Ceara,	Dec. 13, 1865	8 28.8 W.	+21 26	+21 20	9.02178	0.65112	89.5	6.507
Pernambuco,	Dec. 23, 1865	10 59.6 W.	+12 6	+12 10	9.03195	0.64340	87.2	6.392
Bahia,	Dec. 27, 1865	7 56.6 W.	+ 4 31	+ 4 17	9.04305	0.63005	98.0	6.213
Rio Janeiro,	Jan. 6, 1866	-11 48	-11 46	9.06444	0.61386	74.2	5.960
Rio Janeiro,	Jan. 9, 1866	2 41.8 W.	0.61205	80.5	5.944
Monte Video,	Jan. 18, 1866	9 16.6 E.	-31 11	-30 58	0.61892	87.2	6.049
Monte Video,	Jan. 18, 1866	-31 8	9.05476	0.61822	87.2	6.039
Monte Video,	Jan. 19, 1866	9 25.0 E.	0.61754	89.5	6.033
Sandy Point,	Feb. 7, 1866	21 52.0 E.	-54 52	-55 2	9.05044	0.62523	69.5	6.121
Valparaiso,	March 2, 1866	15 54.3 E.	-34 50	-35 7	9.03474	0.64188	69.7	6.367
Valparaiso,	March 19, 1866	15 36.6 E.	-35 28	-35 28	9.03599	0.63637	76.2	6.300
Valparaiso,	March 29, 1866	15 54.8 E.	-35 34	-35 27	0.64126	68.2	6.364
Valparaiso,	March 29, 1866	9.03607	0.63782	68.2	6.314
Valparaiso,	April 7, 1866	15 49.4 E.	-35 26	-35 23	9.03837	0.63885	67.0	6.330
Valparaiso,	April 11, 1866	15 57.6 E.	-35 29	-35 36	0.63697	74.0	6.312
Valparaiso,	April 11, 1866	9.03720	0.63725	74.0	6.317
Valparaiso,	April 13, 1866	15 53.9 E.	-35 40	-35 12	9.03692	0.63730	65.7	6.307
Callao,	April 26, 1866	10 29.6 E.	- 6 28	- 6 29	8.99132	0.68120	79.2	7.001
Payta,	May 7, 1866	8 53.0 E.	+ 5 9	+ 4 47	8.97055	0.70285	77.0	7.359
Panama Bay,	May 14, 1866	5 55.8 E.	+32 5	+31 47	8.95196	0.71700	82.2	7.614
Acapulco,	May 30, 1866	8 20.8 E.	+39 49	+39 58	8.94841	0.72363	84.7	7.740
Acapulco,	May 30, 1866	8 23.6 E.
Magdalena Bay,	June 9, 1866	10 40.5 E.	+48 41	+48 22	0.69240	65.0	7.178
Magdalena Bay,	June 9, 1866	8.98098	0.69211	65.0	7.173
San Diego Bay,	June 15, 1866	13 9.4 E.	+57 51	+57 56	9.03746	0.63241	71.0	6.261
San Francisco Bay,	June 26, 1866	16 25.5 E.	+62 13	+62 31	9.08320	0.58777	63.0	5.643
Washington, D. C.	Nov. 1, 1866	2 44.2 W.	+71 51	+72 13	9.19956	0.46695	66.2	4.300
Washington, D. C.	May 6, 1867	+71 55	+72 5

Taking the means we obtain the final values of the magnetic elements at each station, as follows:

Station.	Latitude.	Longitude West.	Date.	Declination.	No. of Obs.	Inclination.	No. of Obs.	Horizontal Force.	No. of Obs.	Vertical Force.	Total Force.
Pbiladelphia, Pa. . .	39° 56' N.	75° 7'	Oct. 24, 1865	0 /		0 /		4.148	1		
Gosport	36 49 N.	76 17	Oct. 29, 1865	2 37.8 W.	1	+69 38	2	4.713	2	12.696	13.542
St. Thomas	18 20 N.	64 55	Nov. 14, 1865	0 39.6 E.	1	+49 38	4	6.758	2	7.950	10.434
Salute Islands	5 17 N.	52 33	Nov. 28, 1865	0 3.8 W.	1	+34 35	2	6.742	1	4.648	8.189
Ceara	3 44 S.	38 31	Dec. 13, 1865	8 28.8 W.	1	+21 23	2	6.507	1	2.548	6.988
Pernambuco	8 4 S.	34 52	Dec. 23, 1865	10 59.6 W.	1	+12 8	2	6.392	1	1.374	6.538
Bahia	12 57 S.	38 30	Dec. 27, 1865	7 56.6 W.	1	+ 4 24	2	6.213	1	0.478	6.231
Rio Janeiro	22 54 S.	43 8	Jan. 8, 1866	2 41.8 W.	1	-11 47	2	5.952	2	1.242	6.080
Monte Video	34 53 S.	56 13	Jan. 18, 1866	9 20.8 E.	2	-31 6	3	6.040	3	3.644	7.054
Sandy Point	53 10 S.	70 54	Feb. 7, 1866	21 52.0 E.	1	-54 57	2	6.121	1	8.725	10.658
Valparaiso	33 2 S.	71 41	March 29, 1866	15 51.1 E.	6	-35 23	12	6.326	8	4.493	7.759
Callao	12 5 S.	77 17	April 26, 1866	10 29.6 E.	1	- 6 28	2	7.001	1	0.794	7.046
Payta	5 6 S.	81 6	May 7, 1866	8 53.0 E.	1	+ 4 58	2	7.359	1	0.640	7.387
Panama Bay	8 54 N.	79 30	May 14, 1866	5 55.8 E.	1	+31 56	2	7.614	1	4.745	8.972
Acapulco	16 50 N.	99 52	May 30, 1866	8 22.2 E.	2	+39 54	2	7.740	1	6.472	10.089
Magdalena Bay	24 40 N.	112 7	June 9, 1866	10 40.5 E.	1	+48 32	2	7.176	2	8.120	10.837
San Diego Bay	32 42 N.	117 13	June 15, 1866	13 9.4 E.	1	+57 54	2	6.261	1	9.981	11.782
San Francisco	37 49 N.	122 21	June 26, 1866	16 25.5 E.	1	+62 22	2	5.643	1	10.779	12.167
Washington	38 54 N.	77 3	Nov. 1 1866	2 44.2 W.	1	+72 2	2	4.300	1	13.260	13.940

OBSERVATIONS OF MAGNETIC DECLINATION.

MAGNETIC DECLINATION.
Gosport, Va. October 30, 1865.

		Circle Readings.	Reading of Magnet.		
Telescope Direct.	Vernier	359° 59' 15"	(1) Scale erect	81 ^d .7	
			(2) Scale inverted . .	76.5	
			(1) — (2) = Δ	+ 5.2	
			Transit of Sun's		
	Vernier		1st limb	10 ^h 40 ^m 6 ^s .2	
	Vernier		2d limb	42 27.0	
	Mean	162 12 45	Mean	10 41 16.6	
Telescope Reversed.	Vernier		1st limb	10 ^h 44 ^m 48 ^s .0	
	Vernier		2d limb	47 8.8	
	Mean	163° 34' 45"	Mean	10 45 58.4	
			Reading of Magnet.		
	Vernier		(1) Scale inverted . .	64 ^d .2	
		(2) Scale erect	93.5		
		(2) — (1) = Δ	+29.3		
			Telescope Direct.	Telescope Reversed.	
Equation of time			16 ^m 13 ^s .7		
ε			—16° 47' 28"		
δ			—13 56 36		
Circle reading to magnet			359° 59'.2		
Δ × ½ scale division			+ 6.1		
Sun's azimuth			339 29.6		
Sum			339 34.9		
180° + circle reading to sun			342 12.7		
Magnetic declination			2 37.8 W.		

These observations were made before noon.
Chronometer 0^h 4^m 40^s.2 fast of local mean time.

MAGNETIC OBSERVATIONS.

MAGNETIC DECLINATION.
Salute Islands. November 28, 1865.

MAGNETIC DECLINATION.
St. Thomas. November 16, 1865.

Telescope Direct.		Circle Readings.		Reading of Magnet.	
Vernier		0° 11' 0"		(1) Scale erect 79 ^d .2 (2) Scale inverted 79.3	
(1) — (2) = Δ				(1) — (2) = Δ — 0.1	
Transit of Sun's					
1st limb				12 ^h 21 ^m 44 ^s .0	
2d limb				25 37.5	
Mean		228 16 15		12 23 40.7	
Vernier				12 ^h 29 ^m 11 ^s .5	
Vernier				33 14.0	
Mean		229° 48' 15"		12 31 12.7	
Vernier				814.2	
(1) Scale inverted				77.3	
(2) Scale erect				— 3.9	
Telescope Reversed.				Telescope Reversed.	
Equation of time				11 ^m 40 ^s .8	
t				+ 31° 25' 13"	
δ				— 21 25 2	
Circle reading to magnet				0° 11'.0	
Δ × $\frac{1}{2}$ scale division				— 0.1	
Sun's azimuth				48 0.8	
Sum				48 11.7	
180° + circle reading to sun				48 16.2	
Magnetic declination				0 4.5 W.	
Telescope Direct.				Telescope Direct.	
Equation of time				15 ^m 0 ^s .0	
t				— 26° 30' 51"	
δ				— 18 51 15	
Circle reading to magnet				359° 58'.7	
Δ × $\frac{1}{2}$ scale division				+ 7.4	
Sun's azimuth				323 36.5	
Sum				323 42.6	
180° + circle reading to sun				323 0.7	
Magnetic declination				0 41.9 E.	
Telescope Reversed.				Telescope Reversed.	
Equation of time				15 ^m 0 ^s .1	
t				— 28° 2' 53"	
δ				— 18 51 11	
Circle reading to magnet				359° 59'.0	
Δ × $\frac{1}{2}$ scale division				+ 2.5	
Sun's azimuth				321 59.9	
Sum				322 1.4	
180° + circle reading to sun				321 24.0	
Magnetic declination				0 37.4 E.	

These observations were made before noon.
Chronometer 0^h 40^m 45^s.4 slow of local mean time.

These observations were made after noon.
Chronometer 1^h 30^m 19^s.4 slow of local mean time.

MAGNETIC DECLINATION.
Pernambuco, December 23, 1865.

MAGNETIC DECLINATION.
Ceara, December 13, 1865.

Circle Readings.		Reading of Magnet.	
Vernier	1° 10' 30"	(1) Scale erect	79 ^d .6
		(2) Scale inverted	78.5
		(1) - (2) = Δ	+ 1.1
Transit of Sun's			
Vernier	255 56 45	1 ^h 42 ^m 0 ^s	
Vernier	25 15	44 0	
Mean	255 41 0	I 43 0.0	
Vernier	255° 27' 0"	1 ^h 47 ^m 0 ^s	
Vernier	256 5 15	48 0	
Mean	255 46 8	I 47 30.0	
Vernier	I 15 30		
Telescope Direct.		Telescope Reversed.	
Equation of time		(1) Scale inverted	82 ^d .2
t		(2) Scale erect	76.1
δ		(2) - (1) = Δ	- 6.1
Circle reading to magnet		Telescope Reversed.	
Δ X 1 scale division		Telescope Direct.	Telescope Reversed.
Sun's azimuth		Equation of time	0 ^m 31 ^s .5
		t	- 30° 39' 40"
		δ	- 23 26 32
Circle reading to magnet		Circle reading to magnet	2° 37'.0
Δ X 1 scale division		Δ X 1 scale division	+ 4.0
Sun's azimuth		Sun's azimuth	301 11.5
Sun		Sum	303 52.5
180° + circle reading to sun		180° + circle reading to sun	314 52.1
Magnetic declination		Magnetic declination	10 59.6 W.

These observations were made before noon, and prior to beginning them the collimation was adjusted.
Chronometer 2^h 36^m 34^s.8 slow of local mean time.

These observations were made after noon.
Chronometer 2^h 26^m 32^s.1 slow of local mean time.

MAGNETIC OBSERVATIONS.

MAGNETIC DECLINATION.
Bahia, December 27, 1865.

MAGNETIC DECLINATION.
Rio Janeiro, January 9, 1866.

Circle Readings.		Reading of Magnet.	
Vernier	3° 32' 45"	(1) Scale erect	77 ^d .5
		(2) Scale inverted	80.7
		(1) — (2) = Δ	— 3.2
Transit of Sun's			
Vernier	121 48 45	1 st limb	6 ^h 28 ^m 10 ^s
Vernier	6 15	2 ^d limb	30 28
Mean	121 27 30.	Mean	6 29 23.5
Vernier	122° 2' 30"	1 st limb	6 ^h 36 ^m 38 ^s
Vernier	121 17 30	2 ^d limb	37 37
Mean	121 40 0	Mean	6 37 7.5
Reading of Magnet.			
(1) Scale inverted		(1) Scale inverted	80 ^d .8
(2) Scale erect	3 32 0	(2) Scale erect	77.5
(2) — (1) = Δ		(2) — (1) = Δ	— 3.3
Telescope Direct.		Telescope Reversed.	
Equation of time		1 ^m 26 ^s .8	
l		— 47° 29' 0"	
δ		— 23 19 36	
Circle reading to magnet		3° 32'.7	
Δ X $\frac{1}{2}$ scale division		— 3.8	
Sun's azimuth		290 2.3	
Sum		293 31.2	
180° + circle reading to sun		301 27.5	
Magnetic declination		7 56.3 W.	
Telescope Direct.		Telescope Reversed.	
Equation of time		7 ^m 23 ^s .4	
l		— 77° 31' 30"	
δ		— 22 6 32	
Circle reading to magnet		2° 36'.7	
Δ X $\frac{1}{2}$ scale division		+ 1.9	
Sun's azimuth		286 33.1	
Sum		289 11.7	
180° + circle reading to sun		291 53.4	
Magnetic declination		2 41.7 W.	
Telescope Direct.		Telescope Reversed.	
(1) Scale erect		(1) Scale inverted	78 ^d .3
(2) Scale inverted	2° 36' 45"	(2) Scale erect	79.8
(1) — (2) = Δ		(2) — (1) = Δ	+ 1.5
Transit of Sun's			
1 st limb	III 42 30	4 ^h 52 ^m 10 ^s	
2 ^d limb	III 2 4 15	55 8	
Mean	III 53 23	Mean	4 53 39.0
Vernier	III° 56' 30"	1 st limb	4 ^h 56 ^m 50 ^s
Vernier	18 0	2 ^d limb	57 50
Mean	III 37 15	Mean	4 57 20.0
Reading of Magnet.			
(1) Scale inverted		(1) Scale inverted	78 ^d .3
(2) Scale erect	2 37 0	(2) Scale erect	79.8
(2) — (1) = Δ		(2) — (1) = Δ	+ 1.5

These observations were made before noon.
Chronometer 2^h 3^m 38^s.4 slow of local mean time.

These observations were made before noon.
Chronometer 2^h 22^m 6^s.8 slow of local mean time.

MAGNETIC DECLINATION.
Monte Video, January 19, 1866.

MAGNETIC DECLINATION.
Monte Video, January 18, 1866.

Circle Readings.		Reading of Magnet.	
Vernier	2° 10' 45"	(1) Scale erect	79 ^d .1
		(2) Scale inverted	79.0
		(1) — (2) = Δ	+ 0.1
Transit of Sun's			
1st limb		4 ^h 19 ^m 15 ^s	
2d limb		23 44	
Mean	250 49 30	4 21 29.5	
Vernier		4 ^h 26 ^m 3 ^s	
Vernier		30 30	
Mean	249° 55' 15"	4 28 16.5	
Vernier	2 10 45		
Reading of Magnet.			
(1) Scale inverted		78 ^d .5	
(2) Scale erect		79.0	
(2) — (1) = Δ		+ 1.1	
Telescope Direct.		Telescope Reversed.	
Equation of time		10 ^m 51 ^s .8	
l		+ 82° 31' 12"	
δ		— 20 26 47	
Circle reading to magnet		2° 10' 7	
Δ X $\frac{1}{3}$ scale division		+ 0.1	
Sun's azimuth		77 53.6	
Sum		80 4.4	
180° + circle reading to sun		70 49.5	
Magnetic declination		9 14.9 E.	

Circle Readings.		Reading of Magnet.	
Vernier	2° 34' 52"	(1) Scale erect	77 ^d .5
		(2) Scale inverted	80.2
		(1) — (2) = Δ	- 2.7
Transit of Sun's			
1st limb		3 ^h 38 ^m 8 ^s	
2d limb		42 51	
Mean	256 30 30	3 40 29.5	
Vernier		3 ^h 44 ^m 40 ^s	
Vernier		49 19	
Mean	255° 36' 0"	3 46 59.5	
Vernier	2 34 30		
Reading of Magnet.			
(1) Scale inverted		81 ^d .6	
(2) Scale erect		76.7	
(2) — (1) = Δ		- 4.9	
Telescope Direct.		Telescope Reversed.	
Equation of time		11 ^m 9 ^s .5	
l		+ 70° 13' 30"	
δ		— 20 14 31	
Circle reading to magnet		2° 34' 9	
Δ X $\frac{1}{3}$ scale division		- 3.2	
Sun's azimuth		83 23.3	
Sum		85 55.0	
180° + circle reading to sun		76 30.5	
Magnetic declination		9 24.5 E.	

These observations were made after noon.
Chronometer 1^h 11^m 34^s.0 slow of local mean time.

These observations were made after noon.
Chronometer 1^h 11^m 27^s.0 slow of local mean time.

MAGNETIC OBSERVATIONS.

MAGNETIC DECLINATION.
Valparaiso, March 2, 1866.

Circle Readings.		Reading of Magnet.	
Vernier	4° 13' 0"	(1) Scale erect	71 ^d .1
		(2) Scale inverted	87.3
		(1) - (2) = Δ	- 16.2
Transit of Sun's			
Vernier		1 st limb	4 ^h 28 ^m 50 ^s
Vernier		2 ^d limb	32 51.5
Mean	264 44 0	Mean	4 30 50.7
Vernier		1 st limb	4 ^h 35 ^m 0 ^s .5
Vernier		2 ^d limb	39 9.0
Mean	263° 47' 30"	Mean	4 37 4.7
Reading of Magnet.			
Vernier	4 5 30	(1) Scale inverted	85 ^d .3
		(2) Scale erect	73.4
		(2) - (1) = Δ	- 11.9
Telescope Direct.		Telescope Reversed.	
Equation of time	Telescope Direct.	Telescope Reversed.
Δ X $\frac{1}{2}$ scale division	12 ^m 17 ^s .4	12 ^m 17 ^s .4
Sun's azimuth	+ 67° 4' 55"	+ 68° 38' 25"
		- 7 1 15	- 7 1 10
Circle reading to magnet	4° 13'.0	4° 5'.5
Δ X $\frac{1}{2}$ scale division	- 19.0	- 14.0
Sun's azimuth	96 44.8	95 49.9
Sum	100 38.8	99 41.4
180° + circle reading to sun	84 44.0	83 47.5
Magnetic declination	15 54.8 E.	15 53.9 E.

MAGNETIC DECLINATION.
Sandy Point, February 7, 1866.

Circle Readings.		Reading of Magnet.	
Vernier	2° 54' 45"	(1) Scale erect	79 ^d .8
		(2) Scale inverted	78.5
		(1) - (2) = Δ	+ 1.3
Transit of Sun's			
Vernier		10 ^h 53 ^m 10 ^s	
Vernier		55 31	
Mean	6 44 15	Mean	10 54 20.5
Vernier		10 ^h 58 ^m 53 ^s	
Vernier		11 1 12	
Mean	4° 38' 0"	Mean	11 0 2.5
Reading of Magnet.			
Vernier	2 54 15	(1) Scale inverted	77 ^d .9
		(2) Scale erect	80.9
		(2) - (1) = Δ	+ 3.0
Telescope Direct.		Telescope Reversed.	
Equation of time	Telescope Direct.	Telescope Reversed.
Δ X $\frac{1}{2}$ scale division	14 ^m 25 ^s .6	14 ^m 25 ^s .6
Sun's azimuth	- 16° 49' 15"	- 15° 23' 45"
		- 15 13 36	- 15 13 31
Circle reading to magnet	2° 54'.7	2° 54'.2
Δ X $\frac{1}{2}$ scale division	+ 1.5	+ 3.5
Sun's azimuth	205 38.2	203 34.1
Sum	208 34.4	206 31.8
180° + circle reading to sun	186 44.2	184 38.0
Magnetic declination	21 50.2 E.	21 53.8 E.

These observations were made after noon.
Chronometer ob 9^m 46^s.4 slow of local mean time.
Magnet rendered quite unsteady by the wind.

These observations were made before noon.
Chronometer ob 12^m 48^s.1 slow of local mean time.
Magnet rendered quite unsteady by the wind.

MAGNETIC DECLINATION.
Valparaiso, March 19, 1866.

Circle Readings.		Reading of Magnet.	
Vernier	12° 49' 15"	(1) Scale erect	8 ^d .4
		(2) Scale inverted	76.2
		(1) — (2) = Δ	+ 6.2
Transit of Sun's			
Vernier		1st limb	3 ^h 20 ^m 49 ^s
Vernier		2d limb	24 14.5
Mean	290 45 36	Mean	3 22 31.7
Telescope Direct.			
Vernier		1st limb	
Vernier		2d limb	
Mean		Mean	
Telescope Reversed.			
Vernier		(1) Scale inverted	
		(2) Scale erect	
		(2) — (1) = Δ	
Telescope Direct.		Telescope Reversed.	
Equation of time		7 ^m 50 ^s .3	
Δ X $\frac{1}{2}$ scale division		+ 51° 2' 55"	
Sun's azimuth		— 0 23 16	
Circle reading to magnet		12° 49'.2	
Δ X $\frac{1}{2}$ scale division		+ 7.3	
Sun's azimuth		113 25.7	
Sum		126 22.2	
180° + circle reading to sun		110 45.6	
Magnetic declination		15 36.6 E.	

These observations were made after noon, and have been corrected for error of collimation. Chronometer 0^a 9^m 30^s.3 slow of local mean time.

MAGNETIC DECLINATION.
Valparaiso, March 29, 1866.

Circle Readings.		Reading of Magnet.	
Vernier	15° 11' 30"	(1) Scale erect	80 ^d .2
		(2) Scale inverted	78.1
		(1) — (2) = Δ	+ 2.1
Transit of Sun's			
Vernier		1st limb	2 ^h 10 ^m 58 ^s
Vernier		2d limb	13 46
Mean	311 0 30	Mean	2 12 22.0
Telescope Direct.			
Vernier		1st limb	2 ^h 16 ^m 13 ^s
Vernier		2d limb	19 0
Mean	309° 58' 30"	Mean	2 17 36.5
Telescope Reversed.			
Vernier		(1) Scale inverted	85 ^d .8
		(2) Scale erect	72.3
		(2) — (1) = Δ	— 13.5
Telescope Direct.		Telescope Reversed.	
Equation of time		4 ^m 47 ^s .3	
Δ X $\frac{1}{2}$ scale division		+ 34° 15' 22"	
Sun's azimuth		+ 3 31 11	
Circle reading to magnet		15° 11'.5	
Δ X $\frac{1}{2}$ scale division		+ 2.5	
Sun's azimuth		131 44.0	
Sum		146 58.0	
180° + circle reading to sun		131 0.5	
Magnetic declination		15 57.5 E.	

These observations were made after noon. Chronometer 0^a 9^m 26^s.8 slow of local mean time.

MAGNETIC OBSERVATIONS.

MAGNETIC DECLINATION.
Valparaiso, April 11, 1866.

Circle Readings.		Reading of Magnet.	
Vernier	20° 45' 0"	(1) Scale erect	76 ^d .5
		(2) Scale inverted	81.8
		(1) - (2) = Δ	- 5.3
Transit of Sun's			
Vernier		1st limb	2 ^h 28 ^m 53 ^s
Vernier		2d limb	31 42
Mean	315 7 30	Mean	2 30 17.5
Vernier		1st limb	2 ^h 33 ^m 38 ^s
Vernier		2d limb	36 29
Mean	314° 3' 30"	Mean	2 35 3.5
Vernier	20 44 30	Reading of Magnet.	
		(1) Scale inverted	81 ^d .8
		(2) Scale erect	76.6
		(2) - (1) = Δ	- 5.2
Telescope Direct.		Telescope Reversed.	
Equation of time	Telescope Direct.	Telescope Reversed.
Δ X $\frac{1}{2}$ scale division	0 ^m 59 ^s .0	0 ^m 59 ^s .0
Sun's azimuth	+ 39° 40' 6"	+ 40° 51' 36"
		+ 8 27 2	+ 8 27 7
Circle reading to magnet	20° 45' 0	20° 44' 5
Δ X $\frac{1}{2}$ scale division	- 6.2	- 6.1
Sun's azimuth	130 26.7	129 22.3
Sum	151 5.5	150 0.7
180° + circle reading to sun	135 7.5	134 3.5
Magnetic declination	15 58.0 E.	15 57.2 E.

These observations were made after noon, and prior to taking them the telescope was adjusted for collimation.
Chronometer 0^h 9^m 21^s.9 slow of local mean time.

MAGNETIC DECLINATION.
Valparaiso, April 7, 1866.

Circle Readings.		Reading of Magnet.	
Vernier	20° 11' 30"	(1) Scale erect	79 ^d .4
		(2) Scale inverted	79.9
		(1) - (2) = Δ	- 0.5
Transit of Sun's			
Vernier		8 ^h 16 ^m 21 ^s	
Vernier		19 35	
Mean	66 36 0	Mean	8 17 58.0
Vernier		8 ^h 21 ^m 38 ^s	
Vernier		24 51	
Mean	65° 36' 0"	Mean	8 23 14.5
Vernier	20 12 30	Reading of Magnet.	
		(1) Scale inverted	81 ^d .8
		(2) Scale erect	76.5
		(2) - (1) = Δ	- 5.3
Telescope Direct.		Telescope Reversed.	
Equation of time	2 ^m 9 ^s .9	2 ^m 9 ^s .8
Δ X $\frac{1}{2}$ scale division	- 53° 42' 4"	- 52° 22' 55"
Sun's azimuth	+ 6 52 13	+ 6 52 18
Circle reading to magnet	20° 11' 5	20° 12' 5
Δ X $\frac{1}{2}$ scale division	- 0.6	- 6.2
Sun's azimuth	242 16.0	241 17.7
Sum	262 26.9	261 24.0
180° + circle reading to sun	246 36.0	245 36.0
Magnetic declination	15 50.9 E.	15 48.0 E.

These observations were made before noon.
Chronometer 0^h 9^m 23^s.6 slow of local mean time.

MAGNETIC DECLINATION.
San Lorenzo Island, April 26, 1866.

MAGNETIC DECLINATION.
Valparaiso, April 13, 1866.

Circle Readings.		Reading of Magnet.	
Vernier	23° 13' 30"	(1) Scale erect	80 ^d .7
		(2) Scale inverted	77.3
		(1) - (2) = Δ	+ 3.4
Transit of Sun's			
Vernier		1st limb	1 ^h 37 ^m 26 ^s
Vernier		2d limb	40 23
Mean	331 9 0	Mean	1 38 54.5
Telescope Direct.			
Vernier		1st limb	1 ^h 42 ^m 10 ^s
Vernier		2d limb	45 11
Mean	329° 38' 30"	Mean	1 43 40.5
Telescope Reversed.			
Vernier		(1) Scale inverted	57 ^d .0
		(2) Scale erect	100.5
		(2) - (1) = Δ	+ 43.5
Reading of Magnet.			
Telescope Direct.		Telescope Reversed.	
Equation of time		2 ^m 19 ^s .8	2 ^m 19 ^s .9
∫		+ 22° 30' 12"	+ 23° 41' 43"
∫		+ 13 37 9	+ 13 37 12
Circle reading to magnet			
Δ X $\frac{1}{2}$ scale division		+ 4.0	+ 51.1
Sun's azimuth		138 21.1	136 50.9
Sum		161 38.6	160 8.0
180° + circle reading to sun		151 9.0	149 38.5
Magnetic declination		10 29.6 E.	10 29.5 E.

These observations were made after noon.
Chronometer 0^h 11^m 13^s.5 fast of local mean time.

These observations were made after noon, through clouds; collimation correct.
Chronometer 0^h 9^m 21^s.4 slow of local mean time.

MAGNETIC OBSERVATIONS.

MAGNETIC DECLINATION.
Flamenco Island, Panama Bay, May 14, 1866.

MAGNETIC DECLINATION.
Payta, May 7, 1866.

Circle Readings.		Reading of Magnet.	
Vernier	11° 25' 30"	(1) Scale erect	78 ^d .4
		(2) Scale inverted	79.8
		(1) — (2) = Δ	— 1.4
Transit of Sun's			
Vernier	79 18 0	1st limb	7 ^h 58 ^m 1 ^s
Vernier	78 42 0	2d limb	58 54
Mean	79 0 0	Mean	7 58 27.5
Vernier	79° 19' 0"	1st limb	8 ^h 0 ^m 55 ^s
Vernier	78 43 0	2d limb	1 58
Mean	79 1 0	Mean	8 1 26.5
Reading of Magnet.			
Vernier	11 33 0	(1) Scale inverted	82 ^d .8
		(2) Scale erect	75.2
		(2) — (1) = Δ	— 7.6
Telescope Direct.		Telescope Reversed.	
Equation of time	3 ^m 53 ^s .1	Equation of time	3 ^m 53 ^s .1
l	— 64° 29' 4"	l	— 63° 44' 19"
g	+ 18 38 56	g	+ 18 38 58
Circle reading to magnet	11° 25' 5	Circle reading to magnet	11° 25' 5
Δ X $\frac{1}{2}$ scale division	— 1.6	Δ X $\frac{1}{2}$ scale division	— 2.3
Sun's azimuth	253 32.1	Sun's azimuth	250 43.1
Sum	264 56.0	Sum	263 33.3
180° + circle reading to sun	259 0.0	180° + circle reading to sun	254 50.2
Magnetic declination	5 56.0 E.	Magnetic declination	8 51.2 E.
Telescope Direct.		Telescope Reversed.	
Equation of time	3 ^m 37 ^s .9	Equation of time	3 ^m 37 ^s .9
l	— 71° 37' 15"	l	— 70° 51' 30"
g	+ 16 50 1	g	+ 16 50 3
Circle reading to magnet	12° 49'.0	Circle reading to magnet	12° 52'.5
Δ X $\frac{1}{2}$ scale division	+ 0.8	Δ X $\frac{1}{2}$ scale division	— 2.3
Sun's azimuth	250 51.6	Sun's azimuth	250 43.1
Sum	263 41.4	Sum	263 33.3
180° + circle reading to sun	254 50.2	180° + circle reading to sun	254 38.5
Magnetic declination	8 51.2 E.	Magnetic declination	8 54.8 E.
Telescope Direct.		Telescope Reversed.	

These observations were made before noon.
Chronometer 0^b 20^m 16^s.9 fast of local mean time.

These observations were made before noon.
Chronometer 0^b 26^m 41^s.9 fast of local mean time.

MAGNETIC DECLINATION.
Acapulco, May 30, 1866.

MAGNETIC DECLINATION.
Acapulco, May 30, 1866.

Circle Readings.		Reading of Magnet.	
Vernier	12° 23' 30"	(1) Scale erect	78 ^d .0
		(2) Scale inverted	80.3
		(1) — (2) = Δ	— 2.3
Transit of Sun's			
Vernier	75 25 30	1st limb	8 ^h 14 ^m 28 ^s
Vernier	74 55 30	2d limb	15 28
Mean	75 10 30	Mean	8 14 58.0
Vernier	75° 36' 0"	1st limb	8 ^h 17 ^m 20 ^s
Vernier	6 30	2d limb	18 38
Mean	75 21 15	Mean	8 18 3.5
Vernier	12 28 0	Reading of Magnet.	
		(1) Scale inverted	81 ^d .3
		(2) Scale erect	77.2
		(2) — (1) = Δ	— 4.1
Telescope Direct.		Telescope Reversed.	
Equation of time		Telescope Direct.	Telescope Reversed.
l		2 ^m 47 ^s .1	2 ^m 47 ^s .1
δ		— 80° 54' 16"	— 80° 7' 54"
		+ 21 47 18	+ 21 47 19
Circle reading to magnet		12° 23'.5	12° 28'.0
Δ X $\frac{1}{2}$ scale division		— 2.7	— 4.8
Sun's azimuth		251 9.9	251 19.6
Sum		263 30.7	263 42.8
180° + circle reading to sun		255 10.5	255 21.2
Magnetic declination		8 20.2 E.	8 21.6 E.

These observations were made before noon.
Chronometer 1^h 41^m 22^s.2 fast of local mean time.
Circle reading to distant referring mark 10° 23' 0".

MAGNETIC DECLINATION.
Acapulco, May 30, 1866.

Circle Readings.		Reading of Magnet.	
Vernier	12° 27' 30"	(1) Scale erect	78 ^d .0
		(2) Magnetic axis	79.11
		(1) — (2) = Δ	— 1.11
Transit of Sun's			
Vernier		1st limb	
Vernier		2d limb	
Mean		Mean	
Vernier		1st limb	
Vernier		2d limb	
Mean		Mean	
Vernier	12 27 30	Reading of Magnet.	
		(1) Magnetic axis	79 ^d .11
		(2) Scale erect	78.0
		(2) — (1) = Δ	— 1.11
Telescope Direct.		Telescope Reversed.	
Equation of time		Telescope Direct.	Telescope Reversed.
Circle reading to magnet		12° 27'.5	12° 27'.5
Δ X 1 scale division		— 2.6	— 2.6
Azimuth of mark		186 22.4	186 21.4
Sum		198 47.3	198 46.3
180° + circle reading to mark		190 23.0	190 23.0
Magnetic declination		8 24.3 E.	8 23.3 E.

These observations were made at 9^h 19^m A.M., local mean time.

MAGNETIC OBSERVATIONS.

MAGNETIC DECLINATION.
San Diego Bay, June 15, 1866.

Circle Readings.		Reading of Magnet.	
Vernier	16° 9' 30"	(1) Scale erect	79 ^d .4
		(2) Scale inverted	78.7
		(1) - (2) = Δ	+ 0.7
Transit of Sun's			
Vernier	277 48 30	1st limb	6 ^h 42 ^m 20 ^s
Vernier	278 52 30	2d limb	45 36
Mean	278 20 30	Mean	6 43 58.0
Vernier	279° 2' 0"	1st limb	6 ^h 46 ^m 45 ^s
Vernier	278 28 30	2d limb	47 43
Mean	278 45 15	Mean	6 47 14.0
Reading of Magnet.			
Vernier	16 33 30	(1) Scale erect	884.2
		(2) Scale inverted	69.7
		(2) - (1) = Δ	- 18.5
Telescope Direct.		Telescope Reversed.	
Equation of time	0 ^m 12 ^s .0	Telescope Direct.	Telescope Reversed.
δ	+ 58° 18' 22"	+ 58° 18' 22"	0 ^m 12 ^s .1
	+ 23 20 30	+ 23 20 30	+ 59° 7' 21"
			+ 23 20 31
Circle reading to magnet	16° 9'.5	16° 9'.5	16° 33'.5
Δ X 1/2 scale division	+ 0.8	+ 0.8	- 21.7
Sun's azimuth	95 19.5	95 19.5	95 43.0
Sum	111 29.8	111 29.8	111 54.8
180° + circle reading to sun	98 20.5	98 20.5	98 45.2
Magnetic declination	13 9.3 E.	13 9.3 E.	13 9.6 E.

These observations were made after noon.
Chronometer 2^h 50^m 32^s.5 fast of local mean time.

MAGNETIC DECLINATION.
Magdalena Bay, June 9, 1866.

Circle Readings.		Reading of Magnet.	
Vernier	13° 4' 0"	(1) Scale erect	784.10
		(2) Magnetic axis	79.11
		(1) - (2) = Δ	- 1.01
Transit of Sun's			
Vernier	278 39 0	1st limb	5 ^h 9 ^m 10 ^s
Vernier	277 50 0	2d limb	10 18
Mean	278 14 30	Mean	5 9 44.0
Vernier		1st limb	
Vernier		2d limb	
Mean		Mean	
Reading of Magnet.			
Vernier		(1) Scale erect	
		(2) Scale inverted	
		(2) - (1) = Δ	
Telescope Direct.		Telescope Reversed.	
Equation of time	1 ^m 3 ^s .0	Telescope Direct.	Telescope Reversed.
δ	+ 40° 10' 39"	+ 40° 10' 39"	
	+ 22 58 41	+ 22 58 41	
Circle reading to magnet	13° 4'.0	13° 4'.0	
Δ X 1 scale division	- 2.4	- 2.4	
Sun's azimuth	95 53.4	95 53.4	
Sum	108 55.0	108 55.0	
180° + circle reading to sun	98 14.5	98 14.5	
Magnetic declination	10 40.5 E.	10 40.5 E.	

These observations were made after noon. Collimation error zero.
Chronometer 2^h 30^m 4^s.4 fast of local mean time.

MAGNETIC DECLINATION.
U. S. Naval Observatory, Washington, November 1, 1866.

MAGNETIC DECLINATION.
San Francisco Bay, June 26, 1866.

Circle Readings.		Reading of Magnet.	
Vernier	20° 9' 30"	(1) Scale erect	79 ^d 3
		(2) Scale inverted	78.8
		(1) - (2) = Δ	+ 0.5
Transit of Sun's			
Vernier	88 40 0	1st limb	3 ^h 54 ^m 2 ^s
Vernier	12 30	2d limb	55 18
Mean	88 26 15	Mean	3 54 40.0
Vernier	88° 58' 0"	1st limb	3 ^h 57 ^m 12 ^s
Vernier	28 0	2d limb	53 9
Mean	88 43 0	Mean	3 57 40.5
Reading of Magnet.			
(1) Scale inverted		(1) Scale inverted	89 ^d 6
(2) Scale erect		(2) Scale erect	68.1
(2) - (1) = Δ		(2) - (1) = Δ	- 21.5
Telescope Direct.		Telescope Reversed.	
Equation of time		2 ^m 29 ^s 4	
l		- 64° 14' 24"	
δ		+ 23 22 9	
Circle reading to magnet		20° 9'.5	
Δ X $\frac{1}{2}$ scale division		+ 0.6	
Sun's azimuth		264 40.7	
Sum		284 50.8	
180° + circle reading to sun		268 26.2	
Magnetic declination		16 24.6 E.	
Telescope Direct.		Telescope Reversed.	
Equation of time		2 ^m 29 ^s 4	
l		- 65° 14' 24"	
δ		+ 23 22 9	
Circle reading to magnet		20° 28'.5	
Δ X $\frac{1}{2}$ scale division		- 25.3	
Sun's azimuth		265 6.2	
Sum		285 9.4	
180° + circle reading to sun		268 43.0	
Magnetic declination		16 26.4 E.	
Circle Readings.		Reading of Magnet.	
Vernier	0° 25' 0"	(1) Scale erect	87 ^d 5
		(2) Scale inverted	70.5
		(1) - (2) = Δ	+ 17.0
Transit of Sun's			
Vernier		1st limb	7 ^h 9 ^m 6 ^s 5
Vernier		2d limb	11 42.2
Mean	222 51 0	Mean	7 10 24.4
Vernier		1st limb	7 ^h 16 ^m 7 ^s 5
Vernier		2d limb	18 44.0
Mean	224° 30' 3"	Mean	7 17 25.8
Reading of Magnet.			
(1) Scale inverted		(1) Scale inverted	78 ^d 0
(2) Scale erect		(2) Scale erect	79.9
(2) - (1) = Δ		(2) - (1) = Δ	+ 1.9
Telescope Direct.		Telescope Reversed.	
Equation of time		16 ^m 18 ^s 5	
l		+ 35° 43' 47"	
δ		- 14 32 51	
Circle reading to magnet		0° 25'.0	
Δ X $\frac{1}{2}$ scale division		+ 20.0	
Sun's azimuth		39 22.2	
Sum		40 7.2	
180° + circle reading to sun		42 51.0	
Magnetic declination		2 43.8 W.	

These observations were made after noon, and the readings of the magnet scale were taken two hours before the transits of the sun.
Chronometer 5^h 3^m 47^s.8 fast of local mean time.

These observations were made before noon.
Chronometer 8^h 13^m 8^s.2 fast of local mean time.

OBSERVATIONS OF MAGNETIC INCLINATION.

MAGNETIC DIP. Gosport, October 30, 1865. Needle A. 1.										MAGNETIC DIP. Gosport, October 30, 1865. Needle A. 2.																																			
POLARITY OF MARKED END NORTH.					POLARITY OF MARKED END SOUTH.					POLARITY OF MARKED END NORTH.					POLARITY OF MARKED END SOUTH.																														
CIRCLE EAST.		Face East.			Face West.			CIRCLE WEST.		CIRCLE EAST.		Face East.			Face West.			CIRCLE WEST.		Face East.			Face West.																						
S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.																				
70° 39'	70° 22'	71° 3'	70° 44'	109° 58'	109° 55'	109° 25'	109° 46'	71° 47'	71° 41'	70° 4'	69° 48'	109° 17'	109° 41'	111° 8'	111° 30'	70° 49'	70° 30'	71° 4'	70° 44'	110° 25'	109° 19'	109° 37'	72° 5'	71° 51'	70° 6'	69° 52'	109° 13'	109° 34'	111° 8'	111° 24'	70° 45'	70° 27'	71° 5'	70° 47'	110° 15'	109° 33'	109° 50'	71° 59'	71° 46'	70° 14'	69° 60'	109° 0'	109° 21'	110° 59'	111° 18'
70° 44'	70° 26'	71° 4'	70° 45'	110° 8'	110° 17'	109° 26'	109° 44'	71° 57'	71° 46'	70° 8'	69° 56'	109° 10'	109° 32'	111° 5'	111° 24'	70° 35'	70° 45'	70° 55'	110° 12'	109° 54'	109° 35'	71° 51'	70° 56'	70° 2'	109° 21'	110° 18'	111° 15'	70° 44'	70° 26'	71° 4'	70° 45'	110° 17'	109° 26'	109° 44'	71° 57'	71° 46'	70° 8'	69° 56'	109° 10'	109° 32'	111° 5'	111° 24'			
POLARITY OF MARKED END SOUTH.																																													
CIRCLE WEST.		Face West.			Face East.			CIRCLE EAST.		CIRCLE WEST.		Face West.			Face East.			CIRCLE EAST.		CIRCLE WEST.		Face West.			Face East.																				
S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.																				
111° 52'	112° 4'	112° 13'	112° 29'	68° 49'	68° 24'	68° 45'	68° 26'	110° 29'	110° 40'	110° 39'	110° 59'	69° 57'	69° 37'	70° 0'	69° 37'	111° 55'	112° 8'	112° 9'	112° 26'	68° 30'	68° 13'	110° 33'	110° 54'	110° 57'	111° 12'	69° 41'	69° 20'	70° 7'	69° 42'	112° 2	112° 17'	112° 9'	112° 25'	68° 37'	68° 17'	68° 41'	68° 20'	110° 41'	110° 23'	110° 54'	111° 11'	69° 40'	69° 18'	70° 10'	69° 45'
111° 56'	112° 10'	112° 10'	112° 27'	68° 44'	68° 23'	68° 39'	68° 20'	110° 34'	110° 39'	110° 50'	111° 7'	69° 46'	69° 25'	70° 6'	69° 41'	112° 3	112° 18'	112° 10'	68° 34'	68° 30'	110° 36'	110° 58'	110° 36'	110° 47'	110° 58'	69° 36'	69° 54'	68° 32'	68° 11'	68° 32'	68° 11'	68° 32'	68° 39'	68° 20'	110° 34'	110° 39'	110° 50'	111° 7'	69° 46'	69° 25'	70° 6'	69° 41'			
POLARITY OF MARKED END SOUTH.																																													
CIRCLE WEST.		Face West.			Face East.			CIRCLE EAST.		CIRCLE WEST.		Face West.			Face East.			CIRCLE EAST.		CIRCLE WEST.		Face West.			Face East.																				
S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.																				
112° 3	112° 10'	112° 10'	112° 27'	68° 44'	68° 23'	68° 39'	68° 20'	110° 36'	110° 39'	110° 50'	111° 7'	69° 46'	69° 25'	70° 6'	69° 41'	112° 3	112° 18'	112° 10'	68° 34'	68° 30'	110° 36'	110° 58'	110° 36'	110° 47'	110° 58'	69° 36'	69° 54'	68° 32'	68° 11'	68° 32'	68° 11'	68° 32'	68° 39'	68° 20'	110° 34'	110° 39'	110° 50'	111° 7'	69° 46'	69° 25'	70° 6'	69° 41'			
POLARITY OF MARKED END SOUTH.																																													
CIRCLE WEST.		Face West.			Face East.			CIRCLE EAST.		CIRCLE WEST.		Face West.			Face East.			CIRCLE EAST.		CIRCLE WEST.		Face West.			Face East.																				
S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.																				
112° 3	112° 10'	112° 10'	112° 27'	68° 44'	68° 23'	68° 39'	68° 20'	110° 36'	110° 39'	110° 50'	111° 7'	69° 46'	69° 25'	70° 6'	69° 41'	112° 3	112° 18'	112° 10'	68° 34'	68° 30'	110° 36'	110° 58'	110° 36'	110° 47'	110° 58'	69° 36'	69° 54'	68° 32'	68° 11'	68° 32'	68° 11'	68° 32'	68° 39'	68° 20'	110° 34'	110° 39'	110° 50'	111° 7'	69° 46'	69° 25'	70° 6'	69° 41'			

Resulting Dip: + 69° 21'

Resulting Dip: + 69° 54'

NOTE.—It will be observed that at some stations only one end of the needle was read. In such cases the other end of the needle was hidden by the cross-bar which supports the agate planes.

MAGNETIC DIP.
St. Thomas, November 13, 1865, Needle A. 1.

POLARITY OF MARKED END SOUTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	S.	N.	S.	N.
53° 37'	53° 18'	52° 30'	49° 44'	130° 11'	130° 12'
53° 35'	53° 35'	52° 34'	50° 12'	130° 15'	130° 6'
53° 55'	53° 35'	52° 5'	50° 15'	130° 11'	130° 24'
53° 49'	53° 29'	52° 33'	50° 24'	130° 11'	130° 26'
53° 39'	53° 12'	52° 46'	50° 29'	130° 12'	130° 10'
53° 39'	53° 12'	52° 46'	50° 18'	130° 20'	130° 18'
53° 39'	53° 12'	52° 46'	50° 10'	130° 19'	130° 18'
53° 39'	53° 12'	52° 46'	50° 10'	49° 55'	130° 19'

MAGNETIC DIP.
St. Thomas, November 13, 1865, Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	S.	N.	S.	N.
53° 37'	53° 18'	52° 30'	127° 37'	128° 17'	128° 36'
53° 35'	53° 35'	52° 34'	127° 30'	128° 15'	128° 35'
53° 55'	53° 35'	52° 5'	127° 26'	128° 8'	128° 31'
53° 49'	53° 29'	52° 33'	127° 26'	128° 13'	128° 34'
53° 39'	53° 12'	52° 46'	127° 33'	128° 24'	128° 24'
53° 39'	53° 12'	52° 46'	127° 33'	127° 58'	128° 24'
53° 39'	53° 12'	52° 46'	127° 33'	127° 58'	128° 24'
53° 39'	53° 12'	52° 46'	127° 33'	52° 37'	128° 24'

POLARITY OF MARKED END NORTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.		Face East.	Face West.		Face East.
S.	N.	S.	N.	S.	N.
127° 11'	127° 30'	127° 59'	124° 41'	125° 0'	125° 36'
127° 13'	127° 32'	127° 61'	124° 22'	124° 37'	125° 38'
127° 16'	127° 33'	127° 54'	124° 35'	124° 52'	125° 37'
127° 13'	127° 32'	127° 58'	124° 33'	124° 50'	125° 37'
127° 23'	127° 45'	128° 7'	124° 42'	125° 45'	125° 45'
127° 23'	127° 45'	128° 7'	125° 14'	125° 14'	125° 45'
127° 23'	127° 45'	128° 7'	125° 14'	55° 34'	55° 34'
127° 23'	127° 45'	128° 7'	125° 14'	55° 24'	55° 24'
127° 23'	127° 45'	128° 7'	125° 14'	55° 20'	55° 20'
127° 23'	127° 45'	128° 7'	125° 14'	55° 23'	55° 23'
127° 23'	127° 45'	128° 7'	125° 14'	55° 3'	55° 3'

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.		Face East.	Face West.		Face East.
S.	N.	S.	N.	S.	N.
127° 11'	127° 30'	127° 59'	53° 24'	53° 13'	52° 35'
127° 13'	127° 32'	127° 61'	53° 35'	53° 15'	52° 39'
127° 16'	127° 33'	127° 54'	53° 26'	53° 7'	52° 30'
127° 13'	127° 32'	127° 58'	53° 28'	53° 12'	52° 35'
127° 23'	127° 45'	128° 7'	53° 20'	52° 20'	52° 22'
127° 23'	127° 45'	128° 7'	53° 33'	52° 51'	52° 51'
127° 23'	127° 45'	128° 7'	53° 33'	52° 51'	52° 51'
127° 23'	127° 45'	128° 7'	53° 33'	52° 51'	52° 51'
127° 23'	127° 45'	128° 7'	53° 33'	52° 51'	52° 51'
127° 23'	127° 45'	128° 7'	53° 33'	52° 51'	52° 51'

Resulting Dip: +49° 36'

Azimuth of Dip Circle 26° 16'

Resulting Dip: +49° 32'

Azimuth of Dip Circle 26° 16'

MAGNETIC OBSERVATIONS.

MAGNETIC DIP.		MAGNETIC DIP.					
St. Thomas, November 13, 1865. Needle A. 2.		St. Thomas, November 16, 1865. Needle A. 1.					
POLARITY OF MARKED END SOUTH.				POLARITY OF MARKED END NORTH.			
CIRCLE EAST.		CIRCLE WEST.		CIRCLE EAST.		CIRCLE WEST.	
Face East.		Face West.		Face East.		Face West.	
S.	N.	S.	N.	S.	N.	S.	N.
49° 42'	49° 21'	50° 10'	49° 55'	53° 0'	52° 40'	128° 36'	128° 44'
49° 44'	49° 20'	51° 5	50° 42'	53° 9	52° 47'	128° 28	127° 45
40° 53'	49° 25'	50° 47'	50° 19'	53° 7	52° 45'	128° 30	127° 52
49° 46'	49° 22'	50° 40'	50° 18'	53° 5	52° 44'	128° 31	127° 47
49° 34'	50° 29'	50° 29'	49° 34'	52° 55'	52° 55'	128° 39	127° 55'
50° 1	49° 34'	130° 54'	130° 51'	52° 35'	52° 9'	128° 17'	
POLARITY OF MARKED END NORTH.				POLARITY OF MARKED END SOUTH.			
CIRCLE WEST.		CIRCLE EAST.		CIRCLE WEST.		CIRCLE EAST.	
Face West.		Face East.		Face West.		Face East.	
S.	N.	S.	N.	S.	N.	S.	N.
129° 32'	129° 59'	130° 4'	130° 30'	133° 43'	134° 0'	133° 12'	133° 28'
129° 47'	130° 11'	130° 22'	130° 47'	133° 47'	134° 0'	133° 16'	133° 31'
129° 55'	130° 20'	130° 8'	130° 35'	133° 36'	133° 50'	133° 24'	133° 43'
129° 45'	130° 10'	130° 11'	130° 37'	133° 42'	133° 57'	133° 17'	133° 34'
129° 58'	130° 24'	130° 24'	49° 18'	133° 50'	133° 37'	133° 25'	47° 14'
130° 11'	49° 53'	49° 18'	49° 56'	46° 52'	47° 22'	47° 14'	47° 30'
Resulting Dip: + 49° .44'				Resulting Dip: + 49° 39'			

MAGNETIC DIP.
Salute Islands, Nov. 28, 1865. Needle A. 1.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	S.	N.	S.	N.
38° 57'	38° 35'	38° 50'	38° 15'	142° 5'	141° 40'
39 0	38 25	39 25	38 50	142 26	141 31
38 58	38 14	39 16	38 50	142 7	141 30
38 58	38 25	39 10	38 38	142 13	141 34
38 42	38 48	38 54	142 22	141 45	
			38 22	142 4	

MAGNETIC DIP.
Salute Islands, November 28, 1865. Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	S.	N.	S.	N.
35° 28'	35° 5'	34° 37'	34° 10'	145° 15'	145° 48'
35 50	35 38	34 45	34 15	145 12	145 44
35 45	35 16	34 30	33 53	145 16	146 18
35 44	35 20	34 37	34 6	145 13	145 24
35 32	34 57	34 22	145 20	145 40	
			34 44	145 30	

MAGNETIC DIP.
Salute Islands, Nov. 28, 1865. Needle A. 1.

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.		Face East.	Face West.		Face East.
S.	N.	S.	N.	S.	N.
145° 28'	145° 45'	145° 25'	145° 45'	35° 45'	35° 15'
145 35	145 58	145 24	145 55	35 40	35 12
145 40	146 6	145 25	145 55	35 41	35 15
145 34	145 56	145 25	145 52	35 42	35 14
145 45	145 42	145 39	35 28	35 3	34 39
			34 40	35 3	

MAGNETIC DIP.
Salute Islands, Nov. 28, 1865. Needle A. 1.

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.		Face East.	Face West.		Face East.
S.	N.	S.	N.	S.	N.
150° 55'	149° 50'	149° 12'	149° 33'	30° 6'	29° 39'
150 50	149 50	149 12	149 33	30 0	29 34
150 45	149 45	149 18	149 37	30 10	29 45
150 50	(151 22)	149 10	149 31	30 5	29 39
151 4	150 12	149 20	29 52	30 25	30 59
			30 7	30 25	

Resulting Dip: + 34° 27'

Resulting Dip: + 34° 42'

MAGNETIC DIP.
Ceara, December 13, 1865. Needle A. 2.

POLARITY OF MARKED END SOUTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	N	S.	N.	N.
20° 30'		21° 30'	159° 56'		156° 35'
20 17		21 2	160 37		157 0
20 30		21 15	160 30		157 0
20 26		21 16	160 21		156 52
20 51			158 36		
21 7					

POLARITY OF MARKED END NORTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.		Face East.	Face West.		Face East.
S.	N.	N.	S.	N.	N.
159° 4'		160° 20'	22° 55'		22° 20'
158 45		160 5	22 32		22 8
158 40		159 23	22 28		22 26
158 50		159 56	22° 38'		22 18
159 23			22 28		
21 33					

Resulting Dip: + 21° 20'

MAGNETIC DIP.
Ceara, December 13, 1865. Needle A. 1.

POLARITY OF MARKED END SOUTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	N.	S.	N.	N.
17° 30'		16° 5'	163° 20'		166° 50'
17 31		15 52	163 20		165 30
17 45		15 52	163 6		166 0
17 35		15 56	163 15		166 7
16 45			164 41		
16 2					

POLARITY OF MARKED END NORTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.		Face East.	Face West.		Face East.
S.	N.	N.	S.	N.	N.
154° 0'		153° 55'	27° 10'		27° 10'
154 18		154 20	27 10		27 0
154 5		154 40	27 0		27 20
154 8		154 18	27 7		27 10
154 13			26 28		
27 9					

Resulting Dip: + 21° 26'

MAGNETIC DIP.
Pernambuco, Dec. 23, 1865. Needle A. 1.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	S.	N.	S.	N.
18° 30'		18° 0'		162° 10'	163° 5'
18 35		18 0		162 40	163 20
18 55		18 0		162 40	162 30
18 40		18 0		162 30	162 58
18 20		17 48		162 44	

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.		Face East.	Face West.		Face East.
S.	N.	S.	N.	S.	N.
174° 20'		173° 35'		5° 30'	7° 25'
175 20		173 30		5 30	7 40
175 30		173 50		5 50	7 40
175 3		173 38		5 37	7 35
174 20		6 8		6 36	

Resulting Dip: + 12° 6'

MAGNETIC DIP.
Pernambuco, Dec. 23, 1865. Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	S.	N.	S.	N.
12° 20'		169° 45'		167° 5'	
12 15		170 10		167 10	
12 35		170 40		167 5	
12 23		170 12		167 7	
12 20		11 50		168 40	

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.		Face East.	Face West.		Face East.
S.	N.	S.	N.	S.	N.
168° 30'		14° 45'		12° 5'	
168 25		14 30		12 30	
169 20		14 20		12 25	
168 45		14 32		12 20	
168 25		12 30		13 26	

Resulting Dip: + 12° 10'

MAGNETIC DIP.
Bahia, December 27, 1865. Needle A. 1.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	N.	S.	N.	S.
11° 30'		11° 30'	168° 55'		170° 20'
11 30		11 10	169 10		169 55
12 0		11 10	169 10		170 25
11 40		11 17	169 5		170 13
11 28			10 54		
			169 39		

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.		Face East.	Face West.		Face East.
S.	N.	N.	S.	N.	S.
3° 15'		1° 50'	177° 25'		179° 20'
3 35		1 55	178 20		179 10
3 5		1 55	178 5		179 10
3 18		1 53	177 57		179 13
-2 35			-2 0		
			-178 35		

Resulting Dip: +4° 31'

MAGNETIC DIP.
Bahia, December 27, 1865. Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	N.	S.	N.	S.
4° 40'		176° 30'	176° 10'		176° 10'
5 10		176 45	176 5		176 5
5 50		176 45	176 45		175 50
5 13		176 40	176 37		176 2
5 0			176 11		
4 16			176 24		
			3 56		

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.		Face East.	Face West.		Face East.
S.	N.	N.	S.	N.	S.
174° 45'		176° 30'	4° 30'		5° 0'
174 45		177 15	5 5		5 5
174 40		176 0	5 0		5 0
174 43		176 35	4 52		5 2
176 35			4 32		
174 45			4 42		
175 40			4 58		
			4 39		

Resulting Dip: +4° 17'

MAGNETIC DIP.
Rio Janeiro, January 6, 1866. Needle A. 1.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	N.	S.	N.	S.
	175° 15'	174° 20'		4° 50'	7° 10'
	175 50	174 15		5 35	7 0
	175 45	174 0		5 0	6 35
	175 37	174 12		5 8	6 55
167 56		11 57	174 55	5 34	6 2

MAGNETIC DIP.
Rio Janeiro, January 6, 1866. Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	N.	S.	N.	S.
	167° 0'	168° 30'		11° 20'	11° 35'
	166 45	169 0		12 30	11 35
	167 10	169 15		12 30	11 30
	166 58	168 55		12 7	11 33
167 56		11 57	11 50		

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.		Face East.	Face West.		Face East.
S.	N.	N.	S.	N.	S.
	18° 5'	18° 10'		162° 10'	162° 55'
	18 15	18 5		162 15	163 15
	18 25	18 15		161 45	163 35
	18 15	18 10		162 3	163 15
18 12		17 46	162 39		

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.		Face East.	Face West.		Face East.
S.	N.	N.	S.	N.	S.
	10° 15'	12° 5'		168° 55'	167° 45'
	11 15	12 30		169 0	168 5
	11 35	12 50		169 35	168 10
	11 2	12 28		169 10	168 0
11 45		11 35	168 35		

Resulting Dip: — 11° 48'

Resulting Dip: — 11° 46'

MAGNETIC DIP.

Monte Video, January 18, 1866. Needle A. 1.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	S.	N.	S.	N.
155° 15'	153° 30'	153° 30'	25° 40'	25° 40'	26° 20'
155° 10'	153° 40'	153° 40'	25° 10'	25° 10'	27° 0'
155° 15'	153° 20'	153° 20'	25° 40'	25° 40'	26° 40'
155° 13'	153° 30'	153° 30'	25° 30'	25° 30'	26° 40'
154 22		25 52		26 5	

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.		Face East.	Face West.		Face East.
S.	N.	S.	N.	S.	N.
36° 0'	36° 20'	36° 20'	144° 20'	144° 10'	144° 10'
36° 10'	36° 20'	36° 20'	144° 20'	144° 20'	144° 20'
36° 10'	36° 30'	36° 30'	144° 20'	144° 30'	144° 30'
36° 7'	36° 23'	36° 23'	144° 20'	144° 20'	144° 20'
36 15		35 57		144 20	

Resulting Dip: — 31° 11'

MAGNETIC DIP.

Monte Video, January 18, 1866. Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	S.	N.	S.	N.
149° 10'	149° 20'	149° 20'	32° 10'	31° 0'	31° 0'
148° 50'	149° 30'	149° 30'	31° 20'	31° 0'	31° 0'
149° 20'	150° 10'	150° 10'	32° 0'	31° 20'	31° 20'
149° 7'	149° 40'	149° 40'	31° 50'	31° 7'	31° 7'
149 23		31 3		31 29	

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.		Face East.	Face West.		Face East.
S.	N.	S.	N.	S.	N.
31° 40'	30° 50'	30° 50'	149° 30'	149° 40'	149° 40'
32° 10'	31° 0'	31° 0'	149° 10'	150° 0'	150° 0'
31° 40'	30° 50'	30° 50'	149° 50'	149° 20'	149° 20'
31° 50'	30° 53'	30° 53'	149° 30'	149° 40'	149° 40'
31 22		30 54		149 35	

Resulting Dip: — 30° 58'

MAGNETIC DIP.

Monte Video, January 18, 1866. Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.				CIRCLE WEST.			
Face East.		Face West.		Face East.		Face West.	
S.	N.	S.	N.	S.	N.	S.	N.
	148° 50'		149° 20'		31° 0'		31° 0'
	149 0		148 50		31 10		31 40
	149 30		149 0		31 20		31 40
	149 7		149 3		31 10		31 27
		149 5				31 19	
			31 7				

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.				CIRCLE EAST.			
Face West.		Face East.		Face West.		Face East.	
S.	N.	S.	N.	S.	N.	S.	N.
	32° 0'		31° 0'		149° 10'		149° 10'
	32 0		31 20		149 10		149 30
	31 50		31 40		149 20		149 50
	31 57		31 20		149 13		149 30
		31 39				149 22	
			31 8				

Resulting Dip: — 31° 8'

MAGNETIC DIP.
Sandy Point, February 7, 1866. Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.				CIRCLE WEST.			
Face East.		Face West.		Face East.		Face West.	
S.	N.	S.	N.	S.	N.	S.	N.
124° 45'	124° 45'	126° 30'	126° 10'	55° 30'	56° 0'	55° 0'	54° 50'
124 55	124 45	125 45	125 30	55 10	55	54 45	55 10
125 15	124 45	125 45	125 40	55 30	56 0	55 0	54 0
124 58	124 45	126 0	125 47	55 23	55 42	54 55	54 40
124 52	125 53	55 33	54 47	55 10			
125 22	54 54						

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.				CIRCLE EAST.			
Face West.		Face East.		Face West.		Face East.	
S.	N.	S.	N.	S.	N.	S.	N.
56° 15'	56° 10'	54° 35'	54° 30'	124° 35'	125° 0'	126° 0'	125° 30'
56 15	56 45	54 25	54 40	124 40	124 30	126 15	125 35
56 20	56 15	54 35	54 45	123 55	123 45	125 50	125 45
56 17	56 23	54 32	54 38	124 23	124 25	126 2	125 37
56 20	54 35	124 24	125 50	125 7			
55 27	55 10						

Resulting Dip: — 55° 2'

MAGNETIC DIP.
Sandy Point, February 7, 1866. Needle A. 1.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.				CIRCLE WEST.			
Face East.		Face West.		Face East.		Face West.	
S.	N.	S.	N.	S.	N.	S.	N.
128° 10'	128° 0'	128° 15'	128° 10'	52° 35'	52° 30'	52° 45'	52° 45'
128 0	127 45	127 30	127 15	52 45	52 40	52 50	52 50
128 10	128 0	128 20	128 10	52 45	52 40	52 55	52 45
128 7	127 55	128 2	127 52	52 42	52 37	52 48	52 47
128 1	127 57	52 40	52 48	52 44			
127 59	52 22						

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.				CIRCLE EAST.			
Face West.		Face East.		Face West.		Face East.	
S.	N.	S.	N.	S.	N.	S.	N.
57° 5'	57° 0'	57° 40'	57° 35'	123° 10'	123° 15'	123° 0'	122° 55'
57 15	57 5	57 40	57 35	123 20	123 10	123 10	123 0
57 15	57 5	57 45	57 40	123 45	123 20	123 10	123 0
57 12	57 3	57 42	57 37	123 25	123 15	123 7	122 58
57 7	57 40	123 20	123 3	123 6			
57 24	123 12						

Resulting Dip: — 54° 52'

MAGNETIC DIP.

Valparaiso, March 2, 1866. Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	S.	N.	S.	N.
145° 15'	145° 15'	145° 30'	35° 20'		35° 0'
145 25	144 40	144 40	35 35		35 0
145 15	145 15	145 15	35 40		34 45
145 18	145 8	145 8	35 32		34 55
145 50		30 31	145 13	35 0	35 14

MAGNETIC DIP.

Valparaiso, March 2, 1866. Needle A. 1.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	S.	N.	S.	N.
150° 45'	148° 30'	30° 45'	31° 15'		
150 40	149 15	30 30	31 10		
150 45	149 10	29 55	31 35		
150 43	148 58	30 23	31 20		
149 50		30 31	30 52		

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.		Face East.	Face West.		Face East.
S.	N.	S.	N.	S.	N.
38° 30'	39° 15'	141° 35'	141° 5'		
38 45	39 0	142 20	141 45		
38 50	39 30	140 55	141 15		
38 42	39 15	141 37	141 22		
38 58		38 44	141 30		

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.		Face East.	Face West.		Face East.
S.	N.	S.	N.	S.	N.
36° 10'	34° 50'	145° 0'	145° 15'		
35 45	34 50	145 0	145 10		
36 5	35 5	144 20	145 0		
36 0	34 55	144 47	145 8		
35 27		35 14	144 58		

Resulting Dip: — 34° 50'

Resulting Dip: — 35° 7'

MAGNETIC DIP.
Valparaiso, March 19, 1866. Needle A. 1.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	S.	N.	S.	N.
149° 50'	150° 10'	148° 50'	30° 15'		31° 30'
149 45	148 20	148 30	30 30		31 50
149 55	148 33	148 20	30 30		31 20
		148 33	30 25		31 33
149 39		149 14	30 52		30 59

POLARITY OF MARKED END SOUTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	S.	N.	S.	N.
39° 20'	39 50	40° 5'	140° 55'		140° 0'
39 30	39 30	40 15	141 10		140 30
39 33	39 33	40 20	140 55		140 45
		40 13	141 0		140 25
39 53		39 53	140 43		

Resulting Dip: — 35° 28'

MAGNETIC DIP.
Valparaiso, March 19, 1866. Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	S.	N.	S.	N.
144° 50'	145 0	144° 15'	35° 50'		34° 45'
144 55	144 20	144 30	36 40		35 5
144 55	144 22	144 15	36 15		35 30
		144 22	36 15		35 7
144 39		144 31	35 41		

POLARITY OF MARKED END SOUTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	S.	N.	S.	N.
37° 0'	37 10	34° 45'	145° 10'		145° 15'
37 20	34 20	34 40	144 45		145 20
37 10	34 35	144 30	144 30		145 10
		144 48	144 48		145 15
35 52		35 25	145 1		

Resulting Dip: — 35° 28'

MAGNETIC DIP.
Valparaiso, March 29, 1866. Needle A. 1.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	S.	N.	S.	N.
	149° 30'	149° 15'		30° 10'	31° 45'
	150 0	148 40		30 20	31 50
	150 15	148 40		30 40	31 40
	149 55	148 52		30 23	31 45
149 24			30 50		31 4

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.		Face East.	Face West.		Face East.
S.	N.	S.	N.	S.	N.
	40° 40'	40° 20'		140° 40'	140° 15'
	40 15	40 20		141 10	140 40
	40 10	40 20		141 10	140 30
	40 22	40 20		141 0	140 28
40 21			39 48		140 44

Resulting Dip: — 35° 34'

MAGNETIC DIP.
Valparaiso, March 29, 1866. Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	S.	N.	S.	N.
	145° 15'	35° 45'		35° 20'	
	145 30	35 40		35 30	
	145 15	35 50		35 30	
	145 23	35 45		35 27	
145 22			35 36		
35 7			35 36		

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.		Face East.	Face West.		Face East.
S.	N.	S.	N.	S.	N.
	36° 40'	144° 15'		144° 40'	
	36 40	145 0		145 15	
	37 20	144 20		145 0	
	36 53	144 32		144 58	
36 17			144 45		
35 46			144 45		

Resulting Dip: — 35° 27'

MAGNETIC DIP.
Valparaiso, April 7, 1866. Needle A. 1.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.				CIRCLE WEST.			
Face East.		Face West.		Face East.		Face West.	
S.	N.	S.	N.	S.	N.	S.	N.
150° 30'	150° 40'	149° 20'	149° 15'	30° 20'	30° 25'	32° 0'	32° 15'
150° 0'	150° 0'	149° 0'	149° 0'	31° 30'	31° 30'	32° 10'	32° 10'
150° 23'		149° 12'		30° 45'		32° 8'	
149. 47				31 27			
				30 50			

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.				CIRCLE EAST.			
Face West.		Face East.		Face West.		Face East.	
S.	N.	S.	N.	S.	N.	S.	N.
39° 50'	39° 30'	40° 15'	40° 15'	140° 40'	141° 45'	140° 20'	140° 30'
39° 40'	39° 40'	40° 0'	40° 0'	141° 0'	141° 0'	140° 30'	140° 30'
39° 40'		40° 10'		141° 8'		140° 27'	
39 55				140 47			
				39 34			

Resulting Dip: — 35° 26'

MAGNETIC DIP.
Valparaiso, April 7, 1866. Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.				CIRCLE WEST.			
Face East.		Face West.		Face East.		Face West.	
S.	N.	S.	N.	S.	N.	S.	N.
144° 30'	144° 30'	36° 40'	35° 10'	36° 15'	35° 10'	36° 15'	35° 10'
144° 30'	144° 30'	35° 40'	34° 40'	36° 12'	35° 0'		
144° 40'	144° 3'						
144 51				35 36			
				35 22			

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.				CIRCLE EAST.			
Face West.		Face East.		Face West.		Face East.	
S.	N.	S.	N.	S.	N.	S.	N.
36° 20'	36° 15'	145° 15'	145° 40'	144° 15'	144° 45'	145° 15'	145° 15'
36° 40'	36° 40'	144° 0'	144° 15'	144° 30'	144° 15'	145° 15'	145° 15'
36° 25'		144° 30'	145° 13'				
35 39				144 52			
				35 24			

Resulting Dip: — 35° 23'

MAGNETIC DIP.
Valparaiso, April 11, 1866. Needle A. 1.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	S.	N.	S.	N.
	149° 40'	150° 10'	30° 40'		31° 50'
144° 40'	150 0	148 50	30 20		31 40
144 50	150 20	149 0	30 10		31 40
144 37	150 0	149 20	30 23		31 43
149 40			30 42		
149 40			31 3		

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.		Face East.	Face West.		Face East.
S.	N.	S.	N.	S.	N.
	39° 30'	41° 20'	140° 50'		140° 30'
36° 50'	39 30	40 25	141 10		140 10
36 50	39 40	40 0	140 40		140 10
36 50	39 33	40 35	140 53		140 17
40 4			39 45		
40 4			140 35		

Resulting Dip: — 35° 29'

MAGNETIC DIP.
Valparaiso, April 11, 1866. Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	S.	N.	S.	N.
	145° 20'	36° 10'	35° 40'		
144° 40'	145 0	36 0	35 40		
144 50	144 50	35 45	35 40		
144 37	145 3	35 58	35 40		
144 50			35 49		
144 50			35 30		

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.		Face East.	Face West.		Face East.
S.	N.	S.	N.	S.	N.
	35° 20'	144° 20'	145° 10'		
36° 50'	36 0	144 30	145 10		
36 50	35 10	144 35	145 0		
36 50	35 30	144 28	145 7		
36 10			144 47		
36 10			35 42		

Resulting Dip: — 35° 36'

MAGNETIC DIP.
Valparaiso, April 13, 1866. Needle A. 1.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	S.	N.	S.	N.
150° 15'	150 10	148° 50'	30° 15'		31° 50'
150 10	150 10	148 50			
150 10		148 50			
150 12		148 50			
149 31		30 46	31 2		

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.		Face East.	Face West.		Face East.
S.	N.	S.	N.	S.	N.
40° 5'	40° 30'	140° 40'			139° 50'
40 18	40 2	140 15			

Resulting Dip: — 35° 40'

MAGNETIC DIP.
Valparaiso, April 13, 1866. Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.		Face West.	Face East.		Face West.
S.	N.	S.	N.	S.	N.
145° 45'	145° 20'	35° 0'	35° 20'		
145 45	145 0	35 20	35 30		
145 45	145 0	35 30	35 20		
145 45		35 17	35 23		
145 26		34 57	35 20		

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.		Face East.	Face West.		Face East.
S.	N.	S.	N.	S.	N.
36° 10'	34° 50'	144° 30'	144° 30'		
36 0	34 50	144 30	144 30		
36 0	34 50	144 50	144 30		
36 3	34 50	144 37	144 30		
35 26		35 26	144 34		

Resulting Dip: — 35° 12'

MAGNETIC DIP.
San Lorenzo Island, April 26, 1866. Needle A. 1.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.	Face West.		Face East.	Face West.	
S.	N.	S.	S.	N.	N.
172° 20'	175° 35'	8° 10'	+1° 15'	0° 35'	1° 50'
173 57 6 39			+0 37 -0 18 -1 13		

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.	Face East.		Face West.	Face East.	
S.	N.	S.	S.	N.	N.
6° 15'	7° 40'	175° 10'	12° 40'	167° 30'	168° 20'
6 58 6 19			12 55 -12 30 167 55		

MAGNETIC DIP.
San Lorenzo Island, April 26, 1866. Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.	Face West.		Face East.	Face West.	
S.	N.	S.	S.	N.	N.
172° 20'	175° 35'	8° 10'	6° 20'		
173 57 6 39			7 15		

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.	Face East.		Face West.	Face East.	
S.	N.	S.	S.	N.	N.
6° 15'	7° 40'	175° 10'	173° 30'		
6 58 6 19			174 20		

Resulting Dip: — 6° 28'

Resulting Dip: — 6° 29'

MAGNETIC DIP.
Payta, May 7, 1866. Needle A. 1.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.	Face West.		Face East.	Face West.	
S.	N.		S.	N.	
11° 15'			10° 30'		
			169° 45'		169° 50'
10 52			+10 32		
			169 48		

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.	Face East.		Face West.	Face East.	
S.	N.		S.	N.	
1° 10'			0° 10'		
			179° 20'		0° 45'
-0 40			-0 19		
			+0 2		

Resulting Dip: + 5° 9'

MAGNETIC DIP.
Payta, May 7, 1866. Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.	Face West.		Face East.	Face West.	
S.	N.		S.	N.	
4° 30'			4° 20'		
			176° 45'		175° 0'
4 25			4 17		
			175 52		

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.	Face East.		Face West.	Face East.	
S.	N.		S.	N.	
174° 0'			175° 35'		
			6° 5'		4° 40'
174 48			5 17		
			5 22		

Resulting Dip: + 4° 47'

MAGNETIC DIP.
Flamenco Island, Panama Bay, May 14, 1866. Needle A. 1.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.	Face West.		Face East.	Face West.	
S.	N.		S.	N.	
36° 20'			36° 40'		
			144° 25'		
36	30		36	2	
					144 25

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.	Face East.		Face West.	Face East.	
S.	N.		S.	N.	
153° 15'			152° 10'		
			27° 40'		
			28° 50'		
			152	43	
					28 15

Resulting Dip: + 32° 5'

MAGNETIC DIP.
Flamenco Island, Panama Bay, May 14, 1866. Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.	Face West.		Face East.	Face West.	
S.	N.		S.	N.	
32° 40'			148° 50'		
			148° 15'		
			148° 10'		
32	25		148	45	
					148 12
			31	52	
					31 42

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.	Face East.		Face West.	Face East.	
S.	N.		S.	N.	
148° 45'			32° 45'		
			32° 10'		
			32° 30'		
			32° 0'		
148	42		32	28	
					32 15
			148	34	
					31 54

Resulting Dip: + 31° 48'

MAGNETIC DIP.
Acapulco, May 30, 1866. Needle A. 1.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.		CIRCLE WEST.	
Face East.	Face West.	Face East.	Face West.
S.	N.	S.	N.
43° 10'	42° 40'	43° 40'	43° 15'
42 55	43 28*	137 37	137 30'
		42 50	137 25
		43 12	137 31

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.		CIRCLE EAST.	
Face West.	Face East.	Face West.	Face East.
S.	N.	S.	N.
144° 15'	144° 10'	143° 20'	143° 15'
144 12	143 18	36 45'	36° 15'
		36 30	37° 20'
		143 45	36 47
		36 31	37 5

Resulting Dip: + 39° 49'

MAGNETIC DIP.
Acapulco, May 30, 1866. Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.		CIRCLE WEST.	
Face East.	Face West.	Face East.	Face West.
S.	N.	S.	N.
41° 15'	40° 45'	139° 40'	139° 45'
41 0	39 50	139 42	140 10
		40 15	139 56

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.		CIRCLE EAST.	
Face West.	Face East.	Face West.	Face East.
S.	N.	S.	N.
139° 50'	139° 45'	140° 20'	140° 20'
139 47	140 28	40° 20'	39° 50'
		40 5	38° 40'
		39 40	39 28
		38 50	

Resulting Dip: + 39° 58'

MAGNETIC DIP.
Magdalena Bay, June 9, 1866. Needle A. 1.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.		CIRCLE WEST.	
Face East.	Face West.	Face East.	Face West.
S. N.	S. N.	S. N.	S. N.
51° 40'	52° 15'	129° 15'	128° 45'
51 25	52 0	129 12	128 45
	51 43		51 23

MAGNETIC DIP.
Magdalena Bay, June 9, 1866. Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.		CIRCLE WEST.	
Face East.	Face West.	Face East.	Face West.
S. N.	S. N.	S. N.	S. N.
50° 30'	49° 0'	130° 40'	132° 15'
50 15	48 45	130 42	132 15
	49 30		131 29
	49 0		

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.		CIRCLE EAST.	
Face West.	Face East.	Face West.	Face East.
S. N.	S. N.	S. N.	S. N.
135° 0'	134° 50'	46° 0'	45° 40'
134 55	134 30	45 50	46 15
	134 43		45 39

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.		CIRCLE EAST.	
Face West.	Face East.	Face West.	Face East.
S. N.	S. N.	S. N.	S. N.
131° 0'	132° 0'	45° 30'	48° 30'
131 0	132 5	45 15	48 40
	131 32		46 58
	47 43		

Resulting Dip: + 48° 41'

Resulting Dip: + 48° 22'

MAGNETIC DIP.
San Diego Bay, June 15, 1866. Needle A. 1.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.	Face West.		Face East.	Face West.	
S.	N.	S.	N.	S.	N.
59° 25'	59° 0'	58° 15'	57° 45'	122° 0'	121° 55'
59 12	58 0	58 36	58 9	121 57	122 40
				122 18	
				60 6	59 45
				60 15	120 20
				60° 30'	120° 45'
				60° 0'	120° 20'
				59° 45'	120° 0'

MAGNETIC DIP.
San Diego Bay, June 15, 1866. Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.			CIRCLE WEST.		
Face East.	Face West.		Face East.	Face West.	
S.	N.	S.	N.	S.	N.
122° 30'	122° 20'	123° 0'	123° 0'	58° 15'	58° 10'
122 25	122 42	123 0	58 20	57 57	58 8
				58 8	
				57 43	
				58 20	57 57
				58° 30'	58° 10'
				58° 0'	57° 40'

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.	Face East.		Face West.	Face East.	
S.	N.	S.	N.	S.	N.
124° 50'	124° 45'	124° 30'	124° 30'	56° 20'	56° 0'
124 47	124 38	124 30	56 5	56 10	
				56 7	
				55 44	
				124 30	56 10
				124° 30'	56° 20'
				124° 45'	56° 0'

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.			CIRCLE EAST.		
Face West.	Face East.		Face West.	Face East.	
S.	N.	S.	N.	S.	N.
124° 50'	124° 45'	124° 30'	124° 30'	56° 20'	56° 0'
124 47	124 38	124 30	56 5	56 10	
				56 7	
				55 44	
				124 30	56 10
				124° 30'	56° 20'
				124° 45'	56° 0'

Resulting Dip: + 57° 51'

Resulting Dip: + 57° 56'

MAGNETIC DIP.
San Francisco Bay, June 26, 1866. Needle A. 1.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.		CIRCLE WEST.	
Face East.	Face West.	Face East.	Face West.
S. N.	S. N.	S. N.	S. N.
63° 0'	63° 40'	64° 40'	64° 15'
116° 20'	116° 30'	116° 40'	116° 20'
63 20	63 54	64 27	63 45
		116 35	116 15
		116 25	

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.		CIRCLE EAST.	
Face West.	Face East.	Face West.	Face East.
S. N.	S. N.	S. N.	S. N.
120° 0'	119° 45'	120° 0'	120° 0'
61° 10'	60° 45'	61° 10'	60° 40'
119 52	119 56	120 0	60 55
		60 57	60 56
		60 30	

Resulting Dip: + 62° 13'

MAGNETIC DIP.
San Francisco Bay, June 26, 1866. Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.		CIRCLE WEST.	
Face East.	Face West.	Face East.	Face West.
S. N.	S. N.	S. N.	S. N.
63° 10'	62° 50'	117° 20'	117° 10'
117° 30'	117° 40'	117° 30'	117° 30'
63 20	62 35	117 15	117 35
		117 25	62 46
		62 57	

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.		CIRCLE EAST.	
Face West.	Face East.	Face West.	Face East.
S. N.	S. N.	S. N.	S. N.
118° 20'	117° 50'	117° 30'	62° 40'
62° 30'	62° 0'	63° 0'	62° 40'
118 20	117 40	62 15	62 50
		62 16	62 32
		62 30	

Resulting Dip: + 62° 31'

MAGNETIC DIP.

U. S. Naval Observatory, Washington, Nov. 1, 1866. Needle A. 1.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.		CIRCLE WEST.	
Face East.	Face West.	Face East.	Face West.
S. N.	S. N.	S. N.	S. N.
72° 45'	73° 15'	73° 5'	107° 30'
72° 45'	73° 15'	107° 45'	107° 25'
72 45	73 10	107 37	107 13
72 57	72 46	107 25	

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.		CIRCLE EAST.	
Face West.	Face East.	Face West.	Face East.
S. N.	S. N.	S. N.	S. N.
109° 25'	109° 0'	71° 20'	71° 0'
109 12	109 33	71 10	70 55
109 23	70 50	71 2	71 2

Resulting Dip: + 71° 51'

MAGNETIC DIP.

U. S. Naval Observatory, Washington, Nov. 1, 1866. Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.		CIRCLE WEST.	
Face East.	Face West.	Face East.	Face West.
S. N.	S. N.	S. N.	S. N.
73° 30'	73° 15'	71° 30'	71° 15'
73° 30'	73° 15'	107° 20'	107° 0'
73 22	72 22	107 10	107 55
72 24	72 24	107 33	

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.		CIRCLE EAST.	
Face West.	Face East.	Face West.	Face East.
S. N.	S. N.	S. N.	S. N.
107° 35'	107° 5'	108° 50'	108° 40'
107 20	108 45	72 22	71 53
108 2	72 3	72 8	72 8

Resulting Dip: + 72° 13'

MAGNETIC DIP.
U. S. Naval Observatory, Washington, May 6, 1867. Needle A. 2.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.		CIRCLE WEST.	
Face East.	Face West.	Face East.	Face West.
S. N.	S. N.	S. N.	S. N.
73° 45'	73° 30'	72° 20'	71° 50'
107° 40'	107° 15'	108° 50'	108° 40'
73 38	72 5	107 28	108 45
72 52	72 23	108 6	

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.		CIRCLE EAST.	
Face West.	Face East.	Face West.	Face East.
S. N.	S. N.	S. N.	S. N.
108° 30'	108° 0'	72° 30'	72° 0'
108° 15'	108° 45'	72 15	71 50
108 15	108 30	72 15	72 2
108 30	71 46		

Resulting Dip: + 72° 4'

MAGNETIC DIP.
U. S. Naval Observatory, Washington, May 6, 1867. Needle A. 1.

POLARITY OF MARKED END NORTH.

CIRCLE EAST.		CIRCLE WEST.	
Face East.	Face West.	Face East.	Face West.
S. N.	S. N.	S. N.	S. N.
73° 50'	73° 35'	73° 15'	107° 15'
109° 40'	109° 15'	107° 10'	106° 50'
72 55	73 25	107 30	107 0
73 10	72 58	107 15	

POLARITY OF MARKED END SOUTH.

CIRCLE WEST.		CIRCLE EAST.	
Face West.	Face East.	Face West.	Face East.
S. N.	S. N.	S. N.	S. N.
109° 30'	109° 40'	71° 25'	71° 10'
109 45	109 28	71 18	71 0
109 36	70 46	71 9	

Resulting Dip: + 71° 55'

HORIZONTAL INTENSITY. OBSERVATIONS OF VIBRATIONS.

Philadelphia, October 24, 1865.

No.	Time P. M.	No.	Time P. M.	Time of 156 vibrations.
0	3 ^h 27 ^m 5 ^s .6	156	3 ^h 45 ^m 50 ^s .8	18 ^m 45 ^s .2
10	3 28 17.2	166	3 47 2.0	18 44.8
20	3 29 29.6	176	3 48 15.2	18 45.6
30	3 30 42.0	186	3 49 27.2	18 45.2
40	3 31 54.4	196	3 50 39.2	18 44.8
50	3 33 6.4	206	3 51 51.6	18 45.2
Mean . . .				18 45.13

Extreme scale readings,
 At beginning 5.0—150.0
 At end 23.0—86.0
 Coefficient of torsion $\nu = 8.12$ div.
 Temperature 60°.7
 Time of one vibration . 7^s.212

Gosport, October 30, 1865.

No.	Time.	No.	Time.	Time of 150 vibrations.
0	12 ^h 17 ^m 5 ^s .1	150	12 ^h 33 ^m 58 ^s .8	16 ^m 53 ^s .7
10	12 18 12.8	160	12 35 7.8	16 55.0
20	12 19 20.7	170	12 36 16.4	16 55.7
30	12 20 28.5	180	12 37 24.0	16 55.5
40	12 21 36.1	190	12 38 29.6	16 53.5
50	12 22 44.0	200	12 39 39.2	16 55.2
Mean . . .				16 54.77

Extreme scale readings,
 At beginning 70.0—88.3
 At end 77.0—82.0
 Temperature 60°.0
 Time of one vibration . 6^s.765

Gosport, October 28, 1865.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	3 ^h 43 ^m 6 ^s .4	150	4 ^h 0 ^m 3 ^s .6	16 ^m 57 ^s .2
10	3 44 14.4	160	4 1 11.6	16 57.2
20	3 45 22.0	170	4 2 19.5	16 57.5
30	3 46 29.6	180	4 3 27.2	16 57.6
40	3 47 37.2	190	4 4 34.9	16 57.7
50	3 48 45.6	200	4 5 42.8	16 57.2
Mean . . .				16 57.40

Extreme scale readings,
 At beginning 69.2—88.8
 At end 72.1—85.2
 Coefficient of torsion, $\nu = 7.35$ div.
 Temperature 73°.0
 Time of one vibration . 6^s.783

St. Thomas, November 13, 1865.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	2 ^h 23 ^m 6 ^s .2	150	2 ^h 37 ^m 18 ^s .6	14 ^m 12 ^s .4
10	2 24 3.2	160	2 38 15.4	14 12.2
20	2 24 59.8	170	2 39 12.2	14 12.4
30	2 25 56.9	180	2 40 8.4	14 11.5
40	2 26	190	2 41 5.7	14
50	2 27 49.0	200	2 42 2.8	14 13.8
Mean . . .				14 12.46

Extreme scale readings,
 At beginning 62.2—98.0
 At end 69.8—90.2
 Coefficient of torsion, $\nu = 4.10$ div.
 Temperature 87°.0
 Time of one vibration . 5^s.683

Gosport, October 28, 1865.

Inertia ring on magnet.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	4 ^h 39 ^m 7 ^s .9	150	5 ^h 0 ^m 55 ^s .0	21 ^m 47 ^s .1
10	4 40 35.1	160	5 2 21.7	21 46.6
20	4 42 2.3	170	5 3 48.8	21 46.5
30	4 43 29.3	180	5 5 16.0	21 46.7
40	4 44 56.4	190	5 6 43.2	21 46.8
50	4 46 23.7	200	5 8 10.1	21 46.4
Mean . . .				21 46.68

Extreme scale readings,
 At beginning 91.0—66.5
 At end 88.0—69.0
 Coefficient of torsion, $\nu = 8.97$ div.
 Temperature 70°.0
 Time of one vibration . 8^s.711

St. Thomas, November 16, 1865.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	12 ^h 13 ^m 3 ^s .4	150	12 ^h 27 ^m 15 ^s .1	14 ^m 11 ^s .7
10	12 14 0.4	160	12 28 12.0	14 11.6
20	12 14 57.2	170	12 29 8.5	14 11.3
30	12 15 54.3	180	12 30 5.4	14 11.1
40	12 16 50.6	190	12 31 2.2	14 11.6
50	12 17 47.8	200	12 31 59.0	14 11.2
Mean . . .				14 11.42

Extreme scale readings,
 At beginning 59.8—98.8
 At end 67.2—89.5
 Coefficient of torsion, $\nu = 4.25$ div.
 Temperature 87°.5
 Time of one vibration . 5^s.676

HORIZONTAL INTENSITY. OBSERVATIONS OF VIBRATIONS.

St. Thomas, November 16, 1865.

Inertia ring on magnet.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	1 ^h 0 ^m 6 ^s .4	150	1 ^h 18 ^m 20 ^s .5	18 ^m 14 ^s .1
10	1 1 18.6	160	1 19 34.1	18 15.5
20	1 2 31.8	170	1 20 46.6	18 14.8
30	1 3 45.1	180	1 21 59.8	18 14.7
40	1 4 58.1	190	1 23 12.9	18 14.8
50	1 6 11.4	200	1 24 26.2	18 14.8
Mean				18 14.78

Extreme scale readings,
 At beginning 61.8 — 98.0
 At end 63.5 — 96.2
 Coefficient of torsion . . . $v = 5.22$ div.
 Temperature 86°.⁰
 Time of one vibration . . . 7^s.299

Ceara, December 13, 1865.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	11 ^h 35 ^m 8 ^s .3	150	11 ^h 49 ^m 36 ^s .0	14 ^m 27 ^s .7
10	11 36 6.2	160	11 50 34.2	14 28.0
20	11 37 4.2	170	11 51 33.4	14 29.2
30	11 38 1.0	180	11 52 31.2	14 30.2
40	11 38 59.1	190	11 53 28.2	14 29.1
50	11 39 57.0	200	11 54 25.6	14 28.6
Mean				14 28.80

Extreme scale readings,
 At beginning 59.0 — 101.0
 At end 45.5 — 115.0
 Coefficient of torsion . . . $v = 5.40$ div.
 Temperature 89°.⁰
 Time of one vibration . . . 5^s.792
 A strong breeze blowing, which made the vibrations somewhat unsteady.

Salute Islands, November 28, 1865.

No.	Time A. M.	No.	Time A. M.	Time of 150 vibrations.
0	9 ^h 43 ^m 3 ^s .6	150	9 ^h 57 ^m 17 ^s .7	14 ^m 14 ^s .1
10	9 44 0.4	160	9 58 14.2	14 13.8
20	9 44 57.4	170	9 59 11.4	14 14.0
30	9 45 54.2	180	10 0 8.6	14 14.4
40	9 46 51.3	190	10 1 5.6	14 14.3
50	9 47 48.3	200	10 2 2.5	14 14.2
Mean				14 14.13

Extreme scale readings,
 At beginning 57.5 — 99.8
 At end 71.4 — 86.0
 Coefficient of torsion . . . $v = 3.72$ div.
 Temperature 95°.⁵
 Time of one vibration . . . 5^s.694

Ceara, December 13, 1865.

Inertia ring on magnet.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	12 ^h 23 ^m 14 ^s .1	150	12 ^h 41 ^m 51 ^s .5	18 ^m 37 ^s .4
10	12 24 28.8	160	12 43 6.1	18 37.3
20	12 25 43.8	170	12 44 20.0	18 36.2
30	12 26 59.0	180	12 45 33.6	18 34.6
40	12 28 13.6	190	12 46 49.2	18 35.6
50	12 29 28.2	200	12 48 3.8	18 35.6
Mean				18 36.12

Extreme scale readings,
 At beginning 104.8 — 58.8
 At end 100.0 — 62.2
 Coefficient of torsion . . . $v = 7.00$ div.
 Temperature 89°.⁵
 Time of one vibration . . . 7^s.441

Salute Islands, November 28, 1865.

Inertia ring on magnet.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	11 ^h 31 ^m 9 ^s .5	150	11 ^h 49 ^m 25 ^s .1	18 ^m 15 ^s .6
10	11 32 22.5	160	11 50 38.6	18 16.1
20	11 33 35.6	170	11 51 51.6	18 16.0
30	11 34 48.7	180	11 53 4.7	18 16.0
40	11 36 1.4	190	11 54 17.8	18 16.4
50	11 37 14.8	200	11 55 30.3	18 15.5
Mean				18 15.93

Extreme scale readings,
 At beginning 54.8 — 105.3
 At end 65.4 — 94.0
 Coefficient of torsion . . . $v = 5.65$ div.
 Temperature 91°.⁰
 Time of one vibration . . . 7^s.306

Pernambuco, December 23, 1865.

No.	Time A. M.	No.	Time A. M.	Time of 150 vibrations.
0	6 ^h 50 ^m 16 ^s .8	150	7 ^h 4 ^m 54 ^s .4	14 ^m 37 ^s .6
10	6 51 15.7	160	7 5 52.6	14 36.9
20	6 52 14.0	170	7 6 51.1	14 37.1
30	6 53 12.6	180	7 7 49.6	14 37.0
40	6 54 10.9	190	7 8 48.0	14 37.1
50	6 55 9.6	200	7 9 46.4	14 36.8
Mean				14 37.08

Extreme scale readings,
 At beginning 46.0 — 115.0
 At end 62.0 — 99.0
 Coefficient of torsion . . . $v = 4.27$ div.
 Temperature 90°.⁵
 Time of one vibration . . . 5^s.847

HORIZONTAL INTENSITY. OBSERVATIONS OF VIBRATIONS.

Bahia, December 27, 1865.

Rio Janeiro, January 9, 1866.

No.	Time A. M.	No.	Time A. M.	Time of 150 vibrations.
0	7 ^h 14 ^m 5 ^s .6	150	7 ^h 28 ^m 55 ^s .6	14 ^m 50 ^s .0
10	7 15 4.9	160	7 29 55.0	14 50.1
20	7 16 4.1	170	7 30 54.4	14 50.3
30	7 17 3.6	180	7 31 53.6	14 50.0
40	7 18 2.9	190	7 32 53.0	14 50.1
50	7 19 2.2	200	7 33 52.2	14 50.0
Mean				14 50.08

Extreme scale readings,
 At beginning 92.8—63.1
 At end 86.8—68.3
 Coefficient of torsion . . . $v = 4.85$ div.
 Temperature 92°.5
 Time of one vibration . . . 5^s.934

No.	Time A. M.	No.	Time A. M.	Time of 150 vibrations.
0	5 ^h 30 ^m 11 ^s .8	150	5 ^h 45 ^m 20 ^s .2	15 ^m 8 ^s .4
10	5 31 12.4	160	5 46 21.0	15 8.6
20	5 32 13.0	170	5 47 21.5	15 8.5
30	5 33 13.4	180	5 48 22.1	15 8.7
40	5 34 14.0	190	5 49 22.6	15 8.6
50	5 35 14.6	200	5 50 23.2	15 8.6
Mean				15 8.57

Extreme scale readings,
 At beginning 62.2—98.1
 At end 69.2—91.2
 Temperature 80°.5
 Time of one vibration . . . 6^s.057]

Bahia, December 27, 1865.

Monte Video, January 18, 1866.

Inertia ring on magnet.

No.	Time A. M.	No.	Time A. M.	Time of 150 vibrations.
0	8 ^h 3 ^m 4 ^s .2	150	8 ^h 22 ^m 9 ^s .4	19 ^m 5 ^s .2
10	8 4 20.8	160	8 23 25.8	19 5.0
20	8 5 37.0	170	8 24 42.2	19 5.2
30	8 6 53.4	180	8 25 58.6	19 5.2
40	8 8 9.8	190	8 27 14.8	19 5.0
50	8 9 26.0	200	8 28 30.8	19 4.8
Mean				19 5.07

Extreme scale readings,
 At beginning 57.9—100.4
 At end 67.9—89.2
 Coefficient of torsion . . . $v = 6.70$ div.
 Temperature 97°.5
 Time of one vibration . . . 7^s.634

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	1 ^h 27 ^m 8 ^s .2	150	1 ^h 42 ^m 9 ^s .4	15 ^m 1 ^s .2
10	1 28 8.2	160	1 43 9.5	15 1.3
20	1 29 8.3	170	1 44 9.7	15 1.4
30	1 30 8.2	180	1 45 9.7	15 1.5
40	1 31 8.5	190	1 46 9.7	15 1.2
50	1 32 8.5	200	1 47 9.9	15 1.4
Mean				15 1.33

Extreme scale readings,
 At beginning 58.4—98.3
 At end 66.8—90.2
 Coefficient of torsion . . . $v = 5.10$ div.
 Temperature 84°.0
 Time of one vibration . . . 6^s.009

Rio Janeiro, January 6, 1866.

Monte Video, January 18, 1866.

Inertia ring on magnet.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	3 ^h 21 ^m 6 ^s .8	150	3 ^h 36 ^m 12 ^s .5	15 ^m 5 ^s .7
10	3 22 5.8	160	3 37 12.5	15 6.7
20	3 23 6.6	170	3 38 13.3	15 6.7
30	3 24 7.0	180	3 39 13.6	15 6.6
40	3 25 7.7	190	3 40 14.5	15 6.8
50	3 26 8.1	200	3 41 15.0	15 6.9
Mean				15 6.57

Extreme scale readings,
 At beginning 62.1—96.3
 At end 70.0—89.2
 Coefficient of torsion . . . $v = 5.10$ div.
 Temperature 76°.0
 Time of one vibration . . . 6^s.044

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	2 ^h 10 ^m 3 ^s .2	150	2 ^h 29 ^m 22 ^s .9	19 ^m 19 ^s .7
10	2 11 20.5	160	2 30 40.1	19 19.6
20	2 12 37.8	170	2 31 57.3	19 19.5
30	2 13 55.1	180	2 33 14.6	19 19.5
40	2 15 12.4	190	2 34 31.8	19 19.4
50	2 16 29.8	200	2 35 49.3	19 19.5
Mean				19 19.53

Extreme scale readings,
 At beginning 56.9—101.0
 At end 65.9—91.4
 Coefficient of torsion . . . $v = 6.25$ div.
 Temperature 84°.5
 Time of one vibration . . . 7^s.730

HORIZONTAL INTENSITY. OBSERVATIONS OF VIBRATIONS.

Monte Video, January 18, 1866.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	2 ^h 55 ^m 9 ^s .3	150	3 ^h 10 ^m 11 ^s .4	15 ^m 2 ^s .1
10	2 56 9.2	160	3 11 11.4	15 2.2
20	2 57 9.4	170	3 12 11.5	15 2.1
30	2 58 9.4	180	3 13 11.9	15 2.5
40	2 59 9.4	190	3 14 12.1	15 2.7
50	3 0 9.8	200	3 15 12.1	15 2.3
Mean				15 2.32

Extreme scale readings,
 At beginning 58.0—100.2
 At end 65.8—91.6
 Temperature 86°.₀
 Time of one vibration . . 6^s.015

Valparaiso, March 2, 1866.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	5 ^h 0 ^m 3 ^s .4	150	5 ^h 14 ^m 41 ^s .0	14 ^m 37 ^s .6
10	5 1 2.2	160	5 15 39.3	14 37.1
20	5 2 0.6	170	5 16 37.8	14 37.2
30	5 2 59.4	180	5 17 36.6	14 37.2
40	5 3 57.4	190	5 18 35.1	14 37.7
50	5 4 55.7	200	5 19 33.7	14 38.0
Mean				14 37.47

Extreme scale readings,
 At beginning 99.8—56.8
 At end 97.8—57.8
 Coefficient of torsion . . $v = 6.17$ div.
 Temperature 72°.₅
 Time of one vibration . . 5^s.850

Monte Video, January 19, 1866.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	3 ^h 3 ^m 8 ^s .8	150	3 ^h 18 ^m 11 ^s .8	15 ^m 3 ^s .0
10	3 4 8.9	160	3 19 12.2	15 3.3
20	3 5 9.3	170	3 20 12.6	15 3.3
30	3 6 9.4	180	3 21 12.6	15 3.2
40	3 7 9.7	190	3 22 13.0	15 3.3
50	3 8 10.1	200	3 23 13.3	15 3.2
Mean				15 3.22

Extreme scale readings,
 At beginning 56.0—102.0
 At end 66.6—91.5
 Temperature 89°.₅
 Time of one vibration . . 6^s.021

Valparaiso, March 19, 1866.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	1 ^h 42 ^m 6 ^s .6	150	1 ^h 56 ^m 50 ^s .2	14 ^m 43 ^s .6
10	1 43 5.6	160	1 57 48.6	14 43.0
20	1 44 4.2	170	1 58 47.7	14 43.5
30	1 45 3.0	180	1 59 46.3	14 43.3
40	1 46 1.9	190	2 0 44.9	14 43.0
50	1 47 0.8	200	2 1 44.1	14 43.3
Mean				14 43.28

Extreme scale readings,
 At beginning 65.0—95.8
 At end 61.2—96.8
 Coefficient of torsion . . $v = 4.75$ div.
 Temperature 76°.₀
 Time of one vibration . . 5^s.889

Sandy Point, February 7, 1866.

No.	Time A. M.	No.	Time A. M.	Time of 150 vibrations.
0	11 ^h 37 ^m 4 ^s .5	150	11 ^h 51 ^m 58 ^s .4	14 ^m 53 ^s .9
10	11 38 4.5	160	11 52 58.4	14 53.9
20	11 39 3.7	170	11 53 58.2	14 54.5
30	11 40 4.1	180	11 54 58.0	14 53.9
40	11 41 3.3	190	11 55 57.8	14 54.5
50	11 42 2.5	200	11 56 57.8	14 55.3
Mean				14 54.33

Extreme scale readings,
 At beginning 61.0—100.0
 At end 60.5—97.5
 Coefficient of torsion . . $v = 6.85$ div.
 Temperature 71°.₅
 Time of one vibration . . 5^s.962
 Magnet rendered quite unsteady by the high wind.

Valparaiso, March 19, 1866.

Inertia ring on magnet.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	2 ^h 32 ^m 5 ^s .4	150	2 ^h 51 ^m 0 ^s .4	18 ^m 55 ^s .0
10	2 33 21.2	160	2 52 15.8	18 54.6
20	2 34 36.8	170	2 53 30.8	18 54.0
30	2 35 52.5	180	2 54 47.2	18 54.7
40	2 37 8.2	190	2 56 1.2	18 53.0
50	2 38 23.9	200	2 57 15.8	18 51.9
Mean				18 53.87

Extreme scale readings,
 At beginning 61.6—98.9
 At end 73.3—84.0
 Coefficient of torsion . . $v = 6.82$ div.
 Temperature 73°.₀
 Time of one vibration . . 7^s.559

HORIZONTAL INTENSITY. OBSERVATIONS OF VIBRATIONS.

Valparaiso, March 29, 1866.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	12 ^h 37 ^m 9 ^s .0	150	12 ^h 51 ^m 47 ^s .4	14 ^m 38 ^s .4
10	12 38 7.4	160	12 52 45.8	14 38.4
20	12 39 5.7	170	12 53 46.2	14 40.5
30	12 40 4.3	180	12 54 44.2	14 39.9
40	12 41 3.4	190	12 55 40.4	14 37.0
50	12 42 2.0	200	12 56 —	14 —
Mean				14 38.84

Extreme scale readings,
 At beginning 61.3 — 97.2
 Temperature 76° 0
 Time of one vibration 5^s.859
 Magnet brought to rest by the vibrations of the instrument caused by the wind.

Valparaiso, April 11, 1866.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	12 ^h 15 ^m 14 ^s .0	150	12 ^h 29 ^m 56 ^s .6	14 ^m 42 ^s .6
10	12 16 13.0	160	12 30 55.4	14 42.4
20	12 17 11.8	170	12 31 54.2	14 42.4
30	12 18 10.4	180	12 32 53.2	14 42.8
40	12 19 9.0	190	12 33 52.0	14 43.0
50	12 20 7.8	200	12 34 51.0	14 43.2
Mean				14 42.73

Extreme scale readings,
 At beginning 56.0 — 103.0
 At end 64.5 — 91.0
 Temperature 74° 5
 Time of one vibration 5^s.885

Valparaiso, March 29, 1866.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	1 ^h 28 ^m 7 ^s .2	150	1 ^h 42 ^m 49 ^s .0	14 ^m 41 ^s .8
10	1 29 5.2	160	1 43 48.0	14 42.8
20	1 30 6.8	170	1 44 46.9	14 40.1
30	1 31 2.4	180	1 45 45.2	14 42.8
40	1 32 0.6	190	1 46 43.8	14 43.2
50	1 32 58.6	200	1 47 43.0	14 44.4
Mean				14 42.52

Extreme scale readings,
 At beginning 63.0 — 98.8
 At end 65.5 — 96.0
 Coefficient of torsion $\nu = 3.80$ div.
 Temperature 75° 5
 Time of one vibration 5^s.883
 Vibrations irregular on account of the wind, which, at one time, almost brought the magnet to rest.

Valparaiso, April 11, 1866.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	12 ^h 37 ^m 12 ^s .2	150	12 ^h 51 ^m 55 ^s .0	14 ^m 42 ^s .8
10	12 38 11.0	160	12 52 54.0	14 43.0
20	12 39 9.8	170	12 53 52.8	14 43.0
30	12 40 8.6	180	12 54 51.8	14 43.2
40	12 41 7.4	190	12 55 50.6	14 43.2
50	12 42 6.4	200	12 56 49.4	14 43.0
Mean				14 43.03

Extreme scale readings,
 At beginning 64.5 — 91.0
 At end 70.0 — 85.0
 Temperature 81° 0
 Time of one vibration 5^s.887

Valparaiso, April 7, 1866.

No.	Time A. M.	No.	Time A. M.	Time of 150 vibrations.
0	10 ^h 2 ^m 15 ^s .6	150	10 ^h 16 ^m 55 ^s .0	14 ^m 39 ^s .4
10	10 3 14.2	160	10 17 54.2	14 40.0
20	10 4 13.2	170	10 18 53.6	14 40.4
30	10 5 11.8	180	10 19 53.0	14 41.2
40	10 6 11.2	190	10 20 52.4	14 41.2
50	10 7 9.6	200	10 21 51.2	14 41.6
Mean				14 40.63

Extreme scale readings,
 At beginning 59.8 — 102.8
 At end 56.5 — 106.5
 Coefficient of torsion $\nu = 3.92$ div.
 Temperature 66° 5
 Time of one vibration 5^s.871

Valparaiso, April 11, 1866.

Inertia ring on magnet.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	1 ^h 8 ^m 6 ^s .6	150	1 ^h 27 ^m 2 ^s .4	18 ^m 55 ^s .8
10	1 9 22.2	160	1 28 18.1	18 55.9
20	1 10 37.8	170	1 29 33.8	18 56.0
30	1 11 53.7	180	1 30 49.4	18 55.7
40	1 13 9.4	190	1 32 5.2	18 55.8
50	1 14 25.0	200	1 33 21.0	18 56.0
Mean				18 55.87

Extreme scale readings,
 At beginning 58.8 — 101.6
 At end 67.0 — 93.2
 Coefficient of torsion $\nu = 5.50$ div.
 Temperature 88° 0
 Time of one vibration 7^s.572

HORIZONTAL INTENSITY. OBSERVATIONS OF VIBRATIONS.

Valparaiso, April 13, 1866.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	2 ^h 45 ^m 23 ^s .6	150	3 ^h 0 ^m 6 ^s .2	14 ^m 42 ^s .6
10	2 46 21.8	160	3 1 4.6	14 42.8
20	2 47 21.2	170	3 2 3.6	14 42.4
30	2 48 19.6	180	3 3 2.4	14 42.8
40	2 49 19.0	190	3 4 0.6	14 41.6
50	2 50 17.8	200	3 4 58.6	14 40.8
Mean . . .				14 42.17

Extreme scale readings,
 At beginning 57.8 — 101.5
 At end 74.2 — 85.2
 Temperature 66°.5
 Time of one vibration . . . 5^s.881

Flamenco Island, Panama Bay, May 14, 1866.

No.	Time A. M.	No.	Time A. M.	Time of 150 vibrations.
0	8 ^h 50 ^m 11 ^s .4	150	9 ^h 3 ^m 37 ^s .8	13 ^m 26 ^s .4
10	8 51 5.1	160	9 4 31.4	13 26.3
20	8 51 59.0	170	9 5 25.2	13 26.2
30	8 52 52.3	180	9 6 19.0	13 26.2
40	8 53 46.5	190	9 7 13.0	13 26.5
50	8 54 40.4	200	9 8 6.9	13 26.5
Mean . . .				13 26.35

Extreme scale readings,
 At beginning 58.2 — 101.0
 At end 66.6 — 92.9
 Coefficient of torsion . . . $v = 2.78$ div.
 Temperature 92°.0
 Time of one vibration . . . 5^s.376

San Lorenzo Island, April 26, 1866.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	12 ^h 40 ^m 6 ^s .9	150	12 ^h 54 ^m 7 ^s .4	14 ^m 0 ^s .5
10	12 41 3.0	160	12 55 3.0	14 0.0
20	12 41 59.0	170	12 55 59.2	14 0.2
30	12 42 55.0	180	12 56 54.9	13 59.9
40	12 43 51.0	190	12 57 50.8	13 59.8
50	12 44 47.1	200	12 58 47.4	14 0.3
Mean . . .				14 0.08

Extreme scale readings,
 At beginning 61.2 — 101.1
 At end 71.0 — 89.0
 Coefficient of torsion . . . $v = 3.10$ div.
 Temperature 89°.0
 Time of one vibration . . . 5^s.601

Acapulco, May 30, 1866.

No.	Time A. M.	No.	Time A. M.	Time of 150 vibrations.
0	8 ^h 32 ^m 3 ^s .8	150	8 ^h 45 ^m 23 ^s .4	13 ^m 19 ^s .6
10	8 32 57.0	160	8 46 17.2	13 20.2
20	8 33 50.6	170	8 47 10.2	13 19.6
30	8 34 43.9	180	8 48 3.7	13 19.8
40	8 35 37.0	190	8 48 57.0	13 20.0
50	8 36 30.6	200	8 49 50.5	13 19.9
Mean . . .				13 19.85

Extreme scale readings,
 At beginning 57.8 — 102.2
 At end 65.2 — 95.0
 Coefficient of torsion . . . $v = 3.40$ div.
 Temperature 89°.0
 Time of one vibration . . . 5^s.332

Payta, May 7, 1866.

No.	Time A. M.	No.	Time A. M.	Time of 150 vibrations.
0	9 ^h 21 ^m 9 ^s .8	150	9 ^h 34 ^m 49 ^s .4	13 ^m 39 ^s .6
10	9 22 4.4	160	9 35 44.0	13 39.6
20	9 22 59.2	170	9 36 38.6	13 39.4
30	9 23 53.6	180	9 37 33.2	13 39.6
40	9 24 48.2	190	9 38 27.6	13 39.4
50	9 25 42.8	200	9 39 22.3	13 39.5
Mean . . .				13 39.52

Extreme scale readings,
 At beginning 58.2 — 101.8
 At end 67.8 — 92.2
 Coefficient of torsion . . . $v = 3.20$ div.
 Temperature 87°.5
 Time of one vibration . . . 5^s.463

Acapulco, May 30, 1866.

Inertia ring on magnet.

No.	Time A. M.	No.	Time A. M.	Time of 150 vibrations.
0	9 ^h 46 ^m 9 ^s .2	150	10 ^h 3 ^m 19 ^s .5	17 ^m 10 ^s .3
10	9 47 17.4	160	10 4 28.2	17 10.8
20	9 48 26.5	170	10 5 37.0	17 10.5
30	9 49 35.2	180	10 6 45.6	17 10.4
40	9 50 43.8	190	10 7 54.4	17 10.6
50	9 51 52.4	200	10 9 3.2	17 10.8
Mean . . .				17 10.57

Extreme scale readings,
 At beginning 56.2 — 103.7
 At end 65.1 — 94.8
 Coefficient of torsion . . . $v = 4.55$ div.
 Temperature 90°.5
 Time of one vibration . . . 6^s.870

HORIZONTAL INTENSITY. OBSERVATIONS OF VIBRATIONS.

Magdalena Bay, June 9, 1866.

No.	Time A. M.	No.	Time A. M.	Time of 150 vibrations.
0	1 ^h 8 ^m 5 ^s .4	150	1 ^h 21 ^m 52 ^s .8	
10	1 8 59.4	160	1 22 49.0	
20	1 9 54.5	170	1 23 44.4	
30	1 10 49.0	180	1 24 40.2	
40	1 11 44.4	190	1 25 36.0	
50	1 12 39.8	200	1 26 30.8	
100	1 17 16.4			

Extreme scale readings,
 At beginning 55.0 — 101.0
 At end 69.0 — 85.0
 Temperature 79°.0
 Time of one vibration . . . 5^s.527

In this and the following observation the vibrations of the magnet were very irregular on account of a high wind which shook the instrument.

San Francisco Bay, June 26, 1866.

No.	Time A. M.	No.	Time A. M.	Time of 150 vibrations.
0	3 ^h 21 ^m 22 ^s .7	150	3 ^h 36 ^m 57 ^s .7	15 ^m 35 ^s .0
10	3 22 24.7	160	3 38 0.0	15 35.3
20	3 23 27.2	170	3 39 2.5	15 35.3
30	3 24 30.2	180	3 40 4.7	15 34.5
40	3 25 32.0	190	3 41 7.2	15 35.2
50	3 26 34.7	200	3 42 10.0	15 35.3
			Mean	15 35.10

Extreme scale readings,
 At beginning 57.0 — 102.0
 At end 68.0 — 90.5
 Coefficient of torsion . . $v = 4.35$ div.
 Temperature 77°.0
 Time of one vibration . . . 6^s.234

Magdalena Bay, June 9, 1866.

No.	Time A. M.	No.	Time A. M.	Time of 150 vibrations.
0	1 ^h 41 ^m 12 ^s .2	150	1 ^h 55 ^m 4 ^s .8	
10	1 42 7.8	160	1 56 0.4	
20	1 43 3.0	170	1 56 56.0	
30	1 43 59.0	180	1 57 51.4	
40	1 44 54.0	190	1 58 46.4	
50	1 45 48.4	200	1 59 41.6	
100	1 50 25.4			

Extreme scale readings,
 At beginning 53.5 — 98.5
 At end
 Coefficient of torsion . . $v = 4.37$ div.
 Temperature 86°.5
 Time of one vibration . . . 5^s.533

U. S. N. Observatory, Washington, Nov. 1, 1866.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	5 ^h 19 ^m 52 ^s .7	150	5 ^h 37 ^m 46 ^s .5	17 ^m 53 ^s .8
10	5 21 5.0	160	5 38 58.0	17 53.0
20	5 22 16.0	170	5 40 9.2	17 53.2
30	5 23 27.5	180	5 41 20.7	17 53.2
40	5 24 39.0	190	5 42 31.8	17 52.8
50	5 25 50.7	200	5 43 43.0	17 52.3
			Mean	17 53.05

Extreme scale readings,
 At beginning 52.5 — 106.0
 At end 66.6 — 95.2
 Coefficient of torsion . . $v = 5.80$ div.
 Temperature 67°.5
 Time of one vibration . . . 7^s.154

The following sets of observations of vibrations were made in the basement of the Observatory, where there is much iron, and are to be used only to determine the moment of inertia of the magnet.

San Diego Bay, June 15, 1866.

No.	Time P. M.	No.	Time P. M.	Time of 150 vibrations.
0	6 ^h 11 ^m 9 ^s .2	150	6 ^h 25 ^m 58 ^s .2	14 ^m 49 ^s .0
10	6 12 8.3	160	6 26 56.6	14 48.3
20	6 13 7.4	170	6 27 55.8	14 48.4
30	6 14 7.0	180	6 28 55.4	14 48.4
40	6 15 6.2	190	6 29 53.8	14 47.6
50	6 16 5.4	200	6 30 53.0	14 47.6
			Mean	14 48.22

Extreme scale readings,
 At beginning 94.9 — 108.9
 At end 70.0 — 88.0
 Coefficient of torsion . . $v = 3.60$ div.
 Temperature 79°.0
 Time of one vibration . . . 5^s.921

Set 1. November 2, 1866.

No.	Time.	No.	Time.	Time of 150 vibrations.
0	5 ^h 37 ^m 31 ^s .7	150	5 ^h 54 ^m 53 ^s .8	17 ^m 22 ^s .1
10	5 38 41.2	160	5 56 3.2	17 22.0
20	5 39 50.7	170	5 57 12.7	17 22.0
30	5 41 0.2	180	5 58 21.5	17 21.3
40	5 42 9.7	190	5 59 31.2	17 21.5
50	5 43 19.2	200	6 0 40.7	17 21.5
			Mean	17 21.73

Extreme scale readings,
 At beginning 59.1 — 99.8
 At end 66.9 — 92.2
 Temperature 65°.5
 Time of one vibration . . . 6^s.945

HORIZONTAL INTENSITY. OBSERVATIONS OF VIBRATIONS.

Set No. 2. November 2, 1866.

Inertia ring on magnet.

No.	Time.	No.	Time.	Time of 150 vibrations.
0	6 ^h 17 ^m 25 ^s .3	150	6 ^h 39 ^m 46 ^s .8	22 ^m 21 ^s .5
10	6 18 55.2	160	6 41 16.2	22 21.0
20	6 20 24.2	170	6 42 45.7	22 21.5
30	6 21 54.0	180	6 44 14.8	22 20.8
40	6 23 23.7	190	6 45 44.2	22 20.5
50	6 24 53.0	200	6 47 13.7	22 20.7
Mean				22 21.00

Extreme scale readings,
 At beginning 58.9—100.8
 At end 68.3—95.5
 Coefficient of torsion . . . $v = 7.58$ div.
 Temperature 68^o.5
 Time of one vibration . . . 8^s.940

Set No. 5. November 2, 1866.

No.	Time.	No.	Time.	Time of 150 vibrations.
0	8 ^h 7 ^m 22 ^s .7	150	8 ^h 24 ^m 44 ^s .2	17 ^m 21 ^s .5
10	8 8 32.2	160	8 25 53.7	17 21.5
20	8 9 41.7	170	8 27 3.2	17 21.5
30	8 10 51.2	180	8 28 12.7	17 21.5
40	8 12 0.7	190	8 29 22.0	17 21.3
50	8 13 10.2	200	8 30 31.7	17 21.5
Mean				17 21.47

Extreme scale readings,
 At beginning 58.7—99.3
 At end 66.5—91.2
 Coefficient of torsion . . . $v = 6.05$ div.
 Temperature 69^o.5
 Time of one vibration . . . 6^s.943

Set No. 3. November 2, 1866.

No.	Time.	No.	Time.	Time of 150 vibrations.
0	6 ^h 57 ^m 41 ^s .3	150	7 ^h 15 ^m 3 ^s .2	17 ^m 21 ^s .9
10	6 58 50.8	160	7 16 12.8	17 22.0
20	7 0 0.2	170	7 17 22.3	17 22.1
30	7 1 9.8	180	7 18 31.5	17 21.7
40	7 2 19.0	190	7 19 41.0	17 22.0
50	7 3 28.8	200	7 20 50.5	17 21.7
Mean				17 21.90

Extreme scale readings,
 At beginning 54.2—104.5
 At end 63.2—94.9
 Temperature 69^o.0
 Time of one vibration . . . 6^s.946

Set No. 6. November 2, 1866.

No.	Time.	No.	Time.	Time of 150 vibrations.
0	12 ^h 31 ^m 58 ^s .2	150	12 ^h 49 ^m 51 ^s .2	17 ^m 53 ^s .0
10	12 33 9.2	160	12 51 2.5	17 53.3
20	12 34 21.0	170	12 52 14.2	17 53.2
30	12 35 32.7	180	12 53 25.7	17 53.0
40	12 36 44.0	190	12 54 37.2	17 53.2
50	12 37 55.7	200	12 55 48.7	17 53.0
Mean				17 53.12

Extreme scale readings,
 At beginning 59.5—99.0
 At end 65.5—92.0
 Temperature 56^o.0
 Time of one vibration . . . 7^s.154

Set No. 4. November 2, 1866.

Inertia ring on magnet.

No.	Time.	No.	Time.	Time of 150 vibrations.
0	7 ^h 26 ^m 18 ^s .3	150	7 ^h 48 ^m 39 ^s .0	22 ^m 20 ^s .7
10	7 27 47.7	160	7 50 8.5	22 20.8
20	7 29 17.2	170	7 51 37.9	22 20.7
30	7 30 46.7	180	7 53 7.3	22 20.6
40	7 32 16.0	190	7 54 36.7	22 20.7
50	7 33 45.5	200	7 56 5.8	22 20.3
Mean				22 20.63

Extreme scale readings,
 At beginning 56.5—103.6
 At end 65.1—96.3
 Temperature 70^o.0
 Time of one vibration . . . 8^s.938

Set No. 7. November 2, 1866.

Inertia ring on magnet.

No.	Time.	No.	Time.	Time of 150 vibrations.
0	1 ^h 3 ^m 23 ^s .5	150	1 ^h 26 ^m 22 ^s .7	22 ^m 59 ^s .2
10	1 4 55.2	160	1 27 54.2	22 59.0
20	1 6 27.5	170	1 29 26.7	22 59.2
30	1 7 59.2	180	1 30 58.5	22 59.3
40	1 9 31.3	190	1 32 30.2	22 58.9
50	1 11 3.2	200	1 34 2.5	22 59.3
Mean				22 59.15

Extreme scale readings,
 At beginning 58.2—101.0
 At end 68.0—97.2
 Temperature 53^o.5
 Time of one vibration . . . 9^s.194

MAGNETIC OBSERVATIONS.

HORIZONTAL INTENSITY. OBSERVATIONS OF VIBRATIONS.

Set No. 8. November 2, 1866.

No.	Time.	No.	Time.	Time of 150 vibrations.
0	1 ^h 40 ^m 19.2	150	1 ^h 58 ^m 11.5	17 ^m 52.3
10	1 41 30.7	160	1 59 23.0	17 52.3
20	1 42 42.2	170	2 0 34.5	17 52.3
30	1 43 53.7	180	2 1 46.0	17 52.3
40	1 45 5.2	190	2 2 57.5	17 52.3
50	1 46 16.7	200	2 4 9.0	17 52.3
Mean				17 52.30

Extreme scale readings,
 At beginning 60.0—101.0
 At end 68.0—92.8
 Temperature 52°.5
 Time of one vibration . . 7^s.149

HORIZONTAL INTENSITY. OBSERVATIONS OF DEFLECTIONS.

Philadelphia, October 24, 1865.

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	4 ^h 40 ^m	59.°	141 ^d .5	141 ^d .5	100 ^d .0	$r = 2.0$ ft.
	E.			41.5			
	W.			141.4			
	E.			41.4			
East.	E.	4 58	56.	40.5	40.5	101.2	$r = 2.0$ ft.
	W.			141.8			
	E.			40.5			
	W.			141.6			
Means			57.5	2u ^d		100.60	

Gosport, October 30, 1865.

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	11 ^h 6 ^m	59°	39 ^d .2	39 ^d .3	88 ^d .2	$r = 2.0$ ft.
	E.			127.7			
	W.			39.4			
	E.			127.4			
East.	E.	11 30	59	128.0	127.6	88.7	$r = 2.0$ ft.
	W.			38.8			
	E.			127.3			
	W.			39.1			
Means			59.0	2u ^d		88.45	

Gosport, October 30, 1865.

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	11 ^h 30 ^m	59°	60 ^d .5	60 ^d .2	45 ^d .3	$r = 2.5$ ft.
	E.			105.7			
	W.			60.0			
	E.			105.4			
East.	E.	11 48	58	105.9	105.9	45.5	$r = 2.5$ ft.
	W.			60.4			
	E.			105.9			
	W.			60.3			
Means			58.5	2u ^d		45.40	

Coefficient of torsion, $v = 7.82$ div.

MAGNETIC OBSERVATIONS.

HORIZONTAL INTENSITY. OBSERVATIONS OF DEFLECTIONS.

St. Thomas, November 13, 1865.

St. Thomas, November 13, 1865.

Magnet	North end.	Time.	Temp. <i>t</i>	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	2 ^h 5 ^m	87°.	46 ^d .4	46 ^d .4	61 ^d .7	<i>r</i> = 2.0 ft.
	E.			108.1			
	W.			46.4			
	E.			108.1			
East.	E.	2 15	85.	108.3	108.4	61.6	<i>r</i> = 2.0 ft.
	W.			46.8			
	E.			108.5			
	W.			46.9			
Means			86.0	2 ^u ^d	61.65		

Magnet	North end.	Time.	Temp. <i>t</i>	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	2 ^h 15 ^m	85.°	61 ^d .7	61 ^d .6	31 ^d .6	<i>r</i> = 2.5 ft.
	E.			93.2			
	W.			61.6			
	E.			93.3			
East.	E.	2 35	85.	93.2	93.2	31.7	<i>r</i> = 2.5 ft.
	W.			61.6			
	E.			93.3			
	W.			61.5			
Means			85.0	2 ^u ^d	31.65		

Coefficient of torsion, $v = 4.80$ div.

St. Thomas, November 16, 1865.

St. Thomas, November 16, 1865.

Magnet.	North end.	Time.	Temp. <i>t</i>	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	12 ^h 10 ^m	90.°	43 ^d .6	43 ^d .6	61 ^d .7	<i>r</i> = 2.0 ft.
	E.			105.3			
	W.			43.7			
	E.			105.3			
East.	E.	12 20	87.	105.6	105.5	61.7	<i>r</i> = 2.0 ft.
	W.			43.9			
	E.			105.5			
	W.			43.8			
Means			88.5	2 ^u ^d	61.70		

Magnet.	North end.	Time.	Temp. <i>t</i>	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	12 ^h 20 ^m	87.°	58 ^d .7	58 ^d .6	31 ^d .8	<i>r</i> = 2.5 ft.
	E.			90.4			
	W.			58.6			
	E.			90.4			
East.	E.	12 30	87.	90.4	90.4	31.4	<i>r</i> = 2.5 ft.
	W.			59.1			
	E.			90.5			
	W.			58.9			
Means			87.0	2 ^u ^d	31.60		

Coefficient of torsion, $v = 4.55$ div.

Salute Islands, November 28, 1865.

Salute Islands, November 28, 1865.

Magnet.	North end.	Time.	Temp. <i>t</i>	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	12 ^h 15 ^m	91.°	41 ^d .1	41 ^d .1	61 ^d .4	<i>r</i> = 2.0 ft.
	E.			102.5			
	W.			41.1			
	E.			102.5			
East.	E.	12 25	90.	102.8	102.8	61.5	<i>r</i> = 2.0 ft.
	W.			41.3			
	E.			102.9			
	W.			41.3			
Means			90.5	2 ^u ^d	61.45		

Magnet.	North end.	Time.	Temp. <i>t</i>	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	12 ^h 25 ^m	90.°	56 ^d .3	56 ^d .3	31 ^d .5	<i>r</i> = 2.5 ft.
	E.			87.8			
	W.			56.3			
	E.			87.8			
East.	E.	12 35	89.	88.0	88.0	31.6	<i>r</i> = 2.5 ft.
	W.			56.4			
	E.			88.0			
	W.			56.4			
Means			89.5	2 ^u ^d	31.55		

Coefficient of torsion, $v = 4.02$ div.

HORIZONTAL INTENSITY. OBSERVATIONS OF DEFLECTIONS.

Ceara, December 13, 1865.

Magnet.		North end.	Time.	Temp. <i>t</i>	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	East.							
W.	E.	12h 15m	89°	46 ^d .7	110.5	46 ^d .6	64 ^d .0	<i>r</i> = 2.0 ft.
W.	E.							
W.	E.							
E.	W.							
E.	W.	12 26	90	110.7	110.8	47.3	63.5	<i>r</i> = 2.0 ft.
E.	W.							
E.	W.							
W.	E.							
Means			89.5	2u ^d		63.75		

Coefficient of torsion, *v* = 6.72 div.

Ceara, December 13, 1865.

Magnet.		North end.	Time.	Temp. <i>t</i>	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	East.							
W.	E.	12h 26m	90°	62 ^d .7	95.6	62 ^d .8	32 ^d .6	<i>r</i> = 2.5 ft.
W.	E.							
W.	E.							
E.	W.							
E.	W.	12 40	89	95.3	93.4	95.5	31.8	<i>r</i> = 2.5 ft.
E.	W.							
E.	W.							
W.	E.							
Means			89.5	2u ^d		32.20		

Pernambuco, December 23, 1865.

Magnet.		North end.	Time.	Temp. <i>t</i>	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	East.							
W.	E.	8h 35m	85°	48 ^d .4	113.3	48 ^d .4	64 ^d .8	<i>r</i> = 2.0 ft.
W.	E.							
W.	E.							
E.	W.							
E.	W.	8 50	88	113.9	49.5	114.2	64.6	<i>r</i> = 2.0 ft.
E.	W.							
E.	W.							
W.	E.							
Means			86.5	2u ^d		64.70		

Coefficient of torsion, *v* = 5.10 div.

Pernambuco, December 23, 1865.

Magnet.		North end.	Time.	Temp. <i>t</i>	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	East.							
W.	E.	8h 50m	88°	64 ^d .6	98.0	64 ^d .7	33 ^d .4	<i>r</i> = 2.5 ft.
W.	E.							
W.	E.							
E.	W.							
E.	W.	9 0	88	98.2	64.9	98.2	33.2	<i>r</i> = 2.5 ft.
E.	W.							
E.	W.							
W.	E.							
Means			88.0	2u ^d		33.30		

Bahia, December 27, 1865.

Magne..		North end.	Time.	Temp. <i>t</i>	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	East.							
W.	E.	11h 5m	98°	46 ^d .5	112.2	46 ^d .5	65 ^d .9	<i>r</i> = 2.0 ft.
W.	E.							
W.	E.							
E.	W.							
E.	W.	11 12	98	113.6	46.4	113.7	67.3	<i>r</i> = 2.0 ft.
E.	W.							
E.	W.							
W.	E.							
Means			98.0	2u ^d		66.60		

Coefficient of torsion, *v* = 5.27 div.

Bahia, December 27, 1865.

Magnet.		North end.	Time.	Temp. <i>t</i>	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	East.							
W.	E.	11h 12m	98°	62 ^d .9	96.6	62 ^d .8	33 ^d .8	<i>r</i> = 2.5 ft.
W.	E.							
W.	E.							
E.	W.							
E.	W.	11 20	98	96.9	62.6	97.0	34.3	<i>r</i> = 2.5 ft.
E.	W.							
E.	W.							
W.	E.							
Means			98.0	2u ^d		34.05		

HORIZONTAL INTENSITY. OBSERVATIONS OF DEFLECTIONS.

Rio Janeiro, January 6, 1866.

Magnet.	North end.	Time.	Temp.	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	6 ^h 0 ^m	75°	39 ^d .1	39 ^d .0	69 ^d .8	r = 2.0 ft.
	E.			109.0			
	W.			39.0			
East.	E.	6 10	74	109.4	109.3	69.9	r = 2.0 ft.
	W.			39.4			
	E.			109.2			
Means			74.5		2u ^d	69.85	

Rio Janeiro, January 6, 1866.

Magnet.	North end.	Time.	Temp.	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	6 ^h 10 ^m	74°	56 ^d .2	56 ^d .2	35 ^d .7	r = 2.5 ft.
	E.			92.0			
	W.			56.2			
East.	E.	6 20	74	92.0	92.1	35.9	r = 2.5 ft.
	W.			56.2			
	E.			92.2			
Means			74.0		2u ^d	35.80	

Coefficient of torsion, $v = 5.77$ div.

Monte Video, January 18, 1866.

Magnet.	North end.	Time.	Temp.	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	4 ^h 35 ^m	87°	37 ^d .2	37 ^d .3	68 ^d .7	r = 2.0 ft.
	E.			105.9			
	W.			37.4			
East.	E.	4 45	87	106.0	106.0	68.0	r = 2.0 ft.
	W.			37.7			
	E.			105.9			
Means			87.0		2u ^d	68.35	

Monte Video, January 18, 1866.

Magnet.	North end.	Time.	Temp.	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	4 ^h 45 ^m	87°	54 ^d .4	54 ^d .4	35 ^d .1	r = 2.5 ft.
	E.			89.5			
	W.			54.4			
East.	E.	4 55	88	89.7	89.6	35.0	r = 2.5 ft.
	W.			54.7			
	E.			89.6			
Means			87.5		2u ^d	35.05	

Coefficient of torsion, $v = 4.50$ div.

Sandy Point, February 7, 1866.

Magnet.	North end.	Time.	Temp.	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	12 ^h 45 ^m	72°	43 ^d .0	43 ^d .5	66 ^d .8	r = 2.0 ft.
	E.			110.2			
	W.			44.0			
East.	E.	1 8	69	110.7	110.8	68.2	r = 2.0 ft.
	W.			42.6			
	E.			110.9			
Means			70.5		2u ^d	67.50	

Sandy Point, February 7, 1866.

Magnet.	North end.	Time.	Temp.	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	1 ^h 8 ^m	69°	58 ^d .8	58 ^d .6	34 ^d .6	r = 2.5 ft.
	E.			93.2			
	W.			58.3			
East.	E.	1 23	68	93.4	93.7	34.7	r = 2.5 ft.
	W.			58.9			
	E.			94.0			
Means			68.5		2u ^d	34.65	

Coefficient of torsion, $v = 8.25$ div.

A high wind blowing which made the magnet very unsteady.

HORIZONTAL INTENSITY. OBSERVATIONS OF DEFLECTIONS.

Valparaiso, March 2, 1866.

Valparaiso, March 2, 1866.

Magnet.	North end.	Time. P. M.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	5 ^h 52 ^m	71°.	384.3	384.1	65 ^d .3	r = 2.0 ft.
	E.			103.7			
	W.			37.9			
East.	E.	6 3	70.	103.3	103.2	65.0	
	W.			38.7			
	E.			103.2			
Means			70.5	2u ^d		65.15	

Magnet.	North end.	Time. P. M.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	6 ^h 3 ^m	70°.	53 ^d .8	53 ^d .7	33 ^d .4	r = 2.5 ft.
	E.			87.1			
	W.			53.7			
East.	E.	6 14	68.	87.2	87.1	33.5	
	W.			53.6			
	E.			87.1			
Means			69.0	2u ^d		33.45	

Coefficient of torsion, $v = 6.87$ div.

Valparaiso, March 19, 1866.

Valparaiso, March 19, 1866.

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	1 ^h 10 ^m	75°.	37 ^d .9	37 ^d .8	65 ^d .8	r = 2.0 ft.
	E.			103.6			
	W.			37.7			
East.	E.	1 20	76.	103.7	103.7	65.3	
	W.			38.4			
	E.			103.7			
Means			75.5	2u ^d		65.55	

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	1 ^h 20 ^m	76°.	54 ^d .2	54 ^d .1	33 ^d .6	r = 2.5 ft.
	E.			87.7			
	W.			54.0			
East.	E.	1 35	78.	87.8	87.8	33.4	
	W.			54.3			
	E.			87.8			
Means			77.0	2u ^d		33.50	

Coefficient of torsion, $v = 4.80$ div.

Valparaiso, March 29, 1866.

Valparaiso, March 29, 1866.

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	12 ^h 0 ^m	69°.	364.9	364.9	65 ^d .5	r = 2.0 ft.
	E.			102.1			
	W.			36.9			
East.	E.	12 13	68.	102.8	102.8	65.5	
	W.			37.2			
	E.			102.8			
Means			68.5	2u ^d		65.50	

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	12 ^h 13 ^m	68°.	53 ^d .1	53 ^d .0	33 ^d .6	r = 2.5 ft.
	E.			86.7			
	W.			52.9			
East.	E.	12 28	68.	86.8	86.8	33.5	
	W.			53.5			
	E.			86.8			
Means			68.0	2u ^d		33.55	

Coefficient of torsion, $v = 4.62$ div.

MAGNETIC OBSERVATIONS.

HORIZONTAL INTENSITY. OBSERVATIONS OF DEFLECTIONS.

Valparaiso April 7, 1866.

Valparaiso, April 7, 1866.

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	8 ^h 55 ^m	65°	38 ^d .2	38 ^d .0	64 ^d .9	$r = 2.0$ ft.
	E.			102.9			
	W.			37.9			
E.	103.0						
East.	E.	9 10	67	104.0	103.9	66.7	
	W.			37.2			
	E.			103.9			
W.	37.2						
Means			66.0		2u ^d	65.80	

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	9 ^h 10 ^m	67°	53 ^d .8	53 ^d .9	33 ^d .4	$r = 2.5$ ft.
	E.			87.2			
	W.			54.0			
E.	87.3						
East.	E.	9 25	69	87.7	87.6	34.1	
	W.			53.6			
	E.			87.6			
W.	53.4						
Means			68.0		2u ^d	33.75	

Coefficient of torsion, $v = 4.68$ div.

Valparaiso, April 11, 1866.

Valparaiso, April 11, 1866.

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	1 ^h 0 ^m	74.0	39 ^d .2	39 ^d .2	65 ^d .1	$r = 2.0$ ft.
	E.			104.3			
	W.			39.3			
E.	104.4						
East.	E.	1 11	74.	105.2	105.2	66.2	
	W.			38.9			
	E.			105.3			
W.	39.2						
Means			74.0		2u ^d	65.65	

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	1 ^h 11 ^m	74°	55 ^d .2	55 ^d .2	33 ^d .3	$r = 2.5$ ft.
	E.			88.4			
	W.			55.2			
E.	88.6						
East.	E.	1 23	74	88.9	88.9	34.0	
	W.			54.9			
	E.			88.9			
W.	54.8						
Means			74.0		2u ^d	33.65	

Valparaiso, April 13, 1866.

Valparaiso, April 13, 1866.

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	1 ^h 55 ^m	71°	37 ^d .2	37 ^d .0	64 ^d .8	$r = 2.0$ ft.
	E.			102.0			
	W.			36.9			
E.	101.6						
East.	E.	2 7	65.	102.2	101.9	66.1	
	W.			36.0			
	E.			101.7			
W.	35.6						
Means			68.0		2u ^d	65.45	

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	2 ^h 7 ^m	65°	51 ^d .9	51 ^d .7	33 ^d .2	$r = 2.5$ ft.
	E.			84.9			
	W.			51.5			
E.	84.9						
East.	E.	2 20	62.	85.4	85.2	34.2	
	W.			51.0			
	E.			85.0			
W.	50.9						
Means			63.5		2u ^d	33.70	

HORIZONTAL INTENSITY. OBSERVATIONS OF DEFLECTIONS.

San Lorenzo Island, April 26, 1866.

San Lorenzo Island, April 26, 1866.

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	11 ^h 40 ^m	79°	51 ^d .0	50 ^d .9	58 ^d .7	r = 2.0 ft.
	E.			109.7			
	W.			50.9			
	E.			109.6			
East.	E.	11 52	82	110.4	110.4	59.6	r = 2.0 ft.
	W.			50.9			
	E.			110.4			
	W.			50.7			
Means			80.5	2u ^d		59.15	

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	11 ^h 52 ^m	82°	65 ^d .3	65 ^d .1	30 ^d .0	r = 2.5 ft.
	E.			95.4			
	W.			65.0			
	E.			94.9			
East.	E.	12 7	74	95.4	95.4	30.5	r = 2.5 ft.
	W.			64.8			
	E.			95.4			
	W.			65.0			
Means			78.0	2u ^d		30.25	

Coefficient of torsion, $v = 4.25$ div.

Payta, May 7, 1866.

Payta, May 7, 1866.

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	7 ^h 33 ^m	77°	52 ^d .2	52 ^d .1	55 ^d .6	r = 2.0 ft.
	E.			107.7			
	W.			52.0			
	E.			107.8			
East.	E.	7 46	77	108.4	108.4	56.8	r = 2.0 ft.
	W.			51.6			
	E.			108.3			
	W.			51.6			
Means			77.0	2u ^d		56.20	

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	7 ^h 46 ^m	77°	65 ^d .2	65 ^d .1	28 ^d .6	r = 2.5 ft.
	E.			93.7			
	W.			65.0			
	E.			93.6			
East.	E.	7 59	77	94.0	94.0	29.3	r = 2.5 ft.
	W.			64.7			
	E.			94.0			
	W.			64.7			
Means			77.0	2u ^d		28.95	

Coefficient of torsion, $v = 3.62$ div.

Flamenco Island, Panama Bay, May 14, 1866.

Flamenco Island, Panama Bay, May 14, 1866.

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	7 ^h 55 ^m	83°	50 ^d .7	50 ^d .8	53 ^d .8	r = 2.0 ft.
	E.			104.6			
	W.			51.0			
	E.			104.7			
East.	E.	8 5	82	105.6	105.5	53.3	r = 2.0 ft.
	W.			50.4			
	E.			105.5			
	W.			50.1			
Means			82.5	2u ^d		53.55	

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	8 ^h 5 ^m	82°	64 ^d .0	64 ^d .0	27 ^d .6	r = 2.5 ft.
	E.			91.7			
	W.			64.0			
	E.			91.6			
East.	E.	8 15	82	92.0	92.0	28.2	r = 2.5 ft.
	W.			63.8			
	E.			92.0			
	W.			63.8			
Means			82.0	2u ^d		27.90	

Coefficient of torsion, $v = 3.18$ div.

HORIZONTAL INTENSITY. OBSERVATIONS OF DEFLECTIONS.

Acapulco, May 30, 1866.

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	7 ^h 22 ^m	86°	53 ^d .9	53 ^d .9	53 ^d .1	$r = 2.0$ ft.
	E.			107.0			
	W.			53.9			
	E.			107.0			
East.	E.	7 32	84	107.5	107.6	54.0	$r = 2.0$ ft.
	W.			53.5			
	E.			107.7			
	W.			53.8			
Means			85.0	2u ^d	53.55		

Acapulco, May 30, 1866.

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	7 ^h 32 ^m	84°	66 ^d .9	66 ^d .9	27 ^d .3	$r = 2.5$ ft.
	E.			94.1			
	W.			66.9			
	E.			94.2			
East.	E.	7 40	85	94.4	94.4	27.6	$r = 2.5$ ft.
	W.			66.8			
	E.			94.4			
	W.			66.8			
Means			84.5	2u ^d	27.45		

Coefficient of torsion, $v = 3.45$ div.

Magdalena Bay, June 9, 1866.

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	1 ^h 14 ^m	65°	49 ^d .4	49 ^d .4	57 ^d .3	$r = 2.0$ ft.
	E.			106.6			
	W.			49.4			
	E.			106.8			
East.	E.	1 40	65	106.7	107.3	57.6	$r = 2.0$ ft.
	W.			49.6			
	E.			107.9			
	W.			49.7			
Means			65.0	2u ^d	57.45		

Magdalena Bay, June 9, 1866.

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	1 ^h 40 ^m	65°	64 ^d .0	63 ^d .9	29 ^d .7	$r = 2.5$ ft.
	E.			93.1			
	W.			63.7			
	E.			94.1			
East.	E.	2 15	65	94.7	95.1	29.7	$r = 2.5$ ft.
	W.			65.0			
	E.			95.4			
	W.			65.8			
Means			65.0	2u ^d	29.70		

Assumed coefficient of torsion, $v = 3.87$ div.
Magnet very unsteady, and its readings uncertain on account of a stiff breeze which shook the instrument.

San Diego Bay, June 15, 1866.

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	2 ^h 44 ^m	72°	45 ^d .9	46 ^d .1	65 ^d .2	$r = 2.0$ ft.
	E.			111.3			
	W.			46.3			
	E.			111.2			
East.	E.	2 53	71	112.6	112.5	66.7	$r = 2.0$ ft.
	W.			45.8			
	E.			112.5			
	W.			45.8			
Means			71.5	2u ^d	65.95		

San Diego Bay, June 15, 1866.

Magnet.	North end.	Time.	Temp. t	Scale Readings.	Alternate Means.	Diff's.	Dist.
West.	W.	2 ^h 53 ^m	71°	62 ^d .2	62 ^d .2	33 ^d .2	$r = 2.5$ ft.
	E.			95.4			
	W.			62.2			
	E.			95.4			
East.	E.	3 6	70	95.4	95.6	33.9	$r = 2.5$ ft.
	W.			61.6			
	E.			95.8			
	W.			61.8			
Means			70.5	2u ^d	33.55		

Coefficient of torsion, $v = 4.28$ div.

HORIZONTAL INTENSITY. OBSERVATIONS OF DEFLECTIONS.

San Francisco Bay, June 26, 1866.

Magnet.		North end.	Time.	Temp. <i>t</i>	Scale Readings.	Alternate Means.	Diff's.	Dist.
est.	West.							
	W.		6 ^h 40 ^m	65.°	42 ^d .3			
	E.				114.8			
	W.				42.6	42 ^d .4	72 ^d .5	
	E.				115.1	114.9		
East.	E.				116.1			
	W.				43.0	116.2	73.2	
	E.				116.3	43.0		
	W.		6 50	62.	43.0			
Means				63.5		2u ^d	72.85	<i>r</i> = 2.0 ft.

San Francisco Bay, June 26, 1866.

Magnet.		North end.	Time.	Temp. <i>t</i>	Scale Readings.	Alternate Means.	Diff's.	Dist.
est.	West.							
	W.		6 ^h 50 ^m	62.°	60 ^d .8			
	E.				98.0			
	W.				60.7	60 ^d .8	37 ^d .4	
	E.				98.4	98.2		
East.	E.				98.4			
	W.				61.0	98.4	37.5	
	E.				98.4	60.9		
	W.		6 59	63.	60.9			
Means				62.5		2u ^d	37.45	<i>r</i> = 2.5 ft.

Coefficient of torsion, $v = 5.30$ div.

U. S. N. Observatory, Washington, Nov. 1, 1866.

Magnet.		North end.	Time.	Temp.	Scale Readings.	Alternate Means.	Diff's.	Dist.
est.	West.							
	W.		1 ^h 4 ^m	66.°	28 ^d .5			
	E.				123.6			
	W.				28.5	28 ^d .5	94 ^d .7	
	E.				122.8	123.2		
East.	E.				124.5			
	W.				29.3	125.0	96.3	
	E.				125.5	28.7		
	W.		1 22	66.	28.1			
Means				66.0		2u ^d	95.50	<i>r</i> = 2.0 ft.

Coefficient of torsion, $v = 7.05$ div.

U. S. N. Observatory, Washington, Nov. 1, 1866.

Magnet.		North end.	Time.	Temp. <i>t</i>	Scale Readings.	Alternate Means.	Diff's.	Dist.
est.	West.							
	W.		1 ^h 22 ^m	66.°	52 ^d .5			
	E.				100.9			
	W.				52.6	52 ^d .5	48 ^d .2	
	E.				100.5	100.7		
East.	E.				102.0			
	W.				52.6	101.7	49.2	
	E.				101.4	52.5		
	W.		1 44	67.	52.3			
Means				66.5		2u ^d	48.70	<i>r</i> = 2.5 ft.

SECTION V.

OBSERVATIONS ON THE MAGNETISM OF THE SHIP.

THE Monadnock is a second rate iron-clad vessel, of the Monitor type, of 1564 tons old or 1091 tons new measurement. On deck her length is 260.5 feet, and her breadth 52.0 feet. She has a wooden hull, but her deck is covered by three layers of iron plates, each one inch thick; and her sides, for a depth of five feet from the deck, are covered by six layers of iron plates, each one inch thick. Thus the deck is protected by three, and the sides by six inches of iron. She is provided with two iron turrets, cylindrical in form, each 22.8 feet in outside diameter, 9.0 feet high, and 11 inches thick. On top of each of them stands an iron pilot-house, 7.7 feet in outside diameter, 6.4 feet high, and 11 inches thick. Each of these pilot-houses is cylindrical in form, and so placed that its axis coincides with the axis of the turret upon which it stands. The sides of the turrets and pilot-houses are not solid, but are composed of iron plates, each one inch thick, placed one upon the other and bolted together till a total thickness of eleven inches is attained. To each of the iron pilot-houses are bolted wooden stanchions, which carry wooden pilot-houses whose floors are about nine and a half feet above the tops of the iron pilot-houses. The centres of the wooden pilot-houses are respectively in the same vertical lines with the centres of the turrets and iron pilot-houses over which they stand. The centres of the turrets coincide with the midships line. The distance from the stern of the vessel to the centre of the after turret is 84.5 feet; from the centre of the after turret to the centre of the forward turret, 99.1; and from the centre of the forward turret to the cut-water, 76.9 feet. Passing forward from the after turret, we come first to the ventilator, which is 6.5 feet in diameter, and 22.8 feet high above the deck; and then to the smoke-stack, which is 9.9 feet in diameter, and 31.0 feet high above the deck, both it and the ventilator being of iron. The distance from the centre of the after turret to the centre of the ventilator is 31.3 feet; from the centre of the ventilator to the centre of the smoke-stack, 16.5 feet; and from the centre of the smoke-stack to the centre of the forward turret, 51.3 feet.

At St. Thomas, before the magnetic observations on board ship were made at that place, a wooden mast 77.7 feet high was placed on the ship in order to enable her to carry some sail. Its centre is 22 feet forward of the centre of the forward turret, and what little iron was used in its construction is so placed that it is not at all probable that it affected the deviation of the compasses in its neighborhood in the slightest.

The following are the designations and positions of the compasses which were used during the cruise:--

The Forward Alidade was a Sands Alidade Compass, and was on top of the forward wooden pilot-house, 33.5 feet above the iron deck.

The Forward Binnacle was a Ritchie Liquid Compass, and was in the binnacle of the forward wooden pilot-house, 27.2 feet above the iron deck.

The Forward Ritchie was a Ritchie Monitor Compass, and was 6.7 feet above the top of the iron pilot-house on the forward turret. It was 22.1 feet above the iron deck.

Of these three compasses, the Forward Alidade and Forward Ritchie were placed exactly in the vertical line passing through the centre of the forward turret, and the Forward Binnacle was placed about two feet further forward, but nearly in the same vertical plane.

The Admiralty Standard Compass was on top of the after wooden pilot-house, 37.0 feet above the iron deck.

The After Binnacle was a Ritchie Liquid Compass, and was in the binnacle of the after wooden pilot-house, 27.2 feet above the iron deck.

The After Ritchie was a Ritchie Monitor Compass, and was 6.7 feet above the top of the iron pilot-house on the after turret. It was 22.1 feet above the iron deck.

Of these three compasses, the Admiralty Standard and After Ritchie were placed exactly in the vertical line passing through the centre of the after turret, and the After Binnacle was placed about two feet further forward, but nearly in the same vertical plane.

The After Azimuth was a common Azimuth Compass which was set up temporarily on the quarter deck every time the ship was swung; small cavities having been cut in the iron surface of the deck for the reception of the feet of the tripod, so as to make sure that the instrument always occupied precisely the same position. It stood 47.5 feet abaft the centre of the after turret, and there were two vertical iron stanchions, each two inches in diameter, 10.3 feet high above the deck, and 12.1 feet distant from the compass, one of them being directly forward and the other directly aft of it. This compass was elevated 4.6 feet above the iron deck; but when observations of magnetic force were made, it was necessary to remove it and substitute an Admiralty Standard Compass, which occupied precisely the same position, except that it was 4.8 feet above the deck. When the dip circle was used it also stood 4.8 feet above the deck.

It will be observed that *all* the compasses stood in the midships line, no matter what their elevation above the deck might be.

All the observations for determining the deviations of the compasses were made by swinging the ship in the following manner: The true azimuth of a well defined distant object was determined by a solar bearing, as explained in Section III, page 26, and the declination of the magnetic needle having been applied to it, its true magnetic azimuth became known; then, supposing the sight vanes of the Admiralty Standard Compass to be kept pointed steadily to that object while the ship was swung, the reading which they would indicate on the azimuth circle attached to

the cover of the compass, as the ship's head pointed successively to each of the true magnetic points, was computed by means of the formula

$$R = 180^\circ + A - \zeta$$

where

R = reading of sight vanes on the azimuth circle attached to the cover of the compass.

A = true magnetic azimuth of the distant object; the azimuth being counted from the south around by the west.

ζ = azimuth of the ship's head, counted from the correct magnetic north around by the east.

This having been done, on a tolerably calm day steam was got up in the boilers, and, the vessel riding at a single anchor, slack water was waited for. As soon as the tide ceased to run, the executive officer took the deck; an officer was stationed at each of the compasses; I went to the Admiralty Standard; and a quartermaster was stationed at the ship's bell. Then the helm was put hard-a-starboard, or hard-a-port, depending on the direction in which it was desired to have her head swing, and the engines having been started, one forward and the other backward (the *Monadnock* was provided with twin screws which were entirely independent of each other), the vessel at once began to turn, without bringing any considerable strain on her cable. Her motion was perfectly under control, and could be made fast or slow at pleasure by merely varying the speed of the engines. I then set the sight vanes of the Admiralty Standard Compass to the reading (on the azimuth circle) of the point at which the ship's head would first arrive, and placing my eye to them I watched for the instant when they pointed to the distant object chosen as an azimuth mark. As the thread of the sight vane approached the object I cautioned the quartermaster to be ready, and at the instant it covered the object I made a signal, by dropping my outstretched arm, and the quartermaster struck a single stroke on the bell. Upon hearing this, every officer at once read off and recorded the heading of the ship, as indicated by the compass at which he was stationed. Then, the engines not having been stopped, I turned the sight vanes forward to the reading of the next point, and the same process was repeated; and so on, till the readings of all the compasses had been observed at each of the thirty-two points, which was generally accomplished in about an hour, or an hour and a half. The difference between any observed reading and the true point to which the vessel's head was directed at the time that reading was made, was of course the deviation of the compass on that point.

The forward iron and wooden pilot-houses were fixed and did not revolve with the turret, so that the lubber lines of the compasses in them always remained in the same position. But with the after iron and wooden pilot-houses the case was different. They were attached to the turret and revolved with it, and by so doing caused the lubber lines of the compasses in them also to revolve. As the turrets were frequently turned, it became necessary to establish marks by which the position of the after one could always be referred to some fixed position, so that a correction could be applied to the readings of the compasses in its pilot-houses to

reduce them to what they would have been if their lubber lines had not moved. For this purpose, whenever the ship was swung, a fixed line on the under side of the hurricane deck was produced till it touched the after turret, and then the distance from its point of contact with the turret to a joint (marked number XII) on the outside of the turret was measured. This distance, having been converted into degrees and minutes by means of the known diameter of the turret, was the correction to be applied to the position of the lubber lines. The following table gives the measured distance, and its angular equivalent, at every station where the ship was swung; but it must be noticed that these corrections apply *only to the After Binnacle and After Ritchie Compasses*. The lubber line of the Admiralty Standard Compass was always properly adjusted before beginning to observe.

Station.	Joint XII.	Lubber Line.
Hampton Roads	14 ⁱⁿ .4 port	Assumed correct.
St. Thomas	14.4 "	" "
Salute Islands	0.6 starboard	6° 18' east.
Ceara	0.6 "	6 18 "
Bahia	0.6 "	6 18 "
Rio Janeiro	0.8 port	5 43 "
Monte Video	4.5 "	4 9 "
Sandy Point	4.5 "	4 9 "
Valparaiso	4.2 "	4 17 "
Callao	5.5 "	3 44 "
Panama	5.5 "	3 44 "
Acapulco	5.5 "	3 44 "
Magdalena Bay	5.5 "	3 44 "
San Francisco	5.3 "	3 49 "

When the ship was being swung, I always read the Admiralty Standard Compass myself. Each of the other compasses was usually read by the officer whose name is set opposite to it in the following table.

Forward Alidade,	Lieutenant M. Miller.
Forward Binnacle,	Lieut. Miller, assisted by a Quartermaster.
Forward Ritchie,	Lieutenant Geo. Smith.
After Binnacle,	Ensign F. Wildes.
After Ritchie,	Master Wm. Barrymore.
After Azimuth,	Mate Jno. Ponte.

My instruments for the measurement of magnetic force restricted me to the method of deflections, and the only compasses on board at which that method could be applied were the Admiralty Standard and the After Azimuth. As the ship was always riding at anchor, and of course swinging a little, when such observations were made, in order to render them as accurate as possible the following plan was adopted.

The deflecting bar was screwed to the movable circle which carried the sight vanes of the Admiralty Standard Compass in such a position as to be at right angles to them. That is, when the sight vanes pointed north and south the deflecting bar pointed east and west. Then, 1°. The sights being directed exactly

north and south, as indicated by the compass card, the point, which we will designate by H , cut by them on the northern or southern horizon, as might be most convenient, was noted. 2° . The deflecting magnets were placed in the carriers, one to the east and the other to the west of the compass card, both being at the same distance from the centre of the card, and with their similar poles pointing in the same direction. Then, keeping the sight vanes pointed steadily to the object H , as soon as the compass card ceased to vibrate it was read off by means of the prism attached to the sight vane. Let this reading be designated as A . 3° . Each deflecting magnet was reversed, end for end, in its own carrier, and, the sight vanes being still kept directed to the object H , the card was again read. Let this reading be designated as B . Then the observed angle of deflection is $\frac{A - B}{2}$.

The dip was obtained by removing the Admiralty Standard Compass with which the deflections had been observed, and putting in its place a dip circle; the axle of the dipping needle occupying precisely the same position that had previously been occupied by the pivot of the compass card.

The observations of the deviations of the compasses made during the cruise have been compared with the following theory, which is taken from the English Admiralty Manual of the Deviations of the Compass, edition of 1863.

Let

X, Y, Z , represent the force of the earth's magnetism drawing the north point of the compass needle to the ship's head, to the starboard side and vertically downwards.

X', Y', Z' , represent the combined force of the magnetism of the earth and ship in the same directions.

$a, b, c, d, e, f, g, h, k$, represent constant coefficients depending on the amount and arrangement of the soft iron of the ship.

P, Q, R , represent constant coefficients depending on the amount, arrangement, and independent magnetism of the hard iron of the ship.

H = the horizontal force of the earth.

H' = the horizontal force of the earth and ship.

θ = the dip.

ζ = azimuth of the ship's head measured eastward from the correct magnetic north.

ζ' = azimuth of the ship's head measured from the direction of the disturbed needle.

δ = $\zeta - \zeta'$ = the deviation of the compass.

Then the whole mathematical theory of the deviations of the compass is comprised in the three following equations:

$$X' = X + aX + bY + cZ + P \quad (1)$$

$$Y' = Y + dX + eY + fZ + Q \quad (2)$$

$$Z' = Z + gX + hY + kZ + R \quad (3)$$

We have also

$$\begin{aligned} X &= H \cos \zeta & Y &= -H \sin \zeta & Z &= H \tan \theta \\ X' &= H' \cos \zeta' & Y' &= -H' \sin \zeta' \end{aligned}$$

Substituting these values in equations (1), (2), and (3), and dividing by H , we have

$$\frac{H'}{H} \cos \zeta' = (1+a) \cos \zeta - b \sin \zeta + c \tan \theta + \frac{P}{H} \quad (4)$$

$$-\frac{H'}{H} \sin \zeta' = d \cos \zeta - (1+e) \sin \zeta + f \tan \theta + \frac{Q}{H} \quad (5)$$

$$\frac{Z'}{H} = g \cos \zeta - h \sin \zeta + (1+k) \tan \theta + \frac{R}{H} \quad (6)$$

Equation (6) may be written

$$0 = 1 - \frac{Z'}{Z} + g \frac{\cos \zeta}{\tan \theta} - h \frac{\sin \zeta}{\tan \theta} + k + \frac{R}{Z} \quad (6a)$$

From equations (4) and (5) we obtain the following:

(4) $\cos \zeta$ - (5) $\sin \zeta$ gives after some reductions

$$\begin{aligned} \frac{H'}{H} \cos \delta &= 1 + \frac{a+e}{2} + \left(c \tan \theta + \frac{P}{H}\right) \cos \zeta - \left(f \tan \theta + \frac{Q}{H}\right) \sin \zeta \\ &\quad + \frac{a-e}{2} \cos 2\zeta - \frac{d+b}{2} \sin 2\zeta \end{aligned} \quad (7)$$

(4) $\sin \zeta$ + (5) $\cos \zeta$ gives after some reductions

$$\begin{aligned} \frac{H'}{H} \sin \delta &= \frac{d-b}{2} + \left(c \tan \theta + \frac{P}{H}\right) \sin \zeta + \left(f \tan \theta + \frac{Q}{H}\right) \cos \zeta \\ &\quad + \frac{a-e}{2} \sin 2\zeta + \frac{d+b}{2} \cos 2\zeta \end{aligned} \quad (8)$$

Now let

$$\begin{aligned} 1 + \frac{a+e}{2} &= \lambda & \frac{d-b}{2} &= \lambda \mathfrak{A} \\ \frac{a-e}{2} &= \lambda \mathfrak{D} & \frac{d+b}{2} &= \lambda \mathfrak{E} \\ c \tan \theta + \frac{P}{H} &= \lambda \mathfrak{B} & f \tan \theta + \frac{Q}{H} &= \lambda \mathfrak{C} \end{aligned}$$

Then from equations (7) and (8) we get the following:

$$\frac{H}{\lambda H} \cos \delta = 1 + \mathfrak{B} \cos \zeta - \mathfrak{C} \sin \zeta + \mathfrak{D} \cos 2\zeta - \mathfrak{E} \sin 2\zeta \quad (9)$$

$$\frac{H'}{\lambda H} \sin \delta = \mathfrak{A} + \mathfrak{B} \sin \zeta + \mathfrak{C} \cos \zeta + \mathfrak{D} \sin 2\zeta + \mathfrak{E} \cos 2\zeta \quad (10)$$

Dividing (10) by (9),

$$\tan \delta = \frac{\mathfrak{A} + \mathfrak{B} \sin \zeta + \mathfrak{C} \cos \zeta + \mathfrak{D} \sin 2\zeta + \mathfrak{E} \cos 2\zeta}{1 + \mathfrak{B} \cos \zeta - \mathfrak{C} \sin \zeta + \mathfrak{D} \cos 2\zeta - \mathfrak{E} \sin 2\zeta} \quad (11)$$

From (11) we easily get

$$\begin{aligned} \sin \delta &= \mathfrak{A} \cos \delta + \mathfrak{B} \sin \zeta' + \mathfrak{C} \cos \zeta' + \mathfrak{D} \sin (\zeta + \zeta') + \mathfrak{E} \cos (\zeta + \zeta') \quad (12) \\ &= \mathfrak{A} \cos \delta + \mathfrak{B} \sin \zeta' + \mathfrak{C} \cos \zeta' + \mathfrak{D} \sin (2\zeta' + \delta) + \mathfrak{E} \cos (2\zeta' + \delta) \end{aligned}$$

Of the last three equations (11) is used when the deviations are given on the correct magnetic points, (12) when the deviations are given on the compass points affected by deviation.

Equation (12) may be put under the following form, which is sometimes convenient, and which is very nearly exact, viz.:

$$\sin \delta = \frac{1}{1 - \mathfrak{D} \cos 2\zeta'} \left\{ \mathfrak{A} + \mathfrak{B} \sin \zeta' + \mathfrak{C} \cos \zeta' + \mathfrak{D} \sin 2\zeta' + \mathfrak{E} \cos 2\zeta' \right\} \quad (12a)$$

By means of the expressions for $\sin \delta$ we may calculate the values of the coefficients \mathfrak{A} , \mathfrak{B} , \mathfrak{C} , \mathfrak{D} , \mathfrak{E} , if we know the deviations on five points. If we have the deviations on more than five points, we may determine the most probable values of the coefficients by the method of least squares; but the calculation will in general be long and difficult.

If, however, the compass points on which the deviations are given divide the circumference into equal parts, we may determine the exact coefficients \mathfrak{A} , \mathfrak{B} , \mathfrak{C} , \mathfrak{D} , \mathfrak{E} , with great ease, and a sufficient degree of approximation, by determining first the approximate coefficients A , B , C , D , E , and then deducing from them the values of the exact coefficients. For that purpose we proceed as follows:

If the coefficients are less than 20° their squares and products may be neglected, and equation (12) may be put under the form

$$\delta = A + B \sin \zeta' + C \cos \zeta' + D \sin 2\zeta' + E \cos 2\zeta' \quad (13)$$

Let $\delta_0 \delta_1 \delta_2 \dots \delta_{31}$ be the deviations observed on the 32 points, by compass, $S_1 S_2 S_3 \dots S_7$ the natural sines of the rhumbs or of the angles $11^\circ 15'$, $22^\circ 30'$ $78^\circ 45'$ respectively, then if the observations have been made on the 32 points we have the following 32 equations from which to determine A , B , C , D , E .

Compass Courses.	Deviation.	A	+ B sin ζ'	+ C cos ζ'	+ D and 2ζ	+ E cos 2ζ'
North	δ ₀	A		+ C		+ E
N. by E.	δ ₁	A	+ B S ₁	+ C S ₇	+ D S ₂	+ E S ₆
N. N. E.	δ ₂	A	+ B S ₂	+ C S ₆	+ D S ₄	+ E S ₄
N. E. by N.	δ ₃	A	+ B S ₃	+ C S ₅	+ D S ₆	+ E S ₂
N. E.	δ ₄	A	+ B S ₄	+ C S ₄	+ D	
N. E. by E.	δ ₅	A	+ B S ₅	+ C S ₃	+ D S ₆	- E S ₂
E. N. E.	δ ₆	A	+ B S ₆	+ C S ₂	+ D S ₄	- E S ₄
E. by N.	δ ₇	A	+ B S ₇	+ C S ₁	+ D S ₂	- E S ₆
East	δ ₈	A	+ B			- E
E. by S.	δ ₉	A	+ B S ₇	- C S ₁	- D S ₂	- E S ₆
E. S. E.	δ ₁₀	A	+ B S ₆	- C S ₂	- D S ₄	- E S ₄
S. E. by E.	δ ₁₁	A	+ B S ₅	- C S ₃	- D S ₆	- E S ₂
S. E.	δ ₁₂	A	+ B S ₄	- C S ₄	- D	
S. E. by S.	δ ₁₃	A	+ B S ₃	- C S ₅	- D S ₆	+ E S ₂
S. S. E.	δ ₁₄	A	+ B S ₂	- C S ₆	- D S ₄	+ E S ₄
S. by E.	δ ₁₅	A	+ B S ₁	- C S ₇	- D S ₂	+ E S ₆
South	δ ₁₆	A		- C		+ E
S. by W.	δ ₁₇	A	- B S ₁	- C S ₇	+ D S ₂	+ E S ₆
S. S. W.	δ ₁₈	A	- B S ₂	- C S ₆	+ D S ₄	+ E S ₄
S. W. by S.	δ ₁₉	A	- B S ₃	- C S ₅	+ D S ₆	+ E S ₂
S. W.	δ ₂₀	A	- B S ₄	- C S ₄	+ D	
S. W. by W.	δ ₂₁	A	- B S ₅	- C S ₃	+ D S ₆	- E S ₂
W. S. W.	δ ₂₂	A	- B S ₆	- C S ₂	+ D S ₄	- E S ₄
W. by S.	δ ₂₃	A	- B S ₇	- C S ₁	+ D S ₂	- E S ₆
West	δ ₂₄	A	- B			- E
W. by N.	δ ₂₅	A	- B S ₇	+ C S ₁	- D S ₂	- E S ₆
W. N. W.	δ ₂₆	A	- B S ₆	+ C S ₂	- D S ₄	- E S ₄
N. W. by W.	δ ₂₇	A	- B S ₅	+ C S ₃	- D S ₆	- E S ₂
N. W.	δ ₂₈	A	- B S ₄	+ C S ₄	- D	
N. W. by N.	δ ₂₉	A	- B S ₃	+ C S ₅	- D S ₆	+ E S ₂
N. N. W.	δ ₃₀	A	- B S ₂	+ C S ₆	- D S ₄	+ E S ₄
N. by W.	δ ₃₁	A	- B S ₁	+ C S ₇	- D S ₂	+ E S ₆

By the method of least squares we obtain, from these 32 equations of condition, the five normal equations

$$\begin{aligned} \delta_0 + \delta_1 + \delta_2 + \dots + \delta_{31} &= 32 A. \\ \delta_1 S_1 + \delta_2 S_2 + \delta_3 S_3 + \&c. &= 16 B. \\ \delta_4 + \delta_1 S_7 + \delta_2 S_6 + \&c. &= 16 C. \\ \delta_1 S_2 + \delta_2 S_4 + \delta_3 S_6 + \&c. &= 16 D. \\ \delta_0 + \delta_1 S_6 + \delta_2 S_4 + \&c. &= 16 E. \end{aligned}$$

For convenience of computation these equations have been put under the form

$$\begin{aligned} 8A &= \frac{1}{2} \left(\frac{\delta_0 + \delta_{16}}{2} + \frac{\delta_8 + \delta_{24}}{2} \right) \\ &+ \frac{1}{2} \left(\frac{\delta_1 + \delta_{17}}{2} + \frac{\delta_9 + \delta_{25}}{2} \right) \\ &+ \frac{1}{2} \left(\frac{\delta_2 + \delta_{18}}{2} + \frac{\delta_{10} + \delta_{26}}{2} \right) \end{aligned}$$

$$+ \frac{1}{2} \left(\frac{\delta_3 + \delta_{19}}{2} + \frac{\delta_{11} + \delta_{27}}{2} \right)$$

$$+ \frac{1}{2} \left(\frac{\delta_4 + \delta_{20}}{2} + \frac{\delta_{12} + \delta_{28}}{2} \right)$$

$$+ \frac{1}{2} \left(\frac{\delta_5 + \delta_{21}}{2} + \frac{\delta_{13} + \delta_{29}}{2} \right)$$

$$+ \frac{1}{2} \left(\frac{\delta_6 + \delta_{22}}{2} + \frac{\delta_{14} + \delta_{30}}{2} \right)$$

$$+ \frac{1}{2} \left(\frac{\delta_7 + \delta_{23}}{2} + \frac{\delta_{15} + \delta_{31}}{2} \right)$$

$$8B = \frac{\delta_8 + \delta_{24}}{2}$$

$$+ \frac{\delta_1 - \delta_{17}}{2} S_1 + \frac{\delta_9 - \delta_{25}}{2} S_7$$

$$+ \frac{\delta_2 - \delta_{18}}{2} S_2 + \frac{\delta_{10} - \delta_{26}}{2} S_6$$

$$+ \frac{\delta_3 - \delta_{19}}{2} S_3 + \frac{\delta_{11} - \delta_{27}}{2} S_5$$

$$+ \frac{\delta_4 - \delta_{20}}{2} S_4 + \frac{\delta_{12} - \delta_{28}}{2} S_4$$

$$+ \frac{\delta_5 - \delta_{21}}{2} S_5 + \frac{\delta_{13} - \delta_{29}}{2} S_3$$

$$+ \frac{\delta_6 - \delta_{22}}{2} S_6 + \frac{\delta_{14} - \delta_{30}}{2} S_2$$

$$+ \frac{\delta_7 - \delta_{23}}{2} S_7 + \frac{\delta_{15} - \delta_{31}}{2} S_1$$

$$8C = \frac{\delta_0 - \delta_{16}}{2}$$

$$+ \frac{\delta_1 - \delta_{17}}{2} S_7 - \frac{\delta_9 - \delta_{25}}{2} S_1$$

$$+ \frac{\delta_2 - \delta_{18}}{2} S_6 - \frac{\delta_{10} - \delta_{26}}{2} S_2$$

$$+ \frac{\delta_3 - \delta_{19}}{2} S_5 - \frac{\delta_{11} - \delta_{27}}{2} S_3$$

$$+ \frac{\delta_4 - \delta_{20}}{2} S_4 - \frac{\delta_{12} - \delta_{28}}{2} S_4$$

$$+ \frac{\delta_5 - \delta_{21}}{2} S_3 - \frac{\delta_{13} - \delta_{29}}{2} S_5$$

$$+ \frac{\delta_6 - \delta_{22}}{2} S_2 - \frac{\delta_{14} - \delta_{30}}{2} S_3$$

$$+ \frac{\delta_7 - \delta_{23}}{2} S_1 - \frac{\delta_{15} - \delta_{31}}{2} S_7$$

$$\begin{aligned}
4D = & + \frac{1}{2} \left(\frac{\delta_4 + \delta_{20}}{2} - \frac{\delta_{12} + \delta_{28}}{2} \right) \\
& + \frac{1}{2} \left(\frac{\delta_1 + \delta_{17}}{2} - \frac{\delta_9 + \delta_{25}}{2} \right) S_2 + \frac{1}{2} \left(\frac{\delta_5 + \delta_{21}}{2} - \frac{\delta_{13} + \delta_{29}}{2} \right) S_6 \\
& + \frac{1}{2} \left(\frac{\delta_2 + \delta_{18}}{2} - \frac{\delta_{10} + \delta_{26}}{2} \right) S_4 + \frac{1}{2} \left(\frac{\delta_6 + \delta_{22}}{2} - \frac{\delta_{14} + \delta_{30}}{2} \right) S_4 \\
& + \frac{1}{2} \left(\frac{\delta_3 + \delta_{19}}{2} - \frac{\delta_{11} + \delta_{27}}{2} \right) S_6 + \frac{1}{2} \left(\frac{\delta_7 + \delta_{23}}{2} - \frac{\delta_{15} + \delta_{31}}{2} \right) S_2 \\
4E = & \frac{1}{2} \left(\frac{\delta_0 + \delta_{16}}{2} - \frac{\delta_8 + \delta_{24}}{2} \right) \\
& + \frac{1}{2} \left(\frac{\delta_1 + \delta_{17}}{2} - \frac{\delta_9 + \delta_{25}}{2} \right) S_6 - \frac{1}{2} \left(\frac{\delta_5 + \delta_{21}}{2} - \frac{\delta_{13} + \delta_{29}}{2} \right) S_2 \\
& + \frac{1}{2} \left(\frac{\delta_2 + \delta_{18}}{2} - \frac{\delta_{10} + \delta_{26}}{2} \right) S_4 - \frac{1}{2} \left(\frac{\delta_6 + \delta_{22}}{2} - \frac{\delta_{14} + \delta_{30}}{2} \right) S_4 \\
& + \frac{1}{2} \left(\frac{\delta_3 + \delta_{19}}{2} - \frac{\delta_{11} + \delta_{27}}{2} \right) S_2 - \frac{1}{2} \left(\frac{\delta_7 + \delta_{23}}{2} - \frac{\delta_{15} + \delta_{31}}{2} \right) S_6
\end{aligned}$$

But the deviations about to be discussed were all observed, not on the compass points, but on the correct magnetic points. Treating them in the manner which has just been described, we obtain the approximate coefficients A_1, B_1, C_1, D_1, E_1 , which belong to the correct magnetic points. Then, from equation (11) we get, going to terms of the third order inclusive,

$$\begin{aligned}
\delta = & \mathfrak{A} \tag{14} \\
& + (\mathfrak{B} + \mathfrak{A} \mathfrak{C}) \sin \zeta + (\mathfrak{C} - \mathfrak{A} \mathfrak{B} \cos \zeta \\
& + \left\{ \mathfrak{D} - \frac{\mathfrak{B}^2 - \mathfrak{C}^2}{2} \right\} \sin 2\zeta + \left\{ \mathfrak{C} - \mathfrak{B} \mathfrak{C} - \mathfrak{A} \mathfrak{D} \right\} \cos 2\zeta \\
& + \left\{ -\mathfrak{B} \mathfrak{D} + \mathfrak{C} \mathfrak{C} + \frac{\mathfrak{B}^3}{3} - \mathfrak{B} \mathfrak{C}^2 \right\} \sin 3\zeta \\
& + \left\{ -\mathfrak{B} \mathfrak{C} - \mathfrak{C} \mathfrak{D} - \frac{\mathfrak{C}^3}{3} + \mathfrak{B}^2 \mathfrak{C} \right\} \cos 3\zeta \\
& + \left\{ -\frac{\mathfrak{D}^2}{2} + (\mathfrak{B}^2 - \mathfrak{C}^2) \mathfrak{D} \right\} \sin 4\zeta + \left\{ -\mathfrak{D} \mathfrak{C} + 2\mathfrak{B} \mathfrak{C} \mathfrak{D} \right\} \cos 4\zeta \\
& + \mathfrak{B} \mathfrak{D}^2 \sin 5\zeta + \mathfrak{C} \mathfrak{D}^2 \cos 5\zeta \\
& + \frac{1}{3} \mathfrak{D}^3 \sin 6\zeta
\end{aligned}$$

where δ is expressed in terms of the arc which is equal to radius. If we suppose the complete expression for δ to be

$$\begin{aligned}
\delta = & A_1 + B_1 \sin \zeta + C_1 \cos \zeta + D_1 \sin 2\zeta + E_1 \cos 2\zeta \tag{15} \\
& + F_1 \sin 3\zeta + G_1 \cos 3\zeta + H_1 \sin 4\zeta + K_1 \cos 4\zeta \\
& + L_1 \sin 5\zeta + M_1 \cos 5\zeta + N_1 \sin 6\zeta
\end{aligned}$$

Then, comparing equation (14) with equation (15), we find, to terms of the third order inclusive,

$$\begin{aligned}
 \mathfrak{A} &= A_1 \\
 \mathfrak{B} &= B_1 - A_1 C_1 \\
 \mathfrak{C} &= C_1 + A_1 B_1 \\
 \mathfrak{D} &= D_1 + \frac{B_1^2 - C_1^2}{2} \\
 \mathfrak{E} &= E_1 + B_1 C_1 + A_1 D_1 \\
 F_1 &= -B_1 D_1 + C_1 E_1 - \frac{B_1^3}{6} - \frac{B_1 C_1^2}{2} \\
 G_1 &= -C_1 D_1 + B_1 E_1 - \frac{C_1^3}{6} + \frac{C_1 B_1^2}{2} \\
 H_1 &= -\frac{D_1^2}{2} + \frac{D_1 B_1^2}{2} - \frac{D_1 C_1^2}{2} \\
 K_1 &= -D_1 E_1 + 2 B_1 C_1 D_1 \\
 L_1 &= B_1 D_1^2 \\
 M_1 &= C_1 D_1^2 \\
 N_1 &= \frac{1}{3} D_1^3
 \end{aligned} \tag{16}$$

“When the deviation of the compass is small, the several parts of which it is composed are simply added together; these parts are,

1. A , the constant deviation.
2. $B \sin \zeta' + C \cos \zeta'$, the semicircular deviation.
3. $D \sin 2\zeta' + E \cos 2\zeta'$, the quadrantal deviation.

“When the deviation is large, \mathfrak{A} , \mathfrak{B} , \mathfrak{C} , \mathfrak{D} , \mathfrak{E} , or the angles of which these quantities are the natural sines, may still be considered as the constant and as the several parts of the semicircular and the quadrantal deviation, each of these angles being in fact the maximum deviation which would exist if all the other coefficients were zero; but their effects are no longer combined by simple addition.”

Before submitting the observed deviations to comparison with the theory, it is necessary to free them from constant errors. These errors originated in two ways.

1°. When the ship was swung, the variation of the needle at the port where she was lying was seldom accurately known. Hence, in order to obtain the true magnetic azimuth of the object used as an azimuth mark, it was necessary to adopt, for the time being, the best value of the variation which happened to be accessible. In order to facilitate the setting of the sight vanes of the Admiralty Standard Compass while the ship was being swung, the value thus adopted was always so taken that, when the ship's head pointed successively to each of the true magnetic points, the reading of the sight vanes on the azimuth circle attached to the cover of that compass was always either some whole degree or some quarter of a degree. When the declinometer observations were reduced, the true value of the variation of the compass at each port became known, and then it was discovered

that in some cases the adopted value was in error by more than three degrees. But an error in the adopted value of the variation produced an error of the same amount in the magnetic azimuth of the distant object used as an azimuth mark, and, therefore, in the pointing of the ship's head to each of the true magnetic points. Bearing in mind that the observed deviations were obtained by simply taking the difference between the heading of the ship and the reading of the compass, it will be apparent that if we apply to each observed deviation the difference between the true and adopted variation of the compass, with its proper sign, we shall obtain the true deviations for the directions in which the ship's head actually pointed at the time the readings of the compasses were made. From these corrected deviations the deviations on the true magnetic points can be found by simple interpolation. Therefore, if we let

m = the true, minus the adopted, magnetic azimuth of the distant object used as an azimuth mark: the azimuths being taken as increasing from the south around by the west.

δ' = the observed deviation of the compass when the ship headed in the direction A .

δ'' = the observed deviation of the compass when the ship headed in the direction $A \mp 11^\circ 15'$; the upper sign being taken when m is positive, the lower when m is negative.

δ = the deviation of the compass when the ship heads to the true magnetic point which lies between A and $A \mp 11^\circ 15'$; that point being of the same name as A was intended to be when the ship was swung.

Then we shall have with sufficient accuracy

$$\delta = \delta' + m \mp \frac{m(\delta' - \delta'')}{11^\circ 15'}$$


the upper sign being taken when m is positive, the lower when m is negative. By this formula the deviations of the Forward Alidade, Forward Binnacle, Forward Ritchie, Admiralty Standard, and After Azimuth Compasses, on the true magnetic points, have been computed from the observed deviations.

2°. In addition to the correction which has just been explained, the observed deviations of the After Binnacle and After Ritchie Compasses require a further correction on account of the lubber lines of these instruments revolving with the after turret, and thus being frequently out of their true position. This correction, which we will represent by L , is constant, and is equal in amount to the displacement of the lubber line. Its sign is $+$ if the lubber line is to starboard, $-$ if it is to port, of its true position. The deviations of the After Binnacle and After Ritchie Compasses, on the true magnetic points, were therefore computed from the observed deviations by the formula

$$\delta = \delta' + (m + L) \mp \frac{m(\delta' - \delta'')}{11^\circ 15'}$$

the upper sign being taken when m is positive, the lower when m is negative.

To have computed *numerically* all the values of δ for each compass by means of the expressions just given, would have involved a great amount of labor; it was therefore done graphically as follows:



On a piece of cardboard of suitable size a horizontal line ab , $5\frac{5}{8}$ inches long, was drawn, and divided into eighths of an inch; each half inch representing one degree, and the whole line representing $11^{\circ} 15'$, or one point of the compass. Touching the extremities of the line ab , and at right angles to it, were drawn the line cd and ef ; and each of them was divided, upward and downward from the line ab , into points and eighths of points;¹ each point occupying the space of $2\frac{3}{8}$ of an inch. Finally, a straight slip of drawing paper was divided on its edge into degrees and sixths of a degree, each degree occupying a space of one-quarter of an inch; and the graduation was numbered from the middle towards each extremity.

Then, to compute the values of δ for any compass at any place, the paper scale was laid down parallel to, and to the right of, cd , and at a distance from it (measured on the line ab) equal to m ; next, without moving the paper scale at all in the direction ab , it was slipped up or down, as might be necessary, in the direction parallel to cd , till the line ab cut the division on it which was equal to $(m + L)$; the zero of the scale being above the line ab if $(m + L)$ was negative, below it if

¹ For computing the deviations of the Admiralty Standard and After Azimuth Compasses the lines cd and ef were divided into degrees and sixths of a degree, each degree occupying the space of one-quarter of an inch.

($m + L$) was positive. Things being thus arranged, a weight was placed on the paper scale to prevent it from moving. Then a ruler being laid so that, while it crossed the line ed at a distance from a equal to δ' , it also crossed the line ef at a distance from b equal to δ'' (the distances δ' and δ'' being taken *above* the line ab if they were *positive*, *below* it if they were *negative*), the reading of the point on the paper scale where the ruler crossed its edge was the required value of δ . In that way, without again moving the paper scale, the values of the deviations on each of the thirty-two true magnetic points were computed from the observed values.

The following table contains the constants which were used in computing from the observed deviations the deviations on the true magnetic points. The first column gives the name of the station. The second column, the distance in miles from the ship to the object used as an azimuth mark. The third column, the assumed magnetic azimuth of the object used as an azimuth mark; the azimuth being counted from the south around by the west. The fourth column, the true magnetic azimuth of the same object, found by applying the magnetic declination given in the table on page 61, section IV, to the true azimuth given in the table on page 36, section III. The fifth column, the value of m . The sixth column, the value of L ; and the seventh column, the value of ($m + L$).

Station.	Distance of Object in Miles.	Assumed Magnetic Azimuth.	True Magnetic Azimuth.	m	L	($m + L$)
Hampton Roads	6 $\frac{1}{2}$	9° 15'	13° 12'	+ 3° 57'	0° 0'	+ 3° 57'
St. Thomas	4 $\frac{1}{2}$	327 30	327 45	+ 0 15	0 0	+ 0 15
Salute Islands	25	11 0	10 58	- 0 2	+ 6 18	+ 6 16
Ceara	4	268 45	270 36	+ 1 51	+ 6 18	+ 8 9
Bahia	5	103 30	106 0	+ 2 30	+ 6 18	+ 8 48
Rio Janeiro	5	126 30	129 14	+ 2 44	+ 5 43	+ 8 27
Monte Video	5	93 0	92 47	- 0 13	+ 4 9	+ 3 56
Sandy Point	26	345 15	345 22	+ 0 7	+ 4 9	+ 4 16
Valparaiso	3 $\frac{1}{2}$	195 15	195 16	+ 0 1	+ 4 17	+ 4 18
Callao	5 $\frac{1}{2}$	72 45	72 51	+ 0 6	+ 3 44	+ 3 50
Panama	7	15 0	15 1	+ 0 1	+ 3 44	+ 3 45
Acapulco	4	243 15	243 21	+ 0 6	+ 3 44	+ 3 50
Magdalena Bay	8	303 30	302 50	- 0 40	+ 3 44	+ 3 4
San Francisco	9	150 30	149 45	- 0 45	+ 3 49	+ 3 4

The following tables contain all the deviations of the compasses which were observed during the cruise. In each table the first column contains the assumed magnetic azimuth of the ship's head at the time the reading of the compass, given on the same line in the second column, was taken. The third column contains the observed deviation of the compass for each point, obtained by subtracting the readings in the second column from those in the first column. Hence, a deviation of the north point of the compass to the east is designated by the sign +; a deviation to the west by the sign -. The fourth column contains the deviation of the compass on each of the thirty-two true magnetic points, obtained from the observed deviations in the manner already explained.

MAGNETIC OBSERVATIONS.

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE ADMIRALTY STANDARD COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Hampton Roads, November 1, 1865.

Correction for Object = + 3° 57'. Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. by E.	—	0	+ 1° 30'
N. by E.	E. by N.	+	1	2 30
N. by E.	N. by E.	+	2	4 20
N. by E.	N. by N.	+	3	6 20
N. by E.	N. by N.	+	4	9 30
N. by E.	N. by E.	+	5	10 20
N. by E.	N. by E.	+	6	10 30
N. by E.	N. by N.	+	7	9 30
N. by E.	N. by E.	+	8	11 00
N. by E.	N. by E.	+	9	10 00
N. by E.	N. by E.	+	10	9 30
N. by E.	N. by E.	+	11	8 40
N. by E.	N. by E.	+	12	7 20
N. by E.	N. by E.	+	13	3 0
N. by E.	N. by E.	+	14	3 0
N. by E.	N. by E.	+	15	3 0
N. by E.	N. by E.	+	16	4 0
N. by E.	N. by E.	+	17	2 30
N. by E.	N. by E.	+	18	4 0
N. by E.	N. by E.	+	19	4 30
N. by E.	N. by E.	+	20	7 20
N. by E.	N. by E.	+	21	7 20
N. by E.	N. by E.	+	22	7 20
N. by E.	N. by E.	+	23	6 20
N. by E.	N. by E.	+	24	5 50
N. by E.	N. by E.	+	25	4 0
N. by E.	N. by E.	+	26	3 0
N. by E.	N. by E.	+	27	1 20
N. by E.	N. by E.	+	28	1 30

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign —.

From the observations given above, the following values of the coefficients of the deviation are obtained:
 A = + 1° 37'.4 B = + 9° 4'.6 C = — 0° 33'.1
 D = + 0° 29'.2 E = — 0° 7'.5
 Assumed magnetic bearing of tree S. 9° 15' W. Distant 6¼ miles.

St. Thomas, West Indies, November 16, 1865.

Correction for Object = + 0° 16'. Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. by E.	+	0	— 1° 10'
N. by E.	N. by N.	+	1	1 10
N. by E.	N. by N.	+	2	2 40
N. by E.	N. by N.	+	3	4 0
N. by E.	N. by N.	+	4	5 20
N. by E.	N. by N.	+	5	5 20
N. by E.	N. by N.	+	6	5 20
N. by E.	N. by N.	+	7	6 40
N. by E.	N. by N.	+	8	8 0
N. by E.	N. by N.	+	9	5 20
N. by E.	N. by N.	+	10	5 20
N. by E.	N. by N.	+	11	2 30
N. by E.	N. by N.	+	12	2 30
N. by E.	N. by N.	+	13	2 30
N. by E.	N. by N.	+	14	0 20
N. by E.	N. by N.	+	15	0 20
N. by E.	N. by N.	+	16	1 40
N. by E.	N. by N.	+	17	3 10
N. by E.	N. by N.	+	18	5 50
N. by E.	N. by N.	+	19	4 30
N. by E.	N. by N.	+	20	3 10
N. by E.	N. by N.	+	21	4 30
N. by E.	N. by N.	+	22	4 30
N. by E.	N. by N.	+	23	4 30
N. by E.	N. by N.	+	24	3 0
N. by E.	N. by N.	+	25	3 0
N. by E.	N. by N.	+	26	3 0
N. by E.	N. by N.	+	27	0 20
N. by E.	N. by N.	+	28	0 20

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign —.

From the observations given above, the following values of the coefficients of the deviation are obtained:
 A = + 0° 14'.6 B = + 5° 45'.5 C = + 0° 33'.5
 D = + 0° 3'.2 E = — 0° 48'.2
 Assumed magnetic bearing of Nipple S. 32° 30' E. Distant 4¼ miles.

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE ADMIRALTY STANDARD COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Isle Royal, Salute Islands, November 30, 1865. Assumed Magnetic Bearing of Object = S. 11° 0' W. Correction for Object = - 0° 2'. Correction for Lubber Line = 0.		Ceara, December 19, 1865. Assumed Magnetic Bearing of Object = N. 88° 45' E. Correction for Object = + 1° 51'. Correction for Lubber Line = 0.		
Assumed Magnetic Direction of Ship's Head.	Bearing of Object by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.				
N. by E.			+ 1° 5'	+ 2° 50'
N. N. E.			+ 1 45	+ 3 30
N. E. by N.			+ 2 45	+ 4 20
N. E.			+ 3 45	+ 5 10
N. E. by E.			+ 3 45	+ 5 40
E. N. E.			+ 3 45	+ 5 30
E. by N.			+ 3 15	+ 5 10
E. by S.			+ 1 45	+ 3 50
E. S. E. by E.			+ 1 45	+ 3 30
S. E. by E.			+ 0 45	+ 2 50
S. E. by S.				
S. S. E.				
S. by E.				
SOUTH.				
S. by W.				
S. S. W.				
S. W. by S.				
S. W.				
S. W. by W.				
W. S. W.				
W. by S.				
WEST.				
W. by N.				
W. N. W.				
N. W. by W.				
N. W.				
N. W. by N.				
N. N. W.				
N. by W.				
NORTH.				

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 A = - 0° 34'.7 B = + 4° 46'.1 C = + 2° 18'.7
 D = + 0° 49'.2 E = - 0° 14'.4

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE ADMIRALTY STANDARD COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Bahia, December 30, 1865.

Assumed Magnetic Bearing of Object = N. 76° 30' W.
Correction for Object = + 2° 30'. Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Bearing of Object by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. 76° 0' W.		- 0° 30'	+ 1° 40'
N. by E.	N. 77 40 W.		+ 1 10	+ 3 20
N. N. E.	N. 77 40 W.		+ 1 10	+ 3 40
N. E. by N.	N. 78 40 W.		+ 2 10	+ 4 30
N. E.	N. 78 40 W.		+ 2 10	+ 4 40
N. N. E. by E.	N. 79 0 W.		+ 2 30	+ 5 0
N. E. by E.	N. 79 0 W.		+ 2 30	+ 5 30
E. by N.	N. 79 40 W.		+ 3 10	+ 5 40
EAST.	N. 79 40 W.		+ 3 10	+ 5 40
E. by S.	N. 79 10 W.		+ 2 40	+ 5 20
E. S. E. by E.	N. 78 40 W.		+ 2 10	+ 4 40
S. E. by E.	N. 78 10 W.		+ 1 40	+ 4 20
S. E.	N. 77 0 W.		+ 0 30	+ 3 20
S. E. by S.	N. 76 40 W.		+ 0 10	+ 2 40
S. S. E.	N. 76 10 W.		- 0 20	+ 2 10
S. by E.	N. 76 0 W.		- 0 30	+ 2 0
SOUTH.	N. 75 40 W.		- 0 50	+ 1 40
S. by W.	N. 75 10 W.		- 1 20	+ 1 20
S. S. W.	N. 75 0 W.		- 1 30	+ 1 0
S. W. by S.	N. 74 20 W.		- 2 10	+ 0 30
S. W.	N. 74 0 W.		- 2 30	+ 0 0
S. W. by W.	N. 73 10 W.		- 3 20	- 0 40
W. S. W.	N. 72 40 W.		- 3 50	- 1 10
W. by S.	N. 72 0 W.		- 4 30	- 1 50
WEST.	N. 72 0 W.		- 4 30	- 2 0
W. by N.	N. 71 40 W.		- 4 50	- 2 10
W. N. W.	N. 72 0 W.		- 4 30	- 2 0
N. W. by W.	N. 72 0 W.		- 4 30	- 2 0
N. W.	N. 72 0 W.		- 4 30	- 2 0
N. N. W. by N.	N. 73 0 W.		- 3 30	- 1 10
N. N. W.	N. 74 0 W.		- 2 30	- 0 10
N. by W.	N. 74 40 W.		- 1 50	+ 0 30
NORTH.				+ 1 40

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .

From the observations given above, the following values of the coefficients of the deviation are obtained :

$$A = + 1^{\circ} 40'.2 \quad B = + 3^{\circ} 38'.5 \quad C = + 0^{\circ} 0'.4$$

$$D = + 0^{\circ} 47'.8 \quad E = 0^{\circ} 0'.0$$

MAGNETIC OBSERVATIONS.

Rio Janeiro, January 10, 1866.

Assumed Magnetic Bearing of Object = N. 53° 30' W.
Correction for Object = + 2° 44'. Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Bearing of Object by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.			+ 2° 30'	+ 4° 50'
N. by E.	N. 56° 0' W.		+ 3 30	+ 6 0
N. N. E.	N. 57 0 W.		+ 3 50	+ 6 30
N. E. by N.	N. 57 20 W.		+ 4 30	+ 7 0
N. E.	N. 56 20 W.		+ 2 50	+ 5 30
N. N. E. by E.	N. 56 20 W.		+ 2 30	+ 5 20
N. E. by E.	N. 55 40 W.		+ 2 10	+ 5 0
EAST.	N. 55 20 W.		+ 1 50	+ 4 40
E. by S.	N. 55 0 W.		+ 1 40	+ 4 20
E. S. E. by E.	N. 54 40 W.		+ 1 10	+ 4 0
S. E. by S.	N. 54 0 W.		+ 0 30	+ 3 20
S. S. E.	N. 54 0 W.		+ 0 50	+ 3 30
S. by E.	N. 53 20 W.		- 0 10	+ 2 50
SOUTH.	N. 53 20 W.		- 0 10	+ 2 30
S. by W.	N. 53 0 W.		- 0 30	+ 2 0
S. S. W.	N. 52 40 W.		- 0 50	+ 2 0
S. W. by S.	N. 52 0 W.		- 1 30	+ 1 30
S. W.				
S. W. by W.				
W. S. W.				
W. by S.				
WEST.				
W. by N.				
W. N. W.				
N. W. by W.				
N. W.				
N. N. W. by N.				
N. N. W.				
N. by W.				
NORTH.				

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .

From the observations given above, the following values of the coefficients of the deviation are obtained :

$$A = + 2^{\circ} 35'.7 \quad B = + 2^{\circ} 58'.5 \quad C = + 0^{\circ} 0'.2$$

$$D = + 0^{\circ} 53'.5 \quad E = - 0^{\circ} 3'.1$$

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE ADMIRALTY STANDARD COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Monte Video, January 24, 1866.

Assumed Magnetic Bearing of Object = N. 87° 0' W.

Correction for Object = - 0° 13'. Correction for Lubber Line = 0.

Sandy Point, February 10, 1866.

Assumed Magnetic Bearing of Object = S. 14° 45' E.

Correction for Object = + 0° 7'. Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Bearing of Object by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Bearing of Object by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	S. 89° 10' W.		+ 3° 50'	(+ 2° 20')	NORTH.	S. 15° 0' E.		+ 0° 15'	+ 0° 30'
N. by E.	S. 89 20 W.		+ 3 40	+ 3 30	N. by E.	S. 15 0 E.		+ 0 15	+ 0 30
N. N. E.	S. 88 40 W.		+ 4 20	+ 4 10	N. N. E.	S. 16 40 E.		+ 1 15	+ 1 10
N. E. by N.	S. 88 20 W.		+ 4 40	+ 4 30	N. E. by N.	S. 16 0 E.		+ 1 15	+ 1 30
N. E. by E.	S. 87 20 W.		+ 5 40	+ 5 30	N. E. by E.	S. 16 40 E.		+ 1 55	+ 2 10
E. N. E.	S. 87 40 W.		+ 5 20	+ 5 10	E. N. E.	S. 17 0 E.		+ 2 15	+ 2 30
E. by N.	S. 88 30 W.		+ 4 30	+ 4 20	E. by N.	S. 16 40 E.		+ 1 55	+ 2 10
EAST.	S. 88 0 W.		+ 5 0	+ 4 50	EAST.	S. 15 50 E.		+ 1 5	+ 1 20
E. by S.	S. 88 40 W.		+ 4 20	+ 4 00	E. by S.	S. 16 20 E.		+ 1 35	+ 1 50
E. S. E.	S. 89 10 W.		+ 3 50	+ 3 30	E. S. E.	S. 16 0 E.		+ 1 15	+ 1 30
S. E. by E.	N. 89 40 W.		+ 2 40	+ 2 30	S. E. by E.	S. 16 20 E.		+ 1 35	+ 1 50
S. E.	N. 90 0 W.		+ 3 0	+ 2 50	S. E.	S. 16 0 E.		+ 1 15	+ 1 30
S. E. by S.	N. 89 40 W.		+ 2 40	+ 2 20	S. E. by S.	S. 15 20 E.		+ 0 35	+ 0 50
S. S. E.	N. 89 0 W.		+ 2 0	+ 1 40	S. S. E.	S. 15 40 E.		+ 0 55	+ 1 10
S. by E.	N. 89 0 W.		+ 2 0	+ 1 40	S. by E.	S. 15 20 E.		+ 0 35	+ 0 50
SOUTH.	N. 88 20 W.		+ 1 20	+ 1 0	SOUTH.	S. 15 20 E.		+ 0 35	+ 0 50
S. by W.	N. 88 20 W.		+ 1 20	+ 1 0	S. by W.	S. 16 0 E.		+ 1 15	+ 1 30
S. S. W.	N. 88 0 W.		+ 1 0	+ 0 50	S. S. W.	S. 16 0 E.		+ 1 15	+ 1 30
S. W. by S.	S. W. by S. 1/4 S.		+ 1 0	+ 0 50	S. W. by S.	S. 15 50 E.		+ 1 5	+ 1 20
S. W.	S. W. 1/2 S.		+ 2 49	+ 2 30	S. W.	S. 15 40 E.		+ 0 55	+ 1 10
S. W. by W.	S. W. by W.		+ 1 24	+ 1 0	S. W. by W.	S. 14 40 E.		+ 0 45	+ 1 0
W. S. W.	W. S. W.		0 0	- 0 20	W. S. W.	S. 14 0 E.		- 0 5	+ 0 10
W. by S.	W. by S.		0 0	- 0 20	W. by S.	S. 14 0 E.		- 0 45	- 0 30
WEST.	W. N. 1/2 N.		- 1 24	- 1 40	WEST.	S. 14 10 E.		- 0 35	- 0 20
W. by N.	W. by N. 1/4 N.		- 2 49	- 3 10	W. by N.	S. 13 0 E.		- 1 45	- 1 30
W. N. W.	W. N. W. 1/4 N.		- 2 49	- 3 10	W. N. W.	S. 12 50 E.		- 1 55	- 1 40
N. W. by W.	N. W. 1/2 W.		- 2 49	- 3 0	N. W. by W.	S. 12 40 E.		- 2 5	- 1 50
N. W.	N. W. 1/4 N.		- 1 24	- 1 40	N. W.	S. 12 40 E.		- 2 5	- 1 50
N. W. by N.	N. 87° 0' W.		0 0	- 0 20	N. W. by N.	S. 13 0 E.		- 1 45	- 1 30
N. N. W.	N. 87 0 W.		0 0	- 0 10	N. N. W.	S. 13 20 E.		- 1 25	- 1 10
N. by W.	N. 88 0 W.		+ 1 0	+ 0 50	N. by W.	S. 14 0 E.		- 0 45	- 0 30
NORTH.	N. 88 0 W.		+ 1 0	(+ 2 20)	NORTH.	S. 15 0 E.		+ 0 15	+ 0 30

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
From the observations given above, the following values of the coefficients of the deviation are obtained :
A = + 1° 32'.8 B = + 1° 19'.5 C = + 0° 5'.8
D = + 0° 4'.8 E = + 0° 14'.5

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
From the observations given above, the following values of the coefficients of the deviation are obtained :
A = + 0° 35'.9 B = + 1° 20'.6 C = - 0° 40'.6
D = + 0° 53'.5 E = + 0° 1'.5

MAGNETIC OBSERVATIONS.

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE ADMIRALTY STANDARD COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Callao, April 20, 1866. Assumed Magnetic Bearing of Object = S. 72° 45' W. Correction for Object = + 0° 6'. Correction for Lubber Line = 0.				Valparaiso, April 4, 1866. Assumed Magnetic Bearing of Object = N. 15° 15' E. Correction for Object = + 0° 1'. Correction for Lubber Line = 0.					
Assumed Magnetic Direction of Ship's Head.	Bearing of Object by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Bearing of Object by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	S. 72° 40' W.		+ 0° 5'	+ 0° 10'	NORTH.	N. 15° 30' E.		+ 0° 15'	+ 0° 10'
N. by E.	S. 72 40 W.		+ 0 5	+ 0 10	N. by E.	N. 14 0 E.		+ 1 15	+ 1 20
N. N. E.	S. 71 40 W.		+ 1 5	+ 1 10	N. N. E.	N. 14 0 E.		+ 1 15	+ 1 20
N. E. by N.	S. 71 0 W.		+ 1 45	+ 1 50	N. E. by N.	N. 13 30 E.		+ 1 45	+ 1 50
N. E.	S. 70 0 W.		+ 2 25	+ 2 30	N. E.	N. 13 0 E.		+ 2 15	+ 2 20
N. E. by E.	S. 70 0 W.		+ 2 25	+ 2 30	N. E. by E.	N. 13 0 E.		+ 2 15	+ 2 20
N. E. by E.	S. 70 0 W.		+ 2 45	+ 2 50	N. E. by E.	N. 12 40 E.		+ 2 35	+ 2 40
E. by N.	S. 70 30 W.		+ 2 15	+ 2 20	E. by N.	N. 12 40 E.		+ 2 35	+ 2 40
EAST.	S. 71 0 W.		+ 1 45	+ 1 50	EAST.	N. 13 0 E.		+ 2 15	+ 2 20
E. by S.	S. 70 40 W.		+ 2 5	+ 2 10	E. by S.	N. 14 0 E.		+ 1 15	+ 1 20
E. S. E.	S. 71 40 W.		+ 1 5	+ 1 10	E. S. E.	N. 13 40 E.		+ 1 35	+ 1 40
E. S. E. by E.	S. 71 40 W.		+ 1 10	+ 1 15	E. S. E. by E.	N. 14 20 E.		+ 0 55	+ 0 60
S. E.	S. 72 0 W.		+ 0 45	+ 0 50	S. E.	N. 14 40 E.		+ 0 35	+ 0 40
S. E. by S.	S. 72 40 W.		+ 0 5	+ 0 10	S. E. by S.	N. 15 0 E.		+ 0 15	+ 0 20
S. S. E.	S. 72 40 W.		+ 0 5	+ 0 10	S. S. E.	N. 15 0 E.		+ 0 15	+ 0 20
S. S. E.	S. 73 0 W.		+ 0 15	+ 0 10	S. S. E.	N. 15 0 E.		+ 0 15	+ 0 20
SOUTH.	S. 73 0 W.		+ 0 15	+ 0 10	SOUTH.	N. 14 40 E.		+ 0 35	+ 0 40
S. by W.	S. 73 0 W.		+ 0 15	+ 0 10	S. by W.	N. 14 20 E.		+ 0 55	+ 0 60
S. S. W.	S. 73 0 W.		+ 0 15	+ 0 10	S. S. W.	N. 14 40 E.		+ 0 35	+ 0 40
S. S. W. by S.	S. 73 0 W.		+ 0 15	+ 0 10	S. S. W. by S.	N. 14 40 E.		+ 0 35	+ 0 40
S. W.	S. 74 0 W.		+ 1 15	+ 1 10	S. W.	N. 15 0 E.		+ 0 15	+ 0 20
S. W. by W.	S. 74 0 W.		+ 1 15	+ 1 10	S. W. by W.	N. 14 30 E.		+ 0 45	+ 0 50
S. W. by W.	S. 74 0 W.		+ 1 15	+ 1 10	S. W. by W.	N. 15 20 E.		+ 0 5	+ 0 0
W. by S.	S. 75 30 W.		+ 2 45	+ 2 40	W. by S.	N. 15 40 E.		+ 0 25	+ 0 20
WEST.	S. 76 0 W.		+ 3 15	+ 3 10	WEST.	N. 15 30 E.		+ 0 15	+ 0 10
W. by N.	S. 75 40 W.		+ 2 55	+ 2 50	W. by N.	N. 16 30 E.		+ 1 15	+ 1 10
W. N. W.	S. 76 0 W.		+ 3 15	+ 3 10	W. N. W.	N. 16 40 E.		+ 1 25	+ 1 20
N. W. by W.	S. 75 30 W.		+ 2 45	+ 2 40	N. W. by W.	N. 16 40 E.		+ 1 25	+ 1 20
N. W.	S. 75 40 W.		+ 2 55	+ 2 50	N. W.	N. 17 0 E.		+ 1 45	+ 1 40
N. W. by N.	S. 75 0 W.		+ 2 15	+ 2 10	N. W. by N.	N. 16 30 E.		+ 1 15	+ 1 10
N. N. W.	S. 74 20 W.		+ 1 35	+ 1 30	N. N. W.	N. 15 20 E.		+ 0 5	+ 0 0
N. by W.	S. 73 20 W.		+ 0 35	+ 0 30	N. by W.	N. 15 40 E.		+ 0 25	+ 0 20
NORTH.	S. 72 40 W.		+ 0 5	+ 0 10	NORTH.	N. 15 30 E.		+ 0 15	+ 0 10

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 A = + 0° 9'.1 B = + 2° 21'.1 C = - 0° 1'.8
 D = + 0° 52'.5 E = + 0° 5'.8

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE ADMIRALTY STANDARD COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Panama, May 20, 1866. Assumed Magnetic Bearing of Object = S. 15° 0' W. Correction for Object = + 0° 1'. Correction for Lubber Line = 0.				Acapulco, June 1, 1866. Assumed Magnetic Bearing of Object = N. 63° 15' E. Correction for Object = + 0° 6'. Correction for Lubber Line = 0.					
Assumed Magnetic Direction of Ship's Head.	Bearing of Object by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Bearing of Object by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	S. 14° 0' W.		+ 1° 30'	+ 1° 0'	NORTH.	N. 63° 40' E.		- 0° 25'	- 0° 20'
N. by E.	S. 13 30 W.		+ 1 30	+ 1 30	N. by E.	N. 63 0 E.		+ 0 15	+ 0 20
N. N. E.	S. 12 40 W.		+ 2 40	+ 2 30	N. N. E.	N. 62 10 E.		+ 1 5	+ 1 10
N. E.	S. 12 20 W.		+ 3 40	+ 3 40	N. E. by N.	N. 61 30 E.		+ 1 45	+ 1 50
N. E. by E.	S. 11 20 W.		+ 3 40	+ 3 40	N. E. by E.	N. 61 0 E.		+ 2 15	+ 2 20
E. N. E.	S. 11 0 W.		+ 4 0	+ 4 0	N. E.	N. 60 50 E.		+ 2 25	+ 2 30
E. by N.	S. 11 0 W.		+ 4 0	+ 4 0	N. E.	N. 60 40 E.		+ 2 35	+ 2 40
EAST.	S. 11 20 W.		+ 3 40	+ 3 40	E. by N.	N. 60 50 E.		+ 2 25	+ 2 30
E. by S.	S. 12 0 W.		+ 3 0	+ 3 0	E. by S.	N. 61 20 E.		+ 1 55	+ 2 0
E. S. E.	S. 12 0 W.		+ 3 0	+ 3 0	E. by S.	N. 61 50 E.		+ 1 15	+ 1 30
S. E. by E.	S. 13 0 W.		+ 2 0	+ 2 0	S. E. by E.	N. 62 0 E.		+ 1 15	+ 1 20
S. E.	S. 13 30 W.		+ 1 30	+ 1 30	S. E.	N. 62 20 E.		+ 0 55	+ 1 0
S. S. E.	S. 14 0 W.		+ 1 0	+ 1 0	S. E. by S.	N. 63 0 E.		- 0 5	- 0 10
S. by E.	S. 14 0 W.		+ 1 0	+ 1 0	S. S. E.	N. 63 40 E.		- 0 25	- 0 20
SOUTH.	S. 14 20 W.		+ 0 40	+ 0 40	S. by E.	N. 64 0 E.		- 0 45	- 0 40
S. by W.	S. 14 20 W.		+ 0 40	+ 0 40	SOUTH.	N. 63 50 E.		- 0 35	- 0 30
S. S. W.	S. 14 40 W.		+ 0 20	+ 0 20	S. by W.	N. 63 50 E.		- 0 35	- 0 30
S. W.	S. 15 0 W.		0 0	0 0	S. S. W.	N. 64 10 E.		- 0 55	- 0 50
S. W. by S.	S. 15 40 W.		- 0 40	- 0 40	S. W. by S.	N. 64 30 E.		- 1 15	- 1 10
S. W. by W.	S. 16 20 W.		- 1 20	- 1 20	S. W.	N. 65 0 E.		- 1 45	- 1 40
W. S. W.	S. 16 40 W.		- 1 40	- 1 40	S. W. by W.	N. 65 30 E.		- 2 15	- 2 10
WEST.	S. 17 50 W.		- 2 50	- 2 50	W. S. W.	N. 66 0 E.		- 2 45	- 2 40
W. by N.	S. 18 0 W.		- 3 0	- 3 0	W. by S.	N. 66 40 E.		- 3 25	- 3 20
W. N. W.	S. 17 30 W.		- 2 30	- 2 30	WEST.	N. 67 0 E.		- 3 45	- 3 40
W. N. W. by W.	S. 18 0 W.		- 3 0	- 3 0	W. by N.	N. 67 0 E.		- 3 45	- 3 40
N. W. by W.	S. 18 0 W.		- 2 10	- 2 10	N. W. by W.	N. 67 20 E.		- 4 5	- 4 0
N. W.	S. 17 10 W.		- 2 0	- 2 0	N. W.	N. 66 40 E.		- 3 45	- 3 40
N. W. by N.	S. 17 0 W.		- 1 0	- 1 0	N. W. by N.	N. 66 10 E.		- 3 25	- 3 20
N. N. W.	S. 16 0 W.		- 1 0	- 1 0	N. N. W.	N. 65 20 E.		- 2 55	- 2 50
N. by W.	S. 15 20 W.		- 0 20	- 0 20	N. by W.	N. 64 40 E.		- 2 5	- 2 0
NORTH.	S. 14 0 W.		+ 1 0	+ 1 0	NORTH.	N. 63 40 E.		- 0 25	- 0 20

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.

From the observations given above, the following values of the coefficients of the deviation are obtained:

A = + 0° 31'.6 B = + 3° 2'.1 C = + 0° 1'.9
 D = + 0° 55'.0 E = + 0° 8'.0

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.

From the observations given above, the following values of the coefficients of the deviation are obtained:

A = - 0° 36'.9 B = + 2° 45'.4 C = + 0° 5'.5
 D = + 0° 56'.8 E = + 0° 8'.0

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE ADMIRALTY STANDARD COMPASS ON THE U. S. IRON CLAD MONADNOCK.

MAGNETIC OBSERVATIONS.

Magdalena Bay, June 9, 1866.

Assumed Magnetic Bearing of Object = S. 56° 30' E.
Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Bearing of Object by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	S. 56° 30' E.		0° 0'	- 0° 40'
N. by E.	S. 56 40 E.		+ 0 10	- 0 30
N. N. E.				
N. E. by N.				
N. E.				
N. E. by E.				
E. N. E.				
E. by N.				
EAST.				
E. by S.				
E. S. E.				
E. S. E. by E.				
S. E.				
S. E. by S.				
S. S. E.				
S. by E.				
SOUTH.				
S. by W.				
S. S. W.				
S. W. by S.				
S. W.				
S. W. by W.	S. 57 0 E.		+ 0 30	- 0 20
W. S. W.	S. 56 20 E.		- 0 10	- 1 0
W. by S.	S. 55 30 E.		- 1 0	- 1 50
WEST.	S. 55 0 E.		- 1 30	- 2 20
W. by N.	S. 54 20 E.		- 2 10	- 3 0
W. N. W.	S. 53 20 E.		- 3 10	- 3 50
N. W. by W.	S. 53 0 E.		- 3 10	- 3 50
N. W.	S. 53 30 E.		- 3 30	- 4 10
N. W. by N.	S. 53 30 E.		- 3 0	- 3 40
N. N. W.	S. 54 30 E.		- 3 0	- 3 40
N. by W.	S. 55 30 E.		- 2 0	- 2 40
NORTH.	S. 56 30 E.		0 0	- 0 40

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.
From the observations given above, the following values of the coefficients of the deviation are obtained:
A = + 0° 9'.0 B = + 0° 53'.5 C = - 1° 10'.3
D = + 0° 12'.1 E = + 0'.8

San Francisco, June 23, 1866.

Assumed Magnetic Bearing of Object = N. 29° 30' W.
Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Bearing of Object by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. 28° 20' W.		- 1° 10'	- 1° 50'
N. by E.	N. 29 30 W.		0 0	- 0 40
N. N. E.	N. 31 0 W.		+ 1 30	+ 0 50
N. E. by N.	N. 32 0 W.		+ 2 30	+ 1 50
N. E.	N. 33 0 W.		+ 3 30	+ 2 50
N. E. by E.	N. 33 30 W.		+ 4 0	+ 3 20
E. N. E.	N. 34 30 W.		+ 5 0	+ 4 10
E. by N.	N. 34 15 W.		+ 5 0	+ 4 10
EAST.	N. 34 0		+ 4 45	+ 4 0
E. by S.	N. 33 30 W.		+ 4 0	+ 3 20
E. S. E.	N. 34 0 W.		+ 4 0	+ 3 40
E. S. E. by E.	N. 33 30 W.		+ 4 0	+ 3 20
S. E.	N. 33 30 W.		+ 4 0	+ 3 10
S. E. by S.	N. 33 0 W.		+ 3 30	+ 2 0
S. S. E.	N. 32 20 W.		+ 2 50	+ 2 0
S. by E.	N. 31 30 W.		+ 2 0	+ 1 10
SOUTH.	N. 31 0 W.		+ 1 30	+ 0 40
S. by W.	N. 30 0 W.		+ 0 30	+ 0 20
S. S. W.	N. 29 40 W.		+ 0 10	+ 0 40
S. W. by S.	N. 28 40 W.		- 0 50	- 1 40
S. W.	N. 28 0 W.		- 1 20	- 2 20
S. W. by W.	N. 27 0 W.		- 2 30	- 3 20
W. S. W.	N. 26 20 W.		- 3 10	- 4 0
W. by S.	N. 25 20 W.		- 4 10	- 5 0
WEST.	N. 25 0 W.		- 4 30	- 5 20
W. by N.	N. 24 30 W.		- 5 0	- 5 50
W. N. W.	N. 24 0 W.		- 5 30	- 6 20
N. W. by W.	N. 23 30 W.		- 6 0	- 6 50
N. W.	N. 24 0 W.		- 5 30	- 6 10
N. W. by N.	N. 25 15 W.		- 4 15	- 5 0
N. N. W.	N. 26 30 W.		- 3 30	- 4 10
N. by W.	N. 27 30 W.		- 2 0	- 2 50
NORTH.	N. 28 20 W.		- 1 10	- 1 50

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.
From the observations given above, the following values of the coefficients of the deviation are obtained:
A = - 0° 39'.6 B = + 4° 53'.2 C = - 1° 15'.4
D = + 0° 51'.2 E = + 0° 5'.8

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE AFTER BINNACLE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Hampton Roads, November 1, 1865. Correction for Object = + 3° 57'. Correction for Lubber Line = 0.				St. Thomas, November 18, 1865. Correction for Object = + 0° 16'. Correction for Lubber Line = 0.					
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. ½ E.	—	0	— 0° 50'	NORTH.	N. ½ E.	0	0	0
N. by E.	N. by E. ½ E.	—	0	+ 1 30	N. N. E.	N. N. E.	+	0	0
N. N. E.	N. N. E. by N. ½ N.	+	0	+ 1 30	N. N. E. by N.	N. N. E. by N.	+	0	0
N. E.	N. E. ½ N.	+	0	+ 1 30	N. E. by E.	N. E. by E.	—	0	0
N. E. by E.	N. E. by E. ½ E.	+	0	+ 1 30	N. E. by N.	N. E. by N.	—	0	0
E. N. E.	E. N. E. by N. ½ N.	+	0	+ 1 30	EAST.	EAST.	+	0	0
E. by N.	E. by N.	+	0	+ 1 30	E. by S.	E. by S.	+	0	0
E. by S.	E. by S.	+	0	+ 1 30	E. by S. ½ S.	E. by S. ½ S.	+	0	0
E. S. E.	E. S. E. by E. ½ E.	+	0	+ 1 30	E. by S. E.	E. by S. E.	+	0	0
S. E.	S. E. by S.	+	0	+ 1 30	S. E. by E.	S. E. by E.	—	0	0
S. E. by S.	S. E. by S. ½ S.	+	0	+ 1 30	S. E. by S. E.	S. E. by S. E.	—	0	0
S. S. E.	S. S. E.	+	0	+ 1 30	S. by E.	S. by E.	+	0	0
S. by E.	S. ½ W.	—	0	+ 1 30	SOUTH.	SOUTH.	+	0	0
S. by W.	S. by W.	—	0	+ 1 30	S. by W.	S. by W.	—	0	0
S. W. by S.	S. W. by S.	—	0	+ 1 30	S. S. W.	S. S. W.	—	0	0
S. W.	S. W. ½ W.	—	0	+ 1 30	S. W. by S.	S. W. by S.	—	0	0
S. W. by W.	S. W. by W. ½ W.	—	0	+ 1 30	S. W. by W.	S. W. by W.	—	0	0
W. S. W.	W. by S. ½ S.	—	0	+ 1 30	S. W. by W. ½ W.	S. W. by W. ½ W.	—	0	0
W. by S.	W.	—	0	+ 1 30	W. by S.	W.	—	0	0
WEST.	W. by N.	—	0	+ 1 30	WEST.	WEST.	—	0	0
W. by N.	W. N. W.	—	0	+ 1 30	W. by N.	W. by N.	—	0	0
W. N. W.	N. W. by W.	—	0	+ 1 30	W. N. W.	W. N. W.	—	0	0
N. W. by W.	N. W. by N.	—	0	+ 1 30	N. W. by W.	N. W. by W.	—	0	0
N. W.	N. N. W. ½ W.	—	0	+ 1 30	N. W. by N.	N. W. by N.	—	0	0
N. N. W.	N. by W. ½ W.	—	0	+ 1 30	N. N. W.	N. N. W.	—	0	0
N. by W.	N. ½ W.	—	0	+ 1 30	N. by W.	N. by W.	—	0	0
NORTH.	NORTH.	—	0	+ 1 30	NORTH.	NORTH.	—	0	0

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign — .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 A = + 0° 27'.5 B = + 7° 16'.8 C = — 1° 14'.1
 D = + 1° 39'.2 E = + 0° 6'.2

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE AFTER BINNACLE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Isle Royal, Salute Islands, November 30, 1865.
Correction for Object = -0° 2'. Correction for Lubber Line = +6° 18'.

Ceara, December 19, 1865.
Correction for Object = +1° 51'. Correction for Lubber Line = +6° 18'.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.			0	
N. by E.			'	
N. N. E.				
N. E. by N.				
N. E.				
N. E. by E.				
E. N. E.				
E. by N.				
EAST.	EAST.	0		+6° 20'
E. by S.	E. by S.	0		+6 20
E. S. E.				
S. E. by E.				
S. E.				
S. E. by S.				
S. S. E.				
S. by E.				
SOUTH.				
S. by W.				
S. S. W.				
S. W. by S.				
S. W.				
S. W. by W.				
W. S. W.				
W. by S.				
WEST.				
W. by N.				
W. N. W.				
N. W. by W.				
N. W.				
N. W. by N.				
N. N. W.				
N. by W.				
NORTH.				

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
From the observations given above, the following values of the coefficients of the deviation are obtained:
A = +0° 21' 5 B = +4° 34' 9 C = +2° 4' 8
D = +2° 3' 4 E = -0° 16' 5

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE AFTER BINNACLE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Bahia, December 30, 1865. Correction for Object = + 2° 30'. Correction for Lubber Line = + 6° 18'.				Rio Janeiro, January 10, 1866. Correction for Object = + 2° 44'. Correction for Lubber Line = + 5° 43'.					
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. $\frac{1}{2}$ E.	—	0	+ 2° 30'	NORTH.	N. E. $\frac{1}{2}$ N.	—	0	+ 5° 20'
N. by E.	N. by E. $\frac{1}{2}$ E.	—	1	+ 3 10	N. by E.	N. E. $\frac{1}{2}$ E.	—	1	+ 6 50
N. N. E.	N. N. E. $\frac{1}{2}$ E.	—	2	+ 5 0	N. N. E.	N. E. by E. $\frac{1}{2}$ N.	—	2	+ 7 10
N. E.	N. E. $\frac{1}{2}$ E.	—	3	+ 6 0	N. E.	N. E. $\frac{1}{2}$ E.	—	3	+ 7 10
N. E. by E.	N. E. by E. $\frac{1}{2}$ E.	—	4	+ 8 10	N. E. by E.	E. by N. $\frac{1}{2}$ N.	—	4	+ 7 10
E. N. E.	E. N. E.	0	5	+ 8 50	E. N. E.	E. $\frac{1}{2}$ S.	—	5	+ 5 40
E. by N.	E. by N.	1	6	+ 7 40	EAST.	E. by S. $\frac{1}{2}$ S.	—	6	+ 5 40
E. $\frac{1}{2}$ S.	E. $\frac{1}{2}$ S.	—	6	+ 6 0	E. by S.	S. E. by E. $\frac{1}{2}$ E.	—	7	+ 4 40
S. E. by E.	S. E. by E. $\frac{1}{2}$ E.	—	7	+ 4 50	S. E. by E.	S. E. $\frac{1}{2}$ E.	—	8	+ 4 40
S. E.	S. E. $\frac{1}{2}$ S.	—	8	+ 3 30	S. E.	S. E. $\frac{1}{2}$ S.	—	9	+ 4 20
S. E. by S.	S. E. by S.	—	9	+ 3 10	S. E. by S.	S. S. E. $\frac{1}{2}$ E.	—	10	+ 3 10
S. S. E.	S. S. E. $\frac{1}{2}$ E.	—	10	+ 2 0	S. S. E.	S. S. E. $\frac{1}{2}$ E.	—	11	+ 2 50
S. S. E. by E.	S. S. E. by E. $\frac{1}{2}$ E.	—	11	+ 1 50	S. S. E. by E.	S. by E. $\frac{1}{2}$ E.	—	12	+ 1 50
S. by E.	S. by E.	—	12	+ 1 50	S. by E.	S. $\frac{1}{2}$ W. $\frac{1}{2}$ W.	—	13	+ 1 30
SOUTH.	S. $\frac{1}{2}$ W.	—	13	+ 1 50	SOUTH.	S. $\frac{1}{2}$ W.	—	14	+ 1 30
S. by W.	S. by W. $\frac{1}{2}$ W.	—	14	+ 1 50	S. by W.	S. by W. $\frac{1}{2}$ W.	—	15	+ 1 30
S. S. W.	S. S. W. $\frac{1}{2}$ W.	—	15	+ 0 40	S. S. W.	S. S. W. $\frac{1}{2}$ W.	—	16	+ 0 20
S. S. W. by S.	S. S. W. by S.	—	16	+ 0 20	S. S. W. by S.	S. W. $\frac{1}{2}$ S.	—	17	+ 0 20
S. W.	S. W. $\frac{1}{2}$ W.	—	17	+ 0 40	S. W.	S. W. $\frac{1}{2}$ S.	—	18	+ 0 10
S. W. by W.	S. W. by W. $\frac{1}{2}$ W.	—	18	+ 2 10	S. W. by W.	S. W. $\frac{1}{2}$ S.	—	19	+ 0 10
W. S. W.	W. S. W. $\frac{1}{2}$ W.	—	19	+ 2 30	W. S. W.	W. S. W.	—	20	+ 0 10
W. by S.	W. by S. $\frac{1}{2}$ N.	—	20	+ 3 30	W. by S.	W. by S.	—	21	+ 0 10
W. by N.	W. by N. $\frac{1}{2}$ N.	—	21	+ 3 50	WEST.	W. by N.	—	22	+ 0 10
W. N. W.	W. N. W. $\frac{1}{2}$ W.	—	22	+ 5 0	W. N. W.	W. N. W. $\frac{1}{2}$ W.	—	23	+ 0 10
W. N. W. by W.	W. N. W. by W. $\frac{1}{2}$ W.	—	23	+ 5 20	W. N. W. by W.	N. W. $\frac{1}{2}$ W.	—	24	+ 0 10
N. W.	N. W. $\frac{1}{2}$ W.	—	24	+ 5 20	N. W.	N. W. $\frac{1}{2}$ W.	—	25	+ 0 10
N. W. by N.	N. W. by N. $\frac{1}{2}$ W.	—	25	+ 5 20	N. W. by N.	N. N. W.	—	26	+ 0 10
N. N. W.	N. N. W.	—	26	+ 3 10	N. N. W.	N. N. W.	—	27	+ 0 10
N. N. W. by N.	N. N. W. by N. $\frac{1}{2}$ W.	—	27	+ 1 20	N. N. W. by N.	N. by W.	—	28	+ 0 10
N. by W.	N. by W. $\frac{1}{2}$ W.	—	28	+ 0 0	N. by W.	N. by W.	—	29	+ 0 10
NORTH.	N. $\frac{1}{2}$ W.	—	29	+ 2 30	NORTH.	NORTH.	—	30	+ 2 30

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign —.

From the observations given above, the following values of the coefficients of the deviation are obtained:

$A = + 1^\circ 29'.8$ $B = + 5^\circ 43'.6$ $C = - 0^\circ 6'.9$
 $D = + 1^\circ 41'.5$ $E = + 0^\circ 7'.8$

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign —.
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 $A = + 0^\circ 51'.4$ $B = + 5^\circ 24'.9$ $C = - 0^\circ 24'.8$
 $D = + 1^\circ 56'.7$ $E = - 0^\circ 4'.2$

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE AFTER BINNACLE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Monte Video, January 24, 1866.

Correction for Object = -0° 13'. Correction for Lubber Line = +4° 9'.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. $\frac{1}{2}$ E.	—	0	-1° 20'
N. by E.	N. by E. $\frac{1}{2}$ E.	+	4	0
N. N. E.	N. by E. $\frac{1}{4}$ N.	+	5	20
N. E. by N.	N. E. by N. $\frac{1}{4}$ N.	+	6	40
N. E.	N. E. $\frac{1}{2}$ E.	+	8	10
N. N. E. by E.	N. E. by E. $\frac{1}{2}$ E.	+	8	10
N. E. by N.	E. by N. $\frac{1}{8}$ N.	+	6	40
EAST.	E. $\frac{1}{2}$ S.	+	6	40
E. by S.	E. by S. $\frac{1}{2}$ S.	+	5	20
E. S. E. by E.	S. E. by E. $\frac{1}{2}$ S.	+	4	0
S. E.	S. E. $\frac{1}{2}$ S.	+	2	30
S. E. by S.	S. E. by S. $\frac{1}{2}$ S.	+	1	0
S. S. E.	S. by E. $\frac{1}{4}$ E.	+	1	0
S. by E.	S. $\frac{1}{2}$ E.	—	0	20
SOUTH.	S. $\frac{1}{2}$ W.	—	0	20
S. by W.	S. by W. $\frac{1}{2}$ W.	—	0	20
S. S. W.	S. S. W. $\frac{1}{2}$ W.	—	1	40
S. W. by S.	S. W. by S. $\frac{1}{2}$ S.	—	0	20
S. W.	S. W. $\frac{1}{2}$ W.	—	0	20
S. W. by W.	S. W. by W. $\frac{1}{2}$ W.	—	1	40
W. S. W.	W. by S. $\frac{1}{2}$ S.	—	1	40
W. by S.	W. $\frac{1}{2}$ S.	—	3	20
WEST.	W. $\frac{1}{2}$ N.	—	4	30
W. by N.	W. by N. $\frac{1}{2}$ N.	—	4	30
W. N. W.	N. W. by W. $\frac{1}{4}$ W.	—	4	30
N. W. by W.	N. W. $\frac{1}{2}$ W.	—	4	30
N. W.	N. W. $\frac{1}{2}$ W.	—	4	30
N. W. by N.	N. by W. $\frac{1}{2}$ W.	—	3	0
N. N. W.	N. N. W. $\frac{1}{2}$ W.	—	1	40
N. by W.	N. by W. $\frac{1}{2}$ W.	—	1	40
NORTH.	N. $\frac{1}{2}$ W.	—	0	20

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign —.
From the observations given above, the following values of the coefficients of the deviation are obtained:
A = +1° 3' 1.1 B = +5° 30' 6 C = +0° 41' 9
D = +1° 57' 5 E = -0° 42' 5

Sandy Point, February 10, 1866.

Correction for Object = +0° 7'. Correction for Lubber Line = +4° 9'.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. $\frac{1}{2}$ E.	—	0	-1° 20'
N. by E.	N. by E. $\frac{1}{2}$ E.	—	0	+
N. N. E.	N. by E. $\frac{1}{4}$ E.	—	0	+
N. E. by N.	N. E. by N. $\frac{1}{4}$ E.	+	1	20
N. E.	N. E. $\frac{1}{2}$ E.	+	1	20
N. N. E. by E.	N. E. by E. $\frac{1}{2}$ E.	+	1	20
N. E. by N.	E. by N. $\frac{1}{8}$ N.	+	1	20
EAST.	E. $\frac{1}{2}$ N.	+	1	20
E. by S.	E. by S.	+	1	20
E. S. E. by E.	E. S. E. by E.	+	1	20
S. E.	S. E. $\frac{1}{2}$ S.	+	1	20
S. E. by S.	S. E. by S. $\frac{1}{2}$ S.	+	1	20
S. S. E.	S. by E. $\frac{1}{4}$ E.	+	1	20
S. by E.	S. $\frac{1}{2}$ E.	—	0	0
SOUTH.	S. $\frac{1}{2}$ W.	—	0	0
S. by W.	S. by W. $\frac{1}{2}$ W.	—	0	0
S. S. W.	S. S. W. $\frac{1}{2}$ W.	—	0	0
S. W. by S.	S. W. by S. $\frac{1}{2}$ S.	—	0	0
S. W.	S. W. $\frac{1}{2}$ W.	—	0	0
S. W. by W.	S. W. by W. $\frac{1}{2}$ W.	—	0	0
W. S. W.	W. by S. $\frac{1}{2}$ S.	—	0	0
W. by S.	W. $\frac{1}{2}$ S.	—	0	0
WEST.	W. $\frac{1}{2}$ N.	—	0	0
W. by N.	W. by N. $\frac{1}{2}$ N.	—	0	0
W. N. W.	N. W. by W. $\frac{1}{4}$ W.	—	0	0
N. W. by W.	N. W. $\frac{1}{2}$ W.	—	0	0
N. W.	N. W. $\frac{1}{2}$ W.	—	0	0
N. W. by N.	N. by W. $\frac{1}{2}$ W.	—	0	0
N. N. W.	N. N. W. $\frac{1}{2}$ W.	—	0	0
N. by W.	N. by W. $\frac{1}{2}$ W.	—	0	0
NORTH.	N. $\frac{1}{2}$ W.	—	0	0

A deviation of the North Point of the Compass to the East is designated by the sign + a deviation to the West by the sign —.
From the observations given above, the following values of the coefficients of the deviations are obtained:
A = -0° 24' 5 B = +5° 44' 4 C = -0° 14' 6
D = +1° 58' 5 E = +0° 0' 2

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE AFTER BINNACLE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Valparaiso, April 4, 1866. Correction for Object = + 0° 1'. Correction for Lubber Line = + 4° 17'.				Callao, April 29, 1866. Correction for Object = + 0° 6'. Correction for Lubber Line = + 3° 44'.					
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. $\frac{1}{2}$ E.	—	0	+ 1	NORTH.	N. $\frac{1}{2}$ E.	—	0	+ 1
N. by E.	N. by E. $\frac{1}{4}$ E.	—	0	+ 2	N. by E.	N. by E. $\frac{1}{4}$ E.	—	0	+ 2
N. N. E.	N. N. E. by N.	—	0	+ 3	N. N. E.	N. N. E. by N.	—	0	+ 3
N. E. by N.	N. E. $\frac{1}{2}$ N.	+	1	+ 4	N. E. by N.	N. E. $\frac{1}{2}$ N.	+	1	+ 4
N. E. by E.	N. E. $\frac{1}{4}$ E.	+	1	+ 5	N. E. by E.	N. E. $\frac{1}{4}$ E.	+	1	+ 5
N. N. E. by E.	N. N. E. $\frac{1}{2}$ E.	+	1	+ 5	N. N. E. by E.	N. N. E. $\frac{1}{2}$ E.	+	1	+ 5
N. E. by N.	N. E. by E. $\frac{1}{4}$ E.	+	1	+ 4	N. E. by N.	N. E. by E. $\frac{1}{4}$ E.	+	1	+ 4
EAST.	EAST.	—	0	+ 4	EAST.	EAST.	—	0	+ 4
E. by S.	E. by S. $\frac{1}{4}$ S.	—	0	+ 1	E. by S.	E. by S. $\frac{1}{4}$ S.	—	0	+ 1
E. S. E.	E. S. E. by E. $\frac{1}{4}$ E.	—	0	+ 2	E. S. E.	E. S. E. by E. $\frac{1}{4}$ E.	—	0	+ 2
S. E. by E.	S. E. $\frac{1}{4}$ E.	—	0	+ 1	S. E. by E.	S. E. $\frac{1}{4}$ E.	—	0	+ 1
S. E.	S. E. by S. $\frac{1}{4}$ S.	—	0	+ 1	S. E.	S. E. by S. $\frac{1}{4}$ S.	—	0	+ 1
S. S. E.	S. S. E. by S. $\frac{1}{2}$ S.	—	0	0	S. S. E.	S. S. E. by S. $\frac{1}{2}$ S.	—	0	0
S. by E.	S. by E. $\frac{1}{4}$ E.	—	0	0	S. by E.	S. by E. $\frac{1}{4}$ E.	—	0	0
SOUTH.	SOUTH.	—	0	0	SOUTH.	SOUTH.	—	0	0
S. by W.	S. by W. $\frac{1}{4}$ W.	—	0	0	S. by W.	S. by W. $\frac{1}{4}$ W.	—	0	0
S. S. W.	S. S. W. by S. $\frac{1}{4}$ S.	—	0	0	S. S. W.	S. S. W. by S. $\frac{1}{4}$ S.	—	0	0
S. W. by S.	S. W. $\frac{1}{2}$ S.	—	0	0	S. W. by S.	S. W. $\frac{1}{2}$ S.	—	0	0
S. W. by W.	S. W. by W. $\frac{1}{4}$ W.	—	0	- 1	S. W. by W.	S. W. by W. $\frac{1}{4}$ W.	—	0	- 1
W. S. W.	W. S. W. by S. $\frac{1}{4}$ S.	—	0	- 1	W. S. W.	W. S. W. by S. $\frac{1}{4}$ S.	—	0	- 1
W. by S.	W. by S. $\frac{1}{2}$ S.	—	0	- 2	W. by S.	W. by S. $\frac{1}{2}$ S.	—	0	- 2
WEST.	WEST.	—	0	- 4	WEST.	WEST.	—	0	- 4
W. by N.	W. by N. $\frac{1}{4}$ N.	—	0	- 4	W. by N.	W. by N. $\frac{1}{4}$ N.	—	0	- 4
N. N. W.	N. N. W. by W. $\frac{1}{4}$ W.	—	0	- 4	N. N. W.	N. N. W. by W. $\frac{1}{4}$ W.	—	0	- 4
N. W. by W.	N. W. $\frac{1}{2}$ W.	—	0	- 5	N. W. by W.	N. W. $\frac{1}{2}$ W.	—	0	- 5
N. W.	N. W. $\frac{1}{4}$ N.	—	0	- 4	N. W.	N. W. $\frac{1}{4}$ N.	—	0	- 4
N. N. W. by N.	N. N. W. by N. $\frac{1}{4}$ N.	—	0	- 4	N. N. W. by N.	N. N. W. by N. $\frac{1}{4}$ N.	—	0	- 4
N. N. W.	N. N. W. $\frac{1}{2}$ W.	—	0	- 1	N. N. W.	N. N. W. $\frac{1}{2}$ W.	—	0	- 1
N. by W.	N. by W. $\frac{1}{4}$ W.	—	0	- 2	N. by W.	N. by W. $\frac{1}{4}$ W.	—	0	- 2
NORTH.	NORTH.	—	0	0	NORTH.	NORTH.	—	0	0

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign —.
From the observations given above, the following values of the coefficients of the deviations are obtained:
A = + 0° 4'.9 B = + 3° 58'.8 C = + 0° 7'.9
D = + 2° 1'.5 E = - 0° 0'.2

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign —.
From the observations given above, the following values of the coefficients of the deviations are obtained:
A = + 0° 27'.1 B = + 4° 12'.5 C = - 0° 3'.9
D = + 2° 7'.5 E = + 0° 9'.0

MAGNETIC OBSERVATIONS.

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE AFTER BINNACLE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Pahama, May 20, 1866. Correction for Object = + 0° 1'. Correction for Lubber Line = + 3° 44'.				Acapulco, June 1, 1866. Correction for Object = + 0° 6'. Correction for Lubber Line = + 3° 44'.					
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. $\frac{1}{2}$ E.	—	0	—	NORTH.	N. $\frac{1}{2}$ E.	—	0	—
N. by E.	N. by E. $\frac{1}{2}$ E.	—	0	+ 1	N. by E.	N. by E. $\frac{1}{2}$ E.	—	0	+ 1
N. N. E.	N. N. E. by N. $\frac{1}{2}$ N.	—	0	+ 2	N. N. E. by N.	N. N. E. $\frac{1}{2}$ N.	—	0	+ 2
N. E. by N.	N. E. by E.	0	0	+ 3	N. E. by E.	N. E. by E.	0	0	+ 3
N. E.	N. E. by E. $\frac{1}{2}$ E.	0	0	+ 3	N. E. by E.	N. E. by E. $\frac{1}{2}$ E.	0	0	+ 3
N. N. E. by E.	N. N. E. by E. $\frac{1}{2}$ E.	0	0	+ 4	N. N. E. by E.	N. N. E. by E. $\frac{1}{2}$ E.	0	0	+ 4
N. E. by N.	N. E. by N.	+ 0	0	+ 5	N. E. by N.	N. E. by N.	0	0	+ 5
N. E.	E. by S.	—	0	+ 2	E. by S.	E. by S.	—	0	+ 2
E. by S.	E. by S. $\frac{1}{2}$ S.	—	0	+ 2	E. by S.	E. by S. $\frac{1}{2}$ S.	—	0	+ 2
E. S. E.	S. E. by E. $\frac{1}{2}$ E.	—	0	+ 1	S. E. by E.	S. E. by E. $\frac{1}{2}$ E.	—	0	+ 1
S. E. by E.	S. E. by E. $\frac{1}{2}$ S.	—	0	0	S. E. by E.	S. E. by E. $\frac{1}{2}$ S.	—	0	0
S. E.	S. E. by E. $\frac{1}{2}$ E.	—	0	0	S. E. by E.	S. E. by E. $\frac{1}{2}$ E.	—	0	0
S. E. by S.	S. E. by S. $\frac{1}{2}$ S.	—	0	30	S. E. by S.	S. E. by S. $\frac{1}{2}$ S.	—	0	30
S. S. E.	S. S. E. by E. $\frac{1}{2}$ E.	—	0	30	S. S. E. by E.	S. S. E. by E. $\frac{1}{2}$ E.	—	0	30
S. S. E. by E.	S. S. E. by E. $\frac{1}{2}$ S.	—	0	30	S. S. E. by E.	S. S. E. by E. $\frac{1}{2}$ S.	—	0	30
S. S. E.	S. S. E. by E. $\frac{1}{2}$ E.	—	0	50	S. S. E. by E.	S. S. E. by E. $\frac{1}{2}$ E.	—	0	50
S. by E.	S. by E.	—	0	50	S. by E.	S. by E.	—	0	50
S. by E.	S. $\frac{1}{2}$ W.	—	0	50	S. by E.	S. $\frac{1}{2}$ W.	—	0	50
S. by W.	S. by W. $\frac{1}{2}$ W.	—	0	30	S. by W.	S. by W. $\frac{1}{2}$ W.	—	0	30
S. S. W.	S. S. W. by S. $\frac{1}{2}$ S.	—	0	30	S. S. W. by S.	S. S. W. by S. $\frac{1}{2}$ S.	—	0	30
S. W. by S.	S. W. by S. $\frac{1}{2}$ W.	—	0	30	S. W. by S.	S. W. by S. $\frac{1}{2}$ W.	—	0	30
S. W.	S. W. by W. $\frac{1}{2}$ W.	—	0	50	S. W. by W.	S. W. by W. $\frac{1}{2}$ W.	—	0	50
S. W. by W.	S. W. by W. $\frac{1}{2}$ S.	—	0	50	S. W. by W.	S. W. by W. $\frac{1}{2}$ S.	—	0	50
W. by S.	W. by S.	—	0	50	W. by S.	W. by S.	—	0	50
WEST.	W. $\frac{1}{2}$ N.	—	0	30	WEST.	W. $\frac{1}{2}$ N.	—	0	30
W. by N.	N. W. by W. $\frac{1}{2}$ W.	—	0	40	W. by N.	N. W. by W. $\frac{1}{2}$ W.	—	0	40
W. N. W.	N. W. by W. $\frac{1}{2}$ N.	—	0	10	W. N. W.	N. W. by W. $\frac{1}{2}$ N.	—	0	10
N. W. by W.	N. W. by W.	—	0	10	N. W. by W.	N. W. by W.	—	0	10
N. W.	N. W. by N. $\frac{1}{2}$ N.	—	0	40	N. W.	N. W. by N. $\frac{1}{2}$ N.	—	0	40
N. W. by N.	N. W. by N. $\frac{1}{2}$ W.	—	0	40	N. W. by N.	N. W. by N. $\frac{1}{2}$ W.	—	0	40
N. N. W.	N. by W. $\frac{1}{2}$ W.	—	0	30	N. N. W.	N. by W. $\frac{1}{2}$ W.	—	0	30
N. by W.	N. by W.	—	0	50	N. by W.	N. by W.	—	0	50
NORTH.	N. $\frac{1}{2}$ W.	—	0	30	NORTH.	N. $\frac{1}{2}$ W.	—	0	30

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign — .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 A = — 1° 0' .2 B = + 3° 4' .4 C = — 0° 17' .1
 D = + 2° 15' .2 E = — 0° 17' .2

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE AFTER BINNACLE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Magdalena Bay, June 9, 1866.

Correction for Object = -0° 41'. Correction for Lubber Line = +3° 44'.

San Francisco, June 23, 1866.

Correction for Object = -0° 45'. Correction for Lubber Line = +3° 49'.

Assumed Magnetic Direction of Ship's Head.	Bearing of Object by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. 1/2 E.	1 1/2	0	-2 30'
N. by E.	N. by E. 1/4 E.	1	0	-1 10
N. N. E.	N. N. E. by N. 1/4 N.	1	0	0
N. E. by N.	N. E. by N. 1/4 E.	1	0	0
N. E.	N. E. by E. 1/4 E.	1	0	0
N. N. E. by E.	N. N. E. by E. 1/4 E.	1	0	0
E. N. E.	E. N. E. by N. 1/4 N.	1	0	0
E. by N.	E. by N. 1/4 E.	1	0	0
EAST.	EAST.	0	0	0
E. by S.	E. by S. 1/4 S.	1	0	0
E. S. E.	E. S. E. by E. 1/4 E.	1	0	0
S. E. by E.	S. E. by E. 1/4 E.	1	0	0
S. E.	S. E. by S. 1/4 S.	1	0	0
S. E. by S.	S. E. by S. 1/4 S.	1	0	0
S. S. E.	S. S. E. by E. 1/4 E.	1	0	0
S. by E.	S. by E. 1/4 E.	1	0	0
S. S. E.	S. S. E. by S. 1/4 S.	1	0	0
S. by E.	S. by E. 1/4 E.	1	0	0
SOUTH.	SOUTH.	0	0	0
S. by W.	S. by W. 1/4 W.	1	0	0
S. S. W.	S. S. W. by S. 1/4 S.	1	0	0
S. W. by S.	S. W. by S. 1/4 S.	1	0	0
S. W.	S. W. by W. 1/4 W.	1	0	0
S. W. by W.	S. W. by W. 1/4 W.	1	0	0
W. S. W.	W. S. W. by S. 1/4 S.	1	0	0
W. by S.	W. by S. 1/4 S.	1	0	0
WEST.	WEST.	0	0	0
W. by N.	W. by N. 1/4 N.	1	0	0
W. N. W.	W. N. W. by W. 1/4 W.	1	0	0
N. W. by W.	N. W. by W. 1/4 W.	1	0	0
N. W.	N. W. by N. 1/4 N.	1	0	0
N. W. by N.	N. W. by N. 1/4 N.	1	0	0
N. N. W.	N. N. W. by W. 1/4 W.	1	0	0
N. by W.	N. by W. 1/4 W.	1	0	0
NORTH.	NORTH.	0	0	0

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .

From the observations given above, the following values of the coefficients of the deviation are obtained :

$$A = -1^{\circ} 10'.7 \quad B = +2^{\circ} 16'.0 \quad C = -1^{\circ} 16'.8 \\ D = +2^{\circ} 10'.2 \quad E = -0^{\circ} 3'.5$$

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .

From the observations given above, the following values of the coefficients of the deviation are obtained :

$$A = -0^{\circ} 35'.2 \quad B = +3^{\circ} 28'.2 \quad C = -2^{\circ} 13'.9 \\ D = +1^{\circ} 47'.5 \quad E = +0^{\circ} 10'.2$$

MAGNETIC OBSERVATIONS.

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE AFTER RITCHIE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Hampton Roads, November 1, 1865. Correction for Object = + 3° 57'. Correction for Lubber Line = 0.					St. Thomas, November 18, 1865. Correction for Object = + 0° 16'. Correction for Lubber Line = 0.				
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. W.	+	0	4° 20'	NORTH.	N. W.	+	0	4° 0'
N. by E.	N. by E. 1/4 E.	+	1	7 10	N. by E.	N. by E.	+	1	5 30
N. N. E.	N. N. E.	+	2	10 50	N. N. E.	N. N. E. 1/4 E.	+	2	8 10
N. E. by N.	N. E. by N.	+	3	14 10	N. E. by N.	N. E. by N.	+	3	11 0
N. E.	N. E. 1/4 N.	+	4	15 10	N. E.	N. E. 1/4 N.	+	4	11 0
N. N. E.	N. N. E. 1/4 E.	+	5	17 0	N. N. E.	N. N. E. 1/4 E.	+	5	12 20
N. E.	N. E. 1/4 E.	+	6	18 0	N. E.	N. E. 1/4 E.	+	6	12 20
E. by N.	E. by N. 1/4 N.	+	7	19 0	E. by N.	E. by N. 1/4 E.	+	7	12 20
EAST.	E. by N. 1/4 E.	+	8	19 50	EAST.	E. by N.	+	8	11 0
E. by S.	E. by S.	+	9	19 0	E. by S.	E. by S.	+	9	12 20
E. S. E.	E. S. E. 1/4 E.	+	10	19 0	E. S. E.	E. S. E. 1/4 E.	+	10	11 0
S. E. by E.	S. E. by E.	+	11	18 0	S. E. by E.	S. E. by E.	+	11	9 30
S. E.	S. E.	+	12	15 10	S. E.	S. E.	+	12	5 20
S. E. by S.	S. E. by S.	+	13	20	S. E. by S.	S. E. by S. 1/4 S.	+	13	4 0
S. S. E.	S. S. E.	+	14	30	S. S. E.	S. S. E. 1/4 S.	+	14	2 30
SOUTH.	S. by E. 1/4 E.	+	15	9 30	SOUTH.	S. by E.	+	15	1 10
S. by W.	S. by W.	+	16	7 40	S. by W.	S. by W.	+	16	1 10
S. S. W.	S. S. W.	+	17	5 0	S. S. W.	S. S. W.	+	17	0 20
S. W. by S.	S. W. by S.	+	18	2 10	S. W. by S.	S. W. by S.	+	18	0 20
S. W. by W.	S. W. by W.	+	19	0 40	S. W. by W.	S. W. by W.	+	19	1 40
W. S. W.	W. S. W.	+	20	1 40	W. S. W.	W. S. W.	+	20	1 40
WEST.	W. by S. 1/4 S.	+	21	2 10	WEST.	W. by S.	+	21	3 10
W. by N.	W. by N.	+	22	1 40	W. by N.	W. by N.	+	22	4 30
N. W. by W.	N. W. by W.	+	23	1 40	N. W. by W.	N. W. by W.	+	23	5 50
N. W.	N. W. 1/4 N.	+	24	1 40	N. W.	N. W. 1/4 N.	+	24	5 50
N. N. W.	N. N. W.	+	25	2 40	N. N. W.	N. N. W.	+	25	5 30
N. by W.	N. by W. 1/4 W.	+	26	2 10	N. by W.	N. by W. 1/4 W.	+	26	3 10
NORTH.	N. by W.	+	27	2 0	NORTH.	N. by W.	+	27	0 20
		+	28	4			+	28	1 10
		+	29				+	29	4

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 $A = + 3^{\circ} 40'.0$ $B = + 11^{\circ} 26'.5$ $C = - 1^{\circ} 44'.1$
 $D = + 0^{\circ} 15'.5$ $E = - 0^{\circ} 54'.5$

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 $A = + 3^{\circ} 14'.4$ $B = + 8^{\circ} 26'.9$ $C = + 0^{\circ} 40'.4$
 $D = + 1^{\circ} 54'.2$ $E = - 0^{\circ} 37'.2$

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE AFTER RITCHIE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Isle Royal, Salute Islands, November 30, 1865.

Correction for Object = - 0° 2'. Correction for Lubber Line = + 6° 18'.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.			0	
N. by E.				
N. N. E.				
N. E. by N.				
N. E.				
N. E. by E.				
E. N. E.				
E. by N.				
EAST.	E. 1/4 N.	+		+ 11° 50'
E. by S.	E. 1/4 S.	+		+ 14 40
E. S. E.				
S. E. by E.				
S. E.				
S. E. by S.				
S. S. E.				
S. by E.				
SOUTH.				
S. by W.				
S. W. by S.				
S. W.				
S. W. by W.				
W. S. W.				
W. by S.				
WEST.				
W. by N.				
W. N. W.				
N. W. by W.				
N. W.				
N. W. by N.				
N. N. W.				
N. by W.				
NORTH.				

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
From the observations given above, the following values of the coefficients of the deviation are obtained:

$$A = \quad D = \quad B = \quad E = \quad C =$$

Ceara, December 19, 1865.

Correction for Object = + 1° 51' Correction for Lubber Line = + 6° 18'.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.			0	
N. by E.	N. 1/4 E.	+		+ 13° 40'
N. N. E.	N. by E. 1/4 E.	+		+ 13 40
N. E. by N.	N. N. E. 1/4 E.	+		+ 13 40
N. E.	N. E. by N. 1/4 E.	+		+ 16 10
N. E. by E.	N. E. 1/4 E.	+		+ 16 30
E. N. E.	N. E. by E. 1/4 E.	+		+ 19 0
E. by N.	E. by N. 1/4 N.	+		+ 17 0
EAST.	E. 1/4 S.	+		+ 14 10
E. by S.	E. 1/4 S.	+		+ 11 30
E. S. E.	E. by S. 1/4 S.	+		+ 11 0
S. E. by E.	E. by S. 1/4 S.	+		+ 11 0
S. E.				
S. E. by S.				
S. S. E.				
S. by E.				
SOUTH.				
S. by W.				
S. S. W.				
S. W. by S.				
S. W.				
S. W. by W.				
W. S. W.				
W. by S.				
WEST.				
W. by N.				
W. N. W.				
N. W. by W.				
N. W.				
N. W. by N.				
N. N. W.				
N. by W.				
NORTH.				

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .

From the observations given above, the following values of the coefficients of the deviation are obtained:

$$A = + 5^{\circ} 54'.2 \quad B = + 1^{\circ} 36'.6 \quad C = + 4^{\circ} 55'.4$$

$$D = + 1^{\circ} 36'.6 \quad E = - 0^{\circ} 43'.7$$

MAGNETIC OBSERVATIONS.

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE AFTER RITCHIE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Bahia, December 30, 1865. Correction for Object = + 2° 30'. Correction for Lubber Line = + 6° 18'.				Rio Janeiro, January 10, 1866. Correction for Object = + 2° 44'. Correction for Lubber Line = + 5° 45'.					
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. 3/4 E.	+	0	+ 8° 10'	NORTH.	N. E. by N. 1/4 N.	+	0	+ 14° 0'
N. by E.	N. N. E. 1/4 N. N.	+	11	11 0	N. by E.	N. E. 1/4 N.	+	1	14 0
N. N. E.	N. E. by N. 1/2 N.	+	13	13 50	N. N. E.	N. E. 1/2 N.	+	3	14 0
N. E.	N. E. 1/4 N.	+	14	20	N. E.	N. E. by E. 1/4 E.	+	4	16 10
N. N. E. by E.	N. E. by E. 1/4 E.	+	14	20	N. N. E. by E.	E. by N. 1/4 N.	+	4	16 50
N. E. by N.	E. by N. 1/2 N.	+	17	30	E. by N.	E. 1/4 N.	+	5	14 40
EAST.	E. 1/4 N.	+	15	0	EAST.	E. 1/2 S.	+	6	12 0
E. by S.	E. by S. 1/4 S.	+	14	20	E. by S.	E. S. E. 1/4 E.	+	7	10 10
E. S. E.	S. E. by E. 1/4 E.	+	14	20	E. S. E.	S. E. by E. 1/2 E.	+	7	9 50
S. E. by E.	S. E. 1/4 E.	+	12	10	S. E. by E.	S. E. by S.	+	8	8 30
S. E.	S. E. 1/2 S.	+	11	40	S. E.	S. S. E.	+	8	8 30
S. S. E.	S. S. E. 1/4 E.	+	11	40	S. S. E.	S. S. E. 1/2 E.	+	8	8 30
S. by E.	S. by E.	+	9	30	S. by E.	S. by E.	+	8	8 30
SOUTH.	SOUTH.	0	0	8 50	SOUTH.	SOUTH.	0	0	8 30
S. by W.	S. by W.	0	0	8 50	S. by W.	S. by W.	0	0	8 30
S. W. by S.	S. W. by S.	0	0	8 50	S. W. by S.	S. W. by S.	0	0	8 30
S. W.	S. W. 1/4 W.	0	0	6 40	S. W.	S. W. by W.	0	0	8 30
S. W. by W.	S. W. by W. 1/4 W.	0	0	6 0	S. W. by W.	S. W. by W.	0	0	8 30
W. S. W.	W. by S. 1/4 S.	0	0	3 50	W. S. W.	S. by W.	0	0	8 30
W. by S.	W. 1/4 S.	0	0	3 10	W. by S.	S. W. by S.	0	0	8 30
WEST.	W. 1/4 N.	0	0	1 0	WEST.	S. W. by S.	0	0	8 30
W. N. W.	N. W. by W. 1/4 W.	0	0	0 20	W. N. W.	W. by N.	0	0	8 30
N. W. by W.	N. W. 1/4 W.	0	0	0 20	N. W. by W.	W. N. W.	0	0	8 30
N. W.	N. N. W. 1/4 N.	0	0	0 20	N. W.	N. W. by W.	0	0	8 30
N. N. W. by N.	N. N. W. 1/4 W.	0	0	2 30	N. N. W. by N.	N. W. by N.	0	0	8 30
N. N. W.	N. by W. 1/4 W.	0	0	5 20	N. N. W.	N. N. W.	0	0	8 30
N. by W.	N. 1/4 W.	0	0	6 0	N. by W.	N. by W.	0	0	8 30
NORTH.	NORTH.	0	0	8 10	NORTH.	NORTH.	0	0	8 30

A deviation of the North Point of the Compass to the East is designated by the sign + a deviation to the West by the sign -.

From the observations given above, the following values of the coefficients of the deviation are obtained:

$A = + 8^{\circ} 47'.1$ $B = + 6^{\circ} 55'.6$ $C = - 0^{\circ} 57'.2$
 $D = + 1^{\circ} 59'.7$ $E = + 0^{\circ} 14'.2$

$A = + 9^{\circ} 39'.0$ $B = + 3^{\circ} 46'.6$ $C = + 1^{\circ} 9'.8$
 $D = + 1^{\circ} 50'.1$ $E = - 0^{\circ} 7'.4$

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE AFTER RITCHIE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Monte Video, January 24, 1866.

Correction for Object = -0° 13'. Correction for Lubber Line = +4° 9'.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. ½ E.	0	0	+ 4° 0'
N. by E.	N. by E. ½ E.	+	9	+ 9 30
N. N. E.	N. E. by N. ½ N.	+	9	+ 9 30
N. E. by N.	N. E. ½ N.	+	12	+ 12 20
N. E.	N. E. ½ E.	+	12	+ 12 20
N. E. by E.	N. E. ½ E.	+	12	+ 12 20
N. N. E. by E.	N. E. ½ E.	+	15	+ 15 10
N. E. by N.	N. E. ½ E.	+	15	+ 15 0
EAST.	E. ½ N.	+	9	+ 9 20
E. by S.	E. by S.	0	4	+ 4 0
E. S. E.	E. S. E.	0	3	+ 3 50
S. E. by E.	S. E. by E. ½ S.	+	1	+ 1 0
S. E.	S. E. ½ S.	-	4	- 4 30
S. E. by S.	S. E. by S. ½ S.	-	1	- 1 40
S. S. E.	S. S. E.	0	4	+ 4 0
S. by E.	S. by E.	0	4	+ 4 0
SOUTH.	S. ½ W.	0	4	+ 4 0
S. by W.	S. by W. ½ W.	+	6	+ 6 50
S. W.	S. W. by S.	+	6	+ 6 50
S. W. by S.	S. W. by S.	0	4	+ 4 0
S. W.	S. W.	0	4	+ 4 0
S. W. by W.	S. W. ½ W.	+	9	+ 9 30
W. by S.	W. by S.	+	9	+ 9 30
WEST.	W. by S.	+	9	+ 9 30
W. by N.	W. by N.	+	9	+ 9 30
W. N. W.	W. N. W.	+	9	+ 9 30
N. W. by W.	N. W. by W.	+	9	+ 9 30
N. W.	N. W.	+	9	+ 9 30
N. W. by N.	N. W. by N.	+	9	+ 9 30
N. N. W.	N. N. W.	+	9	+ 9 30
N. by W.	N. by W.	+	9	+ 9 30
NORTH.	N. by W.	+	9	+ 9 30

Sandy Point, February 10, 1866.

Correction for Object = +0° 7'. Correction for Lubber Line = +4° 9'.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. ½ W.	+	0	+ 5° 40'
N. by E.	N. by E. ½ E.	+	7	+ 7 0
N. N. E.	N. E. by N. ½ N.	+	9	+ 9 50
N. E. by N.	N. E. ½ N.	+	9	+ 9 50
N. E.	N. E. ½ E.	+	9	+ 9 50
N. E. by E.	N. E. ½ E.	+	12	+ 12 40
N. N. E. by E.	N. E. ½ E.	+	9	+ 9 50
E. by N.	E. by N. ½ N.	+	9	+ 9 50
EAST.	E. by S.	+	9	+ 9 50
E. by S.	E. by S. ½ S.	+	9	+ 9 50
E. S. E.	E. S. E. ½ S.	+	12	+ 12 40
S. E. by E.	S. E. by E. ½ S.	+	14	+ 14 0
S. E.	S. E. ½ S.	+	12	+ 12 40
S. E. by S.	S. E. by S. ½ S.	+	14	+ 14 0
S. S. E.	S. S. E.	+	14	+ 14 0
S. by E.	S. by E. ½ E.	+	12	+ 12 40
SOUTH.	S. ½ W.	+	9	+ 9 50
S. by W.	S. by W. ½ W.	+	9	+ 9 50
S. W.	S. W. by S. ½ S.	+	12	+ 12 40
S. W. by S.	S. W. by S.	+	12	+ 12 40
S. W.	S. W.	+	9	+ 9 50
S. W. by W.	S. W. ½ W.	+	7	+ 7 0
W. by S.	W. by S.	+	4	+ 4 20
WEST.	W. by S.	+	4	+ 4 20
W. by N.	W. by N. ½ N.	+	4	+ 4 20
W. N. W.	W. N. W. ½ N.	+	2	+ 2 50
N. W. by W.	N. W. ½ W.	+	2	+ 2 50
N. W.	N. W.	+	1	+ 1 20
N. W. by N.	N. W. ½ N.	+	1	+ 1 20
N. N. W.	N. N. W. ½ N.	+	2	+ 2 50
N. by W.	N. by W.	+	2	+ 2 50
NORTH.	N. by W.	+	4	+ 4 20

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
From the observations given above, the following values of the coefficients of the deviation are obtained:
A = + 6° 32'.8 B = + 0° 50'.3 C = + 3° 10'.9
D = + 2° 17'.8 E = - 0° 5'.5

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
From the observations given above, the following values of the coefficients of the deviation are obtained:
A = + 8° 18'.4 B = + 4° 37'.2 C = - 3° 25'.6
D = + 1° 14'.5 E = + 0° 58'.5

MAGNETIC OBSERVATIONS.

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE AFTER RITCHIE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Valparaiso, April 4, 1866. Correction for Object = + 0° 1'. Correction for Lubber Line = + 4° 17'.				Callao, April 29, 1866. Correction for Object = + 0° 6'. Correction for Lubber Line = + 3° 44'.					
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. 1/2 E.	+	0	+ 4° 20'	NORTH.	N. 1/2 W.	+	0	+ 5° 20'
N. by E.	N. by E. 1/2 E.	+	0	+ 7 0	N. by E.	N. 1/2 E.	+	0	+ 9 30
N. N. E.	N. by E. by N. 1/2 N.	+	0	+ 7 0	N. N. E.	N. by E. by N. 1/2 N.	+	0	+ 9 30
N. E.	N. E. 1/2 N.	+	0	+ 9 50	N. E.	N. E. 1/2 N.	+	0	+ 9 30
N. E. by E.	N. E. by E. 1/2 N.	+	0	+ 9 50	N. E. by E.	N. E. by E. 1/2 N.	+	0	+ 9 30
N. N. E.	N. N. E. 1/2 N.	+	0	+ 7 0	N. N. E.	N. N. E. 1/2 N.	+	0	+ 9 30
N. E. by N.	N. E. by N. 1/2 N.	+	0	+ 9 50	N. E. by N.	N. E. by N. 1/2 N.	+	0	+ 9 30
EAST.	E. 1/2 N.	+	0	+ 7 0	E. 1/2 N.	E. 1/2 N.	+	0	+ 9 30
E. by S.	E. by S. 1/2 E.	+	0	+ 7 0	E. by S.	E. by S. 1/2 E.	+	0	+ 9 30
E. S. E.	E. S. E. 1/2 E.	+	0	+ 7 0	E. S. E.	E. S. E. 1/2 E.	+	0	+ 6 40
S. E. by E.	S. E. by E. 1/2 E.	+	0	+ 7 0	S. E. by E.	S. E. by E. 1/2 E.	+	0	+ 6 40
S. E.	S. E.	+	0	+ 4 20	S. E.	S. E.	+	0	+ 6 40
S. E. by S.	S. E. by S.	+	0	+ 4 20	S. E. by S.	S. E. by S.	+	0	+ 6 40
S. S. E.	S. S. E.	+	0	+ 4 20	S. S. E.	S. S. E.	+	0	+ 3 50
S. by E.	S. by E.	+	0	+ 4 20	S. by E.	S. by E.	+	0	+ 3 50
SOUTH.	S. 1/2 W.	-	0	+ 1 30	SOUTH.	SOUTH.	0	0	+ 3 50
S. by W.	S. by W.	+	0	+ 4 20	S. by W.	S. by W.	+	0	+ 3 50
S. S. W.	S. S. W.	+	0	+ 4 20	S. S. W.	S. S. W.	+	0	+ 3 50
S. W. by S.	S. W. by S.	+	0	+ 4 20	S. W. by S.	S. W. by S.	+	0	+ 3 50
S. W.	S. W.	+	0	+ 4 20	S. W.	S. W.	+	0	+ 1 0
S. W. by W.	S. W. by W.	+	0	+ 4 20	S. W. by W.	S. W. by W. 1/2 W.	+	0	+ 1 50
W. S. W.	W. S. W.	+	0	+ 1 30	W. S. W.	W. by S. 1/2 S.	+	0	+ 1 50
W. by S.	W. 1/2 S.	-	0	- 1 20	W. by S.	W. 1/2 S.	-	0	- 1 50
WEST.	W. 1/2 N.	-	0	- 1 20	WEST.	W. 1/2 N.	-	0	- 1 50
W. by N.	W. by N. 1/2 N.	-	0	- 1 20	W. by N.	W. by N. 1/2 N.	-	0	- 1 50
W. N. W.	W. N. W.	-	0	- 1 20	W. N. W.	W. N. W.	-	0	- 1 50
N. W. by W.	N. W. by W.	-	0	- 1 20	N. W. by W.	N. W. by W.	-	0	- 1 50
N. W.	N. W.	-	0	+ 1 30	N. W.	N. W.	-	0	- 1 50
N. W. by N.	N. W. by N. 1/2 N.	-	0	+ 1 30	N. W. by N.	N. W. by N. 1/2 N.	-	0	+ 1 0
N. N. W.	N. N. W.	-	0	+ 1 30	N. N. W.	N. N. W.	-	0	+ 3 50
N. by W.	N. by W.	-	0	+ 4	N. by W.	N. by W.	-	0	+ 3 50
NORTH.	N.	-	0	+ 4	NORTH.	N.	-	0	+ 3 50

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.

From the observations given above, the following values of the coefficients of the deviation are obtained:

$A = + 4^{\circ} 21'.9$ $B = + 3^{\circ} 49'.1$ $C = + 0^{\circ} 12'.4$
 $D = + 2^{\circ} 21'.0$ $E = + 0^{\circ} 7'.5$

$A = + 4^{\circ} 19'.4$ $B = + 5^{\circ} 59'.1$ $C = + 0^{\circ} 14'.1$
 $D = + 1^{\circ} 30'.5$ $E = + 0^{\circ} 52'.0$

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE AFTER RITCHIE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Panama, May 20, 1866. Correction for Object = + 0° 1'. Correction for Lubber Line = + 3° 44'.				Acapulco, June 1, 1866. Correction for Object = + 0° 6'. Correction for Lubber Line = + 3° 44'.			
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	
NORTH.	NORTH.	0	0	+	0	+	
N. by E.	N. by E. 1/2 E.	+	3° 50'	+	0	+	
N. N. E.	N. by E. 1/2 N.	+	6 30	+	0	+	
N. E.	N. E. by N. 1/2 N.	+	6 30	+	0	+	
N. N. E.	N. E. 1/2 E.	+	9 20	+	0	+	
N. E.	N. E. by E. 1/2 E.	+	9 20	+	0	+	
N. N. E.	N. E. by N. 1/2 N.	+	9 20	+	0	+	
N. E.	N. E. 1/2 N.	+	12 10	+	0	+	
E. by N.	E. by N. 1/2 N.	+	12 10	+	0	+	
EAST.	E. 1/2 S.	+	9 20	+	0	+	
E. by S.	E. by S. 1/2 S.	+	9 20	+	0	+	
E. S. E.	S. E. by E. 1/2 E.	+	9 20	+	0	+	
S. E. by E.	S. E. 1/2 E.	+	9 20	+	0	+	
S. E.	S. E. by S. 1/2 S.	+	5 10	+	0	+	
S. S. E.	S. E. by S. 1/2 S.	+	6 30	+	0	+	
S. S. E.	S. S. E.	+	6 30	+	0	+	
S. by E.	S. by E.	+	3 40	+	0	+	
SOUTH.	SOUTH.	0	3 50	+	0	+	
S. by W.	S. by W.	0	3 40	+	0	+	
S. S. W.	S. S. W.	0	3 40	+	0	+	
S. W. by S.	S. W. by S.	0	3 50	+	0	+	
S. W.	S. W.	0	3 40	+	0	+	
S. W. by W.	S. W. by W.	0	3 40	+	0	+	
W. S. W.	W. S. W.	0	3 50	+	0	+	
W. by S.	W. by S.	0	3 40	+	0	+	
WEST.	WEST.	0	2 20	+	0	+	
W. by N.	W. by N. 1/2 N.	+	2 20	+	0	+	
W. N. W.	W. N. W. 1/2 N.	+	2 20	+	0	+	
N. W. by W.	N. W. 1/2 W.	+	0 50	+	0	+	
N. W.	N. W. 1/2 N.	+	2 20	+	0	+	
N. N. W.	N. W. by N. 1/2 N.	+	0 50	+	0	+	
N. N. W.	N. by W. 1/2 W.	+	0 50	+	0	+	
N. by W.	N. by W. 1/2 W.	+	0 50	+	0	+	
NORTH.	NORTH.	0	0 50	+	0	+	

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 A = + 5° 20'.6 B = + 4° 3'.1 C = - 0° 10'.2
 D = + 1° 17'.0 E = - 1° 33'.0

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 A = + 4° 0'.6 B = + 4° 29'.1 C = + 1° 12'.8
 D = + 1° 12'.2 E = + 0° 47'.0

MAGNETIC OBSERVATIONS

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE AFTER RITCHIE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Magdalena Bay, June 9, 1866. Correction for Object = - 0° 41'. Correction for Lubber Line = + 3° 44'.				San Francisco, June 23, 1866. Correction for Object = - 0° 45'. Correction for Lubber Line = + 3° 49'.					
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. $\frac{1}{2}$ E.	- $\frac{1}{2}$	0	+ 1° 40'	NORTH.	N. $\frac{1}{2}$ E.	+	0	+ 2° 0'
N. by E.	N. by E.	0	/	+ 3 10	N. by E.	N. by E.	+	/	5 50
N. N. E.	N. N. E.				N. N. E.	N. N. E.	+		6 10
N. E. by N.	N. E. by N.				N. E. by N.	N. E. by N.	+		8 50
N. E. by E.	N. E. by E.				N. E. by E.	N. E. by E.	+		11 30
N. N. E.	N. N. E.				N. N. E.	N. N. E.	+		11 30
N. E.	N. E.				N. E.	N. E.	+		11 30
E. by N.	E. by N.				E. by N.	E. by N.	+		11 30
EAST.	EAST.				E. by N.	E. by N.	+		11 10
E. by S.	E. by S.				E. by S.	E. by S.	+		8 40
E. S. E.	E. S. E.				E. by S.	E. by S.	+		8 40
S. E. by E.	S. E. by E.				S. E. by E.	S. E. by E.	+		8 40
S. E.	S. E.				S. E.	S. E.	+		8 40
S. E. by S.	S. E. by S.				S. E. by S.	S. E. by S.	+		6 0
S. S. E.	S. S. E.				S. S. E.	S. S. E.	+		6 0
S. by E.	S. by E.				S. S. E.	S. S. E.	+		6 0
SOUTH.	SOUTH.				S. by E.	S. by E.	+		6 0
S. by W.	S. by W.				S. by E.	S. by E.	+		6 0
S. W. by S.	S. W. by S.				S. S. E.	S. S. E.	+		6 0
S. W.	S. W.				S. by W.	S. by W.	+		5 40
S. W. by W.	S. W. by W.				S. W.	S. W.	+		2 50
W. S. W.	W. S. W.				S. W. by W.	S. W. by W.	+		0 20
W. by S.	W. by S.				S. W. by S.	S. W. by S.	+		0 0
WEST.	WEST.				S. W.	S. W.	+		2 30
W. by N.	W. by N.				W. by S.	W. by S.	+		2 50
N. N. W.	N. N. W.				W. by N.	W. by N.	+		5 20
N. W. by W.	N. W. by W.				N. N. W.	N. N. W.	+		5 10
N. W.	N. W.				N. W. by W.	N. W. by W.	+		2 30
N. W. by N.	N. W. by N.				N. W.	N. W.	+		2 30
N. N. W.	N. N. W.				N. W. by N.	N. W. by N.	+		2 30
N. by W.	N. by W.				N. N. W.	N. N. W.	+		2 20
NORTH.	NORTH.				N. by W.	N. by W.	+		0 20

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.

From the observations given above, the following values of the coefficients of the deviation are obtained:

$A = + 3^{\circ} 35'.5$ $B = + 4^{\circ} 27'.3$ $C = - 2^{\circ} 51'.0$
 $D = + 1^{\circ} 50'.7$ $E = + 0^{\circ} 10'.6$

$A = + 4^{\circ} 11'.6$ $B = + 6^{\circ} 46'.2$ $C = - 1^{\circ} 31'.4$
 $D = + 2^{\circ} 28'.5$ $E = + 0^{\circ} 21'.2$

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE AFTER AZIMUTH COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Hampton Roads, November 1, 1865. Correction for Object = + 3° 57'. Correction for Lubber Line = 0.				St. Thomas, November 18, 1865. Correction for Object = + 0° 16'. Correction for Lubber Line = 0.					
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. 3° E.		- 3° 0'	+ 0° 10'	NORTH.	N. 9° E.		0° 0'	- 0° 10'
N. by E.	N. 15 E.		- 4 0	0 10	N. by E.	N. 18 E.		2 15	2 0
N. N. E.	N. 26 E.		- 3 30	0 20	N. N. E.	N. 29 E.		4 30	4 30
N. E. by N.	N. 36 E.		- 2 0	1 20	N. E. by N.	N. 41 E.		4 45	4 30
N. E.	N. 48 E.		- 3 0	1 10	N. E.	N. 45 E.		4 0	3 40
N. E. by E.	N. 60 E.		- 4 0	1 10	N. E. by E.	N. 53 E.		3 15	3 0
E. N. E.	N. 74 E.		- 6 30	1 50	E. N. E.	N. 65 E.		2 30	2 10
E. by N.	N. 87 E.		- 8 0	3 40	E. by N.	N. 80 E.		1 15	1 30
EAST.	S. 79 E.		- 11 0	0 0	EAST.	S. 86 E.		4 0	4 20
E. by S.	S. 65 E.		- 14 0	9 10	E. by S.	S. 71 E.		7 45	8 0
E. S. E.	S. 53 E.		- 14 30	- 10 30	E. S. E.	S. 58 E.		9 30	9 50
S. E. by E.	S. 42 E.		- 14 0	- 10 20	S. E. by E.	S. 45 E.		11 15	- 11 30
S. E.	S. 32 E.		- 13 0	- 9 30	S. E.	S. 33 E.		12 0	- 12 10
S. E. by S.	S. 22 E.		- 12 0	- 8 30	S. E. by S.	S. 25 E.		8 45	9 0
S. S. E.	S. 13 E.		- 9 30	- 6 30	S. S. E.	S. 16 E.		6 30	- 6 50
S. by E.	S. 5 E.		- 6 0	- 3 20	S. by E.	S. 6 E.		5 15	- 5 30
SOUTH.	S. 3 W.		- 3 0	2 10	SOUTH.	S. 2 W.		2 0	2 10
S. by W.	S. 12 W.		- 1 0	2 10	S. by W.	S. 11 W.		0 15	0 0
S. S. W.	S. 20 W.		+ 2 30	5 10	S. S. W.	S. 19 W.		3 30	3 20
S. W. by S.	S. 31 W.		+ 3 0	6 40	S. W. by S.	S. 29 W.		4 45	4 30
S. W.	S. 42 W.		+ 3 0	7 0	S. W.	S. 39 W.		6 0	5 50
S. W. by W.	S. 52 W.		+ 4 0	7 30	S. W. by W.	S. 49 W.		7 15	7 0
W. S. W.	S. 64 W.		+ 3 30	7 30	W. S. W.	S. 60 W.		7 30	7 10
W. by S.	S. 76 W.		+ 3 0	7 0	W. by S.	S. 66 W.		4 45	4 30
WEST.	N. 89 W.		- 1 0	4 20	WEST.	S. 87 W.		3 0	2 40
W. by N.	N. 74 W.		- 5 0	0 20	W. by N.	N. 77 W.		1 45	2 10
W. N. W.	N. 63 W.		- 4 30	0 50	W. N. W.	N. 64 W.		3 30	3 50
N. W. by W.	N. 50 W.		- 6 0	1 40	N. W. by W.	N. 52 W.		4 15	4 30
N. W.	N. 37 W.		- 8 0	3 30	N. W.	N. 40 W.		5 0	5 10
N. W. by N.	N. 25 W.		- 9 0	4 50	N. W. by N.	N. 29 W.		4 45	5 0
N. N. W.	N. 16 W.		- 6 30	3 30	N. N. W.	N. 20 W.		2 30	2 50
N. by W.	N. 6 W.		- 5 0	1 40	N. by W.	N. 10 W.		1 15	1 30
NORTH.				0 10	NORTH.				0 10

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 $A = -1^{\circ} 5'.0$ $B = -4^{\circ} 53'.0$ $C = -0^{\circ} 9'.1$
 $D = +5^{\circ} 35'.2$ $E = +0^{\circ} 17'.0$

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 $A = -1^{\circ} 17'.5$ $B = -3^{\circ} 0'.9$ $C = +1^{\circ} 20'.0$
 $D = +6^{\circ} 49'.2$ $E = +0^{\circ} 12'.2$

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE AFTER AZIMUTH COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Isle Royal, Salute Islands, November 30, 1865.
Correction for Object = -0° 2'. Correction for Lubber Line = 0

Ceara, December 19, 1865.
Correction for Object = +1° 51' Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.				
N. by E.			7° 15'	+ 9° 0'
N. N. E.			8 30	+ 10 10
N. E. by N.	N. 4° E.		9 45	+ 11 20
N. E.	N. 14 E.		7 0	+ 9 20
N. N. E. by E.	N. 24 E.		11 15	+ 12 20
N. E. by E.	N. 38 E.		9 30	+ 11 40
N. N. E.	N. 45 E.		0 45	+ 4 0
N. E. by N.	N. 58 E.		21 0	- 15 30
EAST.	N. 70° E.		19 45	- 18 10
E. by S.	S. 63 E.		19 30	- 17 40
E. S. E.				
S. E. by E.				
S. E.				
S. N. E.				
S. by E.				
SOUTH.				
S. by W.				
S. S. W.				
S. W. by S.				
S. W.				
S. W. by W.				
W. S. W.				
W. by S.				
WEST.				
W. by N.				
W. N. W.				
N. W. by W.				
N. W.				
N. W. by N.				
N. N. W.				
N. by W.				
NORTH.				

The compass did not traverse well, and the observations are not sufficiently good to be worth the trouble of reducing.

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.
From the observations given above, the following values of the coefficients of the deviation are obtained:
A = B = C =
D = E = C =

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.
From the observations given above, the following values of the coefficients of the deviation are obtained:
A = B = C =
D = E = C =

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE AFTER AZIMUTH COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Bahia, December 30, 1865.

Correction for Object = + 2° 30'. Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. 8° E.		8° 0'	5° 50'
N. by E.	N. 17 E.		5 45	3 50
N. N. E.	N. 27 E.		4 30	2 20
N. E. by N.	N. 35 E.		1 15	0 30
N. E.	N. 46 E.		1 0	1 30
N. N. E. by E.	N. 58 E.		1 45	1 0
N. N. E.	N. 70 E.		2 30	0 10
E. by N.	N. 86 E.		7 15	3 40
EAST.	S. 78 E.		12 0	8 20
E. by S.	S. 65 E.		13 45	10 50
E. S. E.	S. 51 E.		16 30	13 20
S. E. by E.	S. 39 E.		17 15	14 40
S. E.	S. 29 E.		16 0	13 50
S. E. by S.	S. 19 E.		14 45	12 30
S. S. E.	S. 10 E.		12 30	10 30
S. by E.	S. 2 E.		9 15	7 30
SOUTH.	S. 6 W.		6 0	4 20
S. by W.	S. 12 W.		0 45	0 30
S. S. W.	S. 22 W.		0 30	2 40
S. W. by S.	S. 31 W.		2 45	4 40
S. W.	S. 40 W.		5 0	7 0
S. W. by W.	S. 50 W.		6 15	8 30
W. S. W.	S. 65 W.		2 30	5 50
W. by S.	S. 78 W.		0 45	3 30
WEST.	N. 89 W.		1 0	1 50
W. by N.	N. 75 W.		3 45	0 40
W. N. W.	N. 62 W.		5 30	2 40
N. W. by W.	N. 46 W.		10 15	6 40
N. W.	N. 35 W.		10 0	7 30
N. W. by N.	N. 23 W.		10 45	8 10
N. N. W.	N. 11 W.		11 30	8 50
N. by W.	N. 2 W.		9 15	7 20
NORTH.			8 0	5 50

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.

From the observations given above, the following values of the coefficients of the deviation are obtained:

$$A = -3^{\circ} 36'.9 \quad B = -4^{\circ} 28'.6 \quad C = -0^{\circ} 19'.5 \\ D = +7^{\circ} 22'.0 \quad E = -1^{\circ} 5'.5$$

Rio Janeiro, January 10, 1866.

Correction for Object = + 2° 44'. Correction for Lubber Line = 0°.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	E. 56° N.		0° 15'	+ 2° 40'
N. by E.	E. 44 N.		1 0	+ 2 0
N. N. E.	E. 32 N.		2 45	+ 0 20
N. E. by N.	E. 17 N.		5 30	- 2 10
N. E.	E. 6 N.		5 15	- 2 40
N. N. E. by E.	S. 82 E.		8 0	- 4 40
N. N. E.	S. 69 E.		9 45	- 6 30
E. by S.	S. 58 E.		9 30	- 6 50
E. S. E.	S. 46 E.		10 15	- 7 20
S. E. by E.	S. 36 E.		9 0	- 6 40
S. E.	S. 26 E.		7 45	- 5 20
S. S. E.	S. 17 E.		5 30	- 3 20
S. by E.	S. 8 E.		3 15	- 1 10
SOUTH.	S. 2 W.		2 0	+ 0 20
S. by W.	S. 10 W.		1 15	+ 3 10
S. S. W.	S. 20 W.		2 30	+ 4 50
S. W. by S.	S. 30 W.		3 45	+ 6 10
S. W.				
S. W. by W.				
W. S. W.				
W. by S.				
WEST.				
W. by N.				
W. N. W.				
N. W. by W.				
N. W.				
N. W. by N.				
N. N. W.				
N. by W.				
NORTH.				

A deviation of the North Point of the Compass to the East is designated by the sign + a deviation to the West by the sign -.

From the observations given above, the following values of the coefficients of the deviations are obtained:

$$A = -2^{\circ} 29'.3 \quad B = -1^{\circ} 8'.5 \quad C = -3^{\circ} 9'.7 \\ D = +6^{\circ} 28'.2 \quad E = -0^{\circ} 4'.5$$

MAGNETIC OBSERVATIONS.

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE AFTER AZIMUTH COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Sandy Point, February 10, 1866.

Correction for Object = + 0° 7'. Correction for Lubber Line = 0.

Valparaiso, April 4, 1866.

Correction for Object = + 0° 1'. Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. 1° E.		1° 0'	1° 50'
N. by E.	N. 11 E.		1° 15'	1° 20'
N. N. E.	N. 19 E.		1° 30'	1° 30'
N. E. by N.	N. 30 E.		1° 45'	1° 45'
N. E.	N. 40 E.		2° 0'	2° 0'
N. E. by E.	N. 54 E.		2° 15'	2° 20'
E. N. E.	N. 65 E.		2° 30'	2° 40'
E. by N.	N. 80 E.		2° 45'	2° 50'
EAST.	S. 89 E.		3° 0'	3° 0'
E. by S.	S. 71 E.		2° 45'	2° 40'
E. S. E.	S. 60 E.		2° 30'	2° 20'
S. E. by E.	S. 47 E.		2° 15'	2° 10'
S. E.	S. 36 E.		2° 0'	2° 0'
S. E. by S.	S. 27 E.		1° 45'	1° 40'
S. S. E.	S. 16 E.		1° 30'	1° 20'
S. by E.	S. 8 E.		1° 15'	1° 10'
SOUTH.	S. 1 E.		1° 0'	1° 0'
S. by W.	S. 6 W.		1° 15'	1° 10'
S. S. W.	S. 17 W.		1° 30'	1° 20'
S. W. by S.	S. 26 W.		1° 45'	1° 30'
S. W.	S. 37 W.		1° 50'	1° 40'
S. W. by W.	S. 47 W.		2° 0'	1° 50'
W. S. W.	S. 58 W.		2° 15'	2° 0'
W. by S.	S. 74 W.		2° 30'	2° 20'
WEST.	S. 86 W.		2° 45'	2° 30'
W. by N.	N. 80 W.		2° 45'	2° 40'
W. N. W.	N. 66 W.		2° 30'	2° 30'
N. W. by W.	N. 50 W.		2° 15'	2° 10'
N. W.	N. 39 W.		2° 0'	2° 0'
N. W. by N.	N. 28 W.		1° 45'	1° 40'
N. N. W.	N. 18 W.		1° 30'	1° 20'
N. by W.	N. 6 W.		1° 15'	1° 10'
NORTH.			1° 0'	1° 0'

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
From the observations given above, the following values of the coefficients of the deviation are obtained:
A = - 0° 5' .6 B = - 2° 57' .8 C = - 0° 47' .2
D = + 7° 13' .2 E = - 0° 25' .5

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
From the observations given above, the following values of the coefficients of the deviation are obtained:
A = - 2° 16' .2 B = - 4° 54' .1 C = + 0° 20' .9
D = + 5° 52' .5 E = + 0° 37' .5

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE AFTER AZIMUTH COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Callao, April 29, 1866. Correction for Object = + 0° 6'. Correction for Lubber Line = 0.				Panama, May 20, 1866. Correction for Object = + 0° 1'. Correction for Lubber Line = 0.					
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. 5° E.		5° 0'	4° 50'	NORTH.	N. 1° E.		1° 0'	1° 0'
N. by E.	N. 15 E.		3 45	3 40	N. by E.	N. 11 E.		0 15	0 20
N. N. E.	N. 21 E.		1 30	1 40	N. N. E.	N. 21 E.		1 30	1 30
N. E. by N.	N. 35 E.		1 15	1 10	N. E. by N.	N. 31 E.		2 45	2 50
N. E.	N. 49 E.		4 0	3 50	N. E.	N. 41 E.		4 0	4 0
N. E. by E.	N. 59 E.		2 45	2 40	N. E. by E.	N. 53 E.		3 15	3 20
E. N. E.	N. 69 E.		1 30	1 20	E. N. E.	N. 68 E.		0 30	0 30
E. by N.	N. 82 E.		3 15	3 10	E. by N.	N. 81 E.		2 15	2 10
EAST.	S. 84 E.		6 0	5 50	EAST.	S. 84 E.		6 0	6 0
E. by S.	S. 70 E.		8 45	8 40	E. by S.	S. 69 E.		9 45	9 40
E. S. E.	S. 59 E.		8 30	8 20	E. S. E.	S. 56 E.		11 30	11 30
S. E. by E.	S. 45 E.		11 15	11 10	S. E. by E.	S. 45 E.		11 15	11 10
S. E.	S. 34 E.		11 0	10 50	S. E.	S. 33 E.		12 0	12 0
S. E. by S.	S. 23 E.		10 45	10 40	S. E. by S.	S. 23 E.		10 45	10 40
S. S. E.	S. 15 E.		7 30	7 20	S. S. E.	S. 13 E.		9 30	9 30
S. by E.	S. 8 E.		3 15	3 10	S. by E.	S. 4 E.		7 15	7 10
SOUTH.	S. 1 W.		1 0	0 50	SOUTH.	S. 5 W.		5 0	5 0
S. by W.	S. 12 W.		0 45	0 40	S. by W.	S. 13 W.		1 45	1 40
S. S. W.	S. 22 W.		2 45	2 50	S. S. W.	S. 21 W.		4 30	4 30
S. W. by S.	S. 31 W.		2 0	2 10	S. W. by S.	S. 29 W.		4 45	4 50
S. W.	S. 43 W.		4 15	4 20	S. W.	S. 40 W.		5 0	5 0
S. W. by W.	S. 52 W.		2 30	2 40	S. W. by W.	S. 51 W.		5 15	5 20
W. S. W.	S. 65 W.		1 15	1 10	W. S. W.	S. 62 W.		5 30	5 30
W. by S.	S. 80 W.		4 0	4 10	W. by S.	S. 73 W.		5 45	5 50
WEST.	N. 86 W.		6 45	6 40	WEST.	S. 88 W.		2 0	2 0
W. by N.	N. 72 W.		5 30	5 20	W. by N.	N. 79 W.		0 15	0 20
W. N. W.	N. 62 W.		7 15	7 10	W. N. W.	N. 65 W.		2 30	2 30
N. W. by W.	N. 49 W.		7 0	6 50	N. W. by W.	N. 53 W.		3 15	3 10
N. W.	N. 38 W.		7 45	7 40	N. W.	N. 40 W.		5 0	5 0
N. W. by N.	N. 26 W.		7 30	7 20	N. W. by N.	N. 29 W.		4 45	4 40
N. N. W.	N. 15 W.		6 15	6 10	N. N. W.	N. 19 W.		3 30	3 30
N. by W.	N. 5		6 15	6 10	N. by W.	N. 8 W.		3 15	3 10
NORTH.				4	NORTH.				1

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign — .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 A = - 3° 56'.2 B = - 2° 0'.6 C = - 0° 49'.6
 D = + 5° 6'.5 E = + 0° 35'.7

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign — .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 A = - 2° 6'.9 B = - 3° 47'.2 C = - 1° 44'.6
 D = + 6° 21'.2 E = - 0° 34'.0

MAGNETIC OBSERVATIONS.

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE AFTER AZIMUTH COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Acapulco, June 1, 1866. Correction for Object = + 0° 6'. Correction for Lubber Line = 0.				Magdalena Bay, June 9, 1866. Correction for Object = - 0° 41'. Correction for Lubber Line = 0.					
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. 2° E.		2° 0'	1° 50'	NORTH.	N. 7° E.		7° 0'	7° 30'
N. by E.	N. 13 E.		1 45	1 40	N. by E.	N. 15 E.		3 45	4 20
N. N. E.	N. 23 E.		0 30	0 20	N. N. E. by N.				
N. E. by N.	N. 33 E.		0 45	0 50	N. E. by E.				
N. E.	N. 45 E.		0 0	0 10	N. E. by N.				
N. E. by E.	N. 57 E.		0 45	0 40	E. N. E.				
E. N. E.	N. 70 E.		2 30	2 20	E. by N.				
E. by N.	N. 83 E.		4 15	4 10	EAST.				
EAST.	S. 82 E.		8 0	7 50	E. by S.				
E. by S.	S. 69 E.		9 45	9 40	E. S. E.				
E. S. E. by E.	S. 56 E.		11 15	11 20	E. S. E. by E.				
S. E. by E.	S. 45 E.		11 0	10 50	S. E. by S.				
S. E. by S.	S. 34 E.		9 45	9 40	S. E. by E.				
S. S. E.	S. 14 E.		6 15	6 10	S. S. E.				
S. by E.	S. 5 E.		3 0	2 50	SOUTH.				
SOUTH.	S. 3 W.		1 15	1 10	S. by W.				
S. by W.	S. 11 W.		1 30	1 40	S. S. W.				
S. S. W.	S. 21 W.		3 45	3 50	S. W. by S.				
S. W. by S.	S. 30 W.		5 0	5 10	S. W. by W.				
S. W. by W.	S. 40 W.		5 15	5 20	S. W. by W.				
W. S. W.	S. 51 W.		4 30	4 40	W. by S.				
W. by S.	S. 63 W.		1 45	1 50	WEST.				
WEST.	S. 77 W.		1 0	1 10	W. by N.				
W. by N.	N. 89 W.		2 45	2 40	W. N. W.				
W. N. W.	N. 76 W.		5 30	5 20	N. W. by W.				
N. W. by W.	N. 62 W.		7 15	7 10	N. W. by W.				
N. W. by W.	N. 49 W.		7 0	6 50	N. W. by N.				
N. W.	N. 38 W.		5 45	5 40	N. N. W.				
N. N. W.	N. 28 W.		5 30	5 20	N. by W.				
N. by W.	N. 17 W.		5 15	5 10	NORTH.				
NORTH.	N. 6		1 50	1 50					

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
 These observations exhibit such discrepancies among themselves that they do not seem worth the trouble of reducing.

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
 From the observations given above, the following values of the coefficients of the deviation are obtained:

A = - 3° 11'.2 B = - 3° 25'.8 C = - 0° 0'.8
 D = + 5° 54'.2 E = + 0° 23'.8

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE FORWARD ALIDADE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Hampton Roads, November 1, 1865.

Correction for Object = + 3° 57'. Correction for Lubber Line = 0.

St. Thomas, November 18, 1865.

Correction for Object = + 0° 16'. Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. ½ E.	—	0	+ 0° 10'	NORTH.	N. ½ E.	+	0	— 0° 10'
N. by E.	N. by E. ½ E.	—	0	0	N. by E.	N. by E. ½ E.	+	0	+ 1 10
N. N. E.	N. E. by N. ½ N.	—	0	0	N. N. E.	N. E. by N. ½ N.	+	0	+ 1 10
N. E. by N.	N. E. by E. ½ E.	—	0	0	N. E. by N.	N. E. by E. ½ E.	+	0	+ 1 10
N. E.	N. E. ½ E.	—	0	0	N. E.	N. E. ½ E.	+	0	+ 1 10
N. E. by E.	N. E. by N. ½ N.	—	0	0	N. E. by E.	N. E. by N. ½ N.	+	0	+ 1 10
N. E.	N. E. ½ E.	—	0	0	N. E.	N. E. ½ E.	+	0	+ 1 10
N. E. by N.	N. E. by E. ½ E.	—	0	0	N. E. by N.	N. E. by E. ½ E.	+	0	+ 1 10
E. by N.	E. by N.	—	0	0	E. by N.	E. by N.	+	0	— 0 20
EAST.	E. by S.	—	0	0	EAST.	E. by S.	+	0	— 0 20
E. by S.	E. by E. ½ E.	—	0	0	E. by S.	E. by E. ½ E.	+	0	— 0 20
E. S. E.	S. E. by E.	—	0	0	E. S. E.	S. E. by E.	+	0	— 0 20
S. E. by E.	S. E. ½ S.	—	0	0	S. E. by E.	S. E. ½ S.	+	0	— 0 20
S. E.	S. E. ½ E.	—	0	0	S. E.	S. E. ½ E.	+	0	— 0 20
S. E. by S.	S. S. E.	—	0	0	S. E. by S.	S. S. E.	+	0	— 0 20
S. S. E.	S. by E.	—	0	0	S. S. E.	S. by E.	+	0	— 0 20
S. by E.	S. ½ E.	—	0	0	S. by E.	S. ½ E.	+	0	— 0 20
SOUTH.	SOUTH.	—	0	0	SOUTH.	SOUTH.	+	0	+ 2 30
S. by W.	S. ½ W.	+	0	+ 3 30	S. by W.	S. ½ W.	+	0	+ 2 30
S. S. W.	S. by W. ½ W.	+	0	+ 4 50	S. S. W.	S. by W. ½ W.	+	0	+ 2 30
S. W. by S.	S. W. by S. ½ S.	+	0	+ 6 20	S. W. by S.	S. W. by S. ½ S.	+	0	+ 2 30
S. W.	S. W. ½ S.	+	0	+ 6 40	S. W.	S. W. ½ S.	+	0	+ 2 30
S. W. by W.	S. W. by W. ½ W.	+	0	+ 5 20	S. W. by W.	S. W. by W. ½ W.	+	0	+ 2 30
W. S. W.	S. W. by S. ½ S.	+	0	+ 5 20	W. S. W.	S. W. by S. ½ S.	+	0	+ 2 30
W. by S.	W. by S. ½ S.	+	0	+ 5 20	W. by S.	W. by S. ½ S.	+	0	+ 2 30
WEST.	WEST.	+	0	+ 4 30	WEST.	WEST.	+	0	+ 1 10
W. by N.	W. by N.	+	0	+ 4 30	W. by N.	W. by N.	+	0	+ 1 10
W. N. W.	W. by W. ½ W.	+	0	+ 3 0	W. N. W.	W. by W. ½ W.	+	0	+ 0 20
N. W. by W.	N. W. ½ W.	+	0	+ 1 40	N. W. by W.	N. W. ½ W.	+	0	+ 0 20
N. W.	N. W. ½ N.	+	0	+ 1 10	N. W.	N. W. ½ N.	+	0	+ 0 20
N. W. by N.	N. N. W.	+	0	+ 1 10	N. W. by N.	N. N. W.	+	0	+ 0 20
N. N. W.	N. by W. ½ W.	+	0	+ 1 10	N. N. W.	N. by W. ½ W.	+	0	+ 0 20
N. by W.	N. ½ W.	+	0	+ 1 10	N. by W.	N. ½ W.	+	0	+ 0 20
NORTH.	NORTH.	+	0	+ 0 10	NORTH.	NORTH.	+	0	+ 0 20

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign —.
From the observations given above, the following values of the coefficients of the deviation are obtained:
A = + 2° 8'.1 B = — 2° 28'.4 C = — 1° 52'.0
D = + 1° 4'.2 E = 0° 0'.0

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign —.
From the observations given above, the following values of the coefficients of the deviation are obtained:
A = + 0° 50'.9 B = — 0° 35'.1 C = — 0° 46'.2
D = + 1° 15'.7 E = + 0° 20'.5

MAGNETIC OBSERVATIONS.

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE FORWARD ALIDADE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Ceara, December 19, 1865. Correction for Object = + 1° 51'. Correction for Lubber Line = 0°.				
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.				
N. by E.	N. $\frac{1}{2}$ E.	+		3°
N. N. E.	N. N. E. $\frac{1}{4}$ N.	+		4
N. N. E. by N.	N. N. E. by N. $\frac{1}{4}$ N.	+		4
N. E.	N. E. $\frac{1}{2}$ N.	+		4
N. E. by E.	N. E. $\frac{1}{4}$ E.	+		4
N. N. E.	N. N. E. $\frac{1}{4}$ E.	+		3
N. N. E. by N.	N. N. E. $\frac{1}{8}$ N.	+		3
EAST.	E. by N.	0		2
E. by S.	EAST.	0		1
E. S. E.	E. by S.	0		50
S. E. by E.	S. E. by E. $\frac{1}{4}$ E.	+		40
S. E.	S. E.	+		
S. E. by S.	S. E. by S.	+		
S. S. E.	S. S. E.	+		
S. by E.	S. by E.	+		
SOUTH.	SOUTH.	+		
S. by W.	S. by W.	+		
S. S. W.	S. S. W.	+		
S. W. by S.	S. W. by S.	+		
S. W.	S. W.	+		
S. W. by W.	S. W. by W.	+		
W. S. W.	W. S. W.	+		
W. by S.	W. by S.	+		
WEST.	WEST.	+		
W. by N.	W. by N.	+		
W. N. W.	W. N. W.	+		
N. W. by W.	N. W. by W.	+		
N. W.	N. W.	+		
N. W. by N.	N. W. by N.	+		
N. N. W.	N. N. W.	+		
N. by W.	N. by W.	+		
NORTH.	NORTH.	+		

Isle Royal, Salute Islands, November 30, 1865.
Correction for Object = - 0° 2'. Correction for Lubber Line = 0°.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.				
N. by E.			0	0
N. N. E.			0	0
N. N. E. by N.			0	0
N. E.			0	0
N. E. by E.			0	0
N. N. E.			0	0
N. N. E. by N.			0	0
EAST.	EAST.		0	0
E. by S.			0	0
E. S. E.			0	0
S. E. by E.			0	0
S. E.			0	0
S. E. by S.			0	0
S. S. E.			0	0
S. by E.			0	0
SOUTH.			0	0
S. by W.			0	0
S. S. W.			0	0
S. W. by S.			0	0
S. W.			0	0
S. W. by W.			0	0
W. S. W.			0	0
W. by S.			0	0
WEST.			0	0
W. by N.			0	0
W. N. W.			0	0
N. W. by W.			0	0
N. W.			0	0
N. W. by N.			0	0
N. N. W.			0	0
N. by W.			0	0
NORTH.			0	0

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.

From the observations given above, the following values of the coefficients of the deviation are obtained:

A = + 2° 3'.6 B = + 0° 0'.1 C = + 1° 4'.7
 D = + 1° 21'.4 E = + 0° 2'.4

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE FORWARD ALIDADE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Bahia, December 30, 1865. Correction for Object = + 2° 30'. Correction for Lubber Line = 0.					Rio Janeiro, January 10, 1866. Correction for Object = + 2° 44'. Correction for Lubber Line = 0°.				
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	NORTH.	0	0	+ 2° 10'	NORTH.	NORTH.		0	
N. by E.	N. by E.	0	0	+ 2 30	N. by E.	N. by E.		0	+ 4° 10'
N. N. E.	N. N. E.	0	0	+ 2 30	N. N. E. by N.	N. E. by N. $\frac{1}{2}$ N.		0	+ 4 10
N. E. by N.	N. E. by N.	0	0	+ 2 30	N. E.	N. E. $\frac{1}{4}$ N. E.		0	+ 4 10
N. E. by E.	N. E. by E.	0	0	+ 2 30	N. E. by E.	N. E. by E.		0	+ 3 0
E. N. E.	E. N. E.	0	0	+ 2 30	E. N. E.	E. N. E.		0	+ 2 40
E. by N.	E. by N.	0	0	+ 2 30	E. by N.	E. by N.		0	+ 2 40
EAST.	EAST.	0	0	+ 2 30	EAST.	EAST.		0	+ 2 40
E. by S.	E. by S.	0	0	+ 1 30	E. by S.	E. by S.		0	+ 2 40
E. S. E.	E. S. E.	0	0	+ 1 10	E. S. E.	E. S. E.		0	+ 2 40
S. E. by E.	S. E. by E.	0	0	+ 1 10	S. E. by E.	S. E. by E.		0	+ 2 40
S. E.	S. E.	0	0	+ 1 10	S. E.	S. E.		0	+ 2 40
S. S. E.	S. S. E.	0	0	+ 1 10	S. S. E.	S. S. E.		0	+ 2 40
S. by E.	S. by E.	0	0	+ 2 30	S. by E.	S. S. E. $\frac{1}{2}$ E.		0	+ 3 50
SOUTH.	SOUTH.	0	0	+ 2 30	SOUTH.	S. S. E.		0	+ 4 10
S. by W.	S. by W.	0	0	+ 3 30	S. by W.	E. $\frac{1}{2}$ E.		0	+ 4 10
S. W.	S. W.	0	0	+ 3 50	S. W.	S. $\frac{1}{2}$ W.		0	+ 5 10
S. W. by S.	S. W. by S.	0	0	+ 3 50	S. W. by S.	S. by W. $\frac{1}{2}$ W.		0	+ 5 30
S. W. by W.	S. W. by W.	0	0	+ 3 50	S. W. by W.	S. S. W. $\frac{1}{2}$ W.		0	+ 5 30
W. by S.	W. by S.	0	0	+ 2 50	W. by S.	S. W.		0	+ 5
WEST.	WEST.	0	0	+ 2 30	WEST.	S. W. by W.		0	+ 5
W. by N.	W. by N.	0	0	+ 0 20	W. by N.	W. by N.		0	+ 5
W. N. W.	W. N. W.	0	0	+ 0 50	W. N. W.	W. N. W.		0	+ 5
N. W. by W.	N. W. by W.	0	0	+ 1 10	N. W. by W.	N. W. by W.		0	+ 5
N. W.	N. W.	0	0	+ 1 10	N. W.	N. W.		0	+ 5
N. W. by N.	N. W. by N.	0	0	+ 1 10	N. W. by N.	N. W. by N.		0	+ 5
N. N. W.	N. N. W.	0	0	+ 1 10	N. N. W.	N. N. W.		0	+ 5
N. by W.	N. by W.	0	0	+ 1 10	N. by W.	N. N. W.		0	+ 5
NORTH.	NORTH.	0	0	+ 2 10	NORTH.	N. by W.		0	+ 5

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 A = + 2° 9'.4 B = - 0° 6'.0 C = - 0° 34'.1
 D = + 1° 15'.0 E = + 0° 14'.5

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 A = + 3° 31'.5 B = - 0° 28'.8 C = - 0° 57'.1
 D = + 1° 21'.1 E = + 0° 1'.9

MAGNETIC OBSERVATIONS.

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE FORWARD ALIDADE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Monte Video, January 24, 1866.
Correction for Object = -0° 13' Correction for Lubber Line = 0.

Sandy Point, February 10, 1866.
Correction for Object = +0° 7' Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	NORTH.	+	0	0° 10'
N. by E.	N. $\frac{1}{2}$ E.	+	0	1 30
N. N. E.	N. by E. $\frac{3}{4}$ E.	+	0	2 30
N. E. by N.	N. N. E. $\frac{1}{2}$ N.	+	0	3 0
N. E.	N. E. $\frac{1}{4}$ N.	+	0	3 0
N. E. by E.	N. E. $\frac{3}{4}$ E.	+	0	3 0
N. N. E.	N. N. E. by E. $\frac{1}{2}$ E.	+	20	4 20
N. E.	E. by N. $\frac{3}{8}$ N.	+	20	4 20
EAST.	E. N. N.	+	0	4 20
E. by S.	E. $\frac{3}{4}$ S.	+	0	3 0
E. S. E.	E. by S. $\frac{1}{2}$ S.	+	0	3 0
E. S. E. by E.	S. E. by E. $\frac{1}{4}$ E.	+	0	3 0
S. E. by S.	S. E. $\frac{1}{2}$ S.	+	0	3 0
S. S. E.	S. S. E. $\frac{1}{4}$ S.	+	30	3 0
S. by E.	S. S. E. $\frac{3}{4}$ E.	+	30	3 0
SOUTH.	S. S. E. $\frac{1}{2}$ E.	+	20	4 20
S. by W.	S. $\frac{1}{2}$ E. W.	+	20	4 20
S. S. W.	S. by W. $\frac{1}{4}$ W.	+	20	4 20
S. W. by S.	S. W. by S. $\frac{1}{2}$ S.	+	20	4 20
S. W.	S. W. $\frac{1}{4}$ S.	+	20	4 20
S. W. by W.	S. W. by W. $\frac{1}{2}$ W.	+	20	4 20
W. by S.	W. by S. $\frac{1}{4}$ S.	+	20	4 20
WEST.	W. $\frac{1}{4}$ S.	+	0	3 0
W. N. W.	W. by N.	+	10	3 0
W. N. W. by W.	W. N. W.	+	10	3 0
N. W. by W.	N. W. by W.	+	10	3 0
N. W.	N. W. $\frac{1}{4}$ W.	+	10	3 0
N. W. by N.	N. W. $\frac{3}{4}$ N.	+	10	3 0
N. N. W.	N. W. by N. $\frac{1}{2}$ N.	+	10	3 0
N. by W.	N. N. W. $\frac{1}{4}$ N.	+	10	3 0
NORTH.	N. $\frac{1}{2}$ W.	+	0	3 0

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.
From the observations given above, the following values of the coefficients of the deviation are obtained:
A = +2° 7'.1 B = +0° 57'.2 C = -1° 5'.0
D = +1° 23'.0 E = -0° 9'.8

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.
From the observations given above, the following values of the coefficients of the deviation are obtained:
A = +2° 25'.6 B = +0° 58'.5 C = -1° 54'.4
D = +1° 47'.0 E = -0° 20'.2

REPORT ON

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE FORWARD ALIDADE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Valparaiso, April 4, 1866.

Correction for Object = + 0° 1'. Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	NORTH.	0	0	0° 0'
N. by E.	N. by E.	+	+	+ 1 30
N. N. E.	N. N. E.	+	+	+ 2 50
N. E. by N.	N. E. by N.	+	+	+ 2 50
N. E.	N. E.	+	+	+ 2 50
N. N. E. by E.	N. N. E. by E.	+	+	+ 2 50
N. E. by E.	N. E. by E.	+	+	+ 2 50
E. by N.	E. by N.	+	+	+ 2 50
EAST.	EAST.	+	+	+ 2 50
E. by S.	E. by S.	+	+	+ 1 30
E. S. E.	E. S. E.	+	+	+ 1 30
S. E. by E.	S. E. by E.	+	+	+ 1 30
S. E.	S. E.	+	+	+ 1 30
S. E. by S.	S. E. by S.	+	+	+ 2 50
S. S. E.	S. S. E.	+	+	+ 2 50
S. by E.	S. by E.	+	+	+ 2 50
SOUTH.	SOUTH.	+	+	+ 2 50
S. by W.	S. by W.	+	+	+ 2 50
S. W. by S.	S. W. by S.	+	+	+ 2 50
S. W.	S. W.	+	+	+ 2 50
S. W. by W.	S. W. by W.	+	+	+ 2 50
W. by S.	W. by S.	+	+	+ 2 50
WEST.	WEST.	+	+	+ 1 30
W. by N.	W. by N.	0	0	0° 0'
W. N. W.	W. N. W.	0	0	0° 0'
N. W. by W.	N. W. by W.	0	0	0° 0'
N. W.	N. W.	0	0	0° 0'
N. W. by N.	N. W. by N.	0	0	0° 0'
N. N. W.	N. N. W.	0	0	0° 0'
N. by W.	N. by W.	0	0	0° 0'
NORTH.	NORTH.	0	0	0° 0'

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 A = + 1° 55'.2 B = + 0° 30'.0 C = - 0° 53'.9
 D = + 1° 4'.2 E = - 0° 5'.2

Callao, April 29, 1866.

Correction for Object = + 0° 6'. Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	NORTH.	-	0	- 1° 20'
N. by E.	N. by E.	0	0	+ 0 10
N. N. E.	N. N. E.	0	0	+ 0 10
N. E. by N.	N. E. by N.	+	+	+ 0 10
N. E.	N. E.	+	+	+ 1 30
N. N. E. by E.	N. N. E. by E.	+	+	+ 1 30
N. E. by E.	N. E. by E.	+	+	+ 1 30
E. by N.	E. by N.	+	+	+ 1 30
EAST.	EAST.	+	+	+ 1 30
E. by S.	E. by S.	+	+	+ 1 30
E. S. E.	E. S. E.	+	+	+ 1 30
S. E. by E.	S. E. by E.	+	+	+ 1 30
S. E.	S. E.	+	+	+ 1 30
S. E. by S.	S. E. by S.	+	+	+ 1 30
S. S. E.	S. S. E.	+	+	+ 1 30
S. by E.	S. by E.	+	+	+ 1 30
SOUTH.	SOUTH.	+	+	+ 1 30
S. by W.	S. by W.	+	+	+ 1 30
S. W. by S.	S. W. by S.	+	+	+ 1 30
S. W.	S. W.	+	+	+ 1 30
S. W. by W.	S. W. by W.	+	+	+ 1 30
W. by S.	W. by S.	+	+	+ 1 30
WEST.	WEST.	+	+	+ 1 30
W. by N.	W. by N.	0	0	+ 0 10
W. N. W.	W. N. W.	0	0	+ 0 10
N. W. by W.	N. W. by W.	-	-	- 1 20
N. W.	N. W.	-	-	- 2 40
N. W. by N.	N. W. by N.	-	-	- 2 40
N. N. W.	N. N. W.	-	-	- 2 40
N. by W.	N. by W.	-	-	- 2 40
NORTH.	NORTH.	-	-	- 1 20

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 A = + 0° 21'.0 B = + 0° 40'.9 C = - 1° 36'.4
 D = + 1° 29'.0 E = - 0° 6'.8

MAGNETIC OBSERVATIONS.

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE FORWARD ALIDADE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Panama, May 20, 1866. Correction for Object = +0° 1'. Correction for Lubber Line = 0.				Acapulco, June 1, 1866. Correction for Object = +0° 6'. Correction for Lubber Line = 0.					
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	NORTH.	+	0	+0° 0'	NORTH.	NORTH.	+	0	+0° 10'
N. by E.	N. by E. 3/4 E.	+	1	+1 30	N. by E.	N. by E. 7/8 E.	+	1	+1 30
N. N. E.	N. by E. by N. 1/4 N.	+	2	+2 50	N. N. E. by N.	N. by E. by N. 1/8 N.	+	1	+1 30
N. E.	N. E. 1/4 N.	+	2	+2 50	N. E.	N. E. 1/4 N.	+	1	+1 30
N. E. by E.	N. E. by E. 1/2 E.	+	2	+2 50	N. E. by E.	N. E. by E. 7/8 E.	+	1	+1 30
E. N. E.	E. by N. 1/4 N.	+	1	+1 30	E. N. E.	E. by N.	+	0	+0 10
E. N. E. by N.	E. by N. 1/2 N.	+	2	+2 50	E. N. E. by N.	E. by N.	+	1	+1 20
EAST.	E. N. E.	+	1	+1 30	EAST.	E. by S.	-	1	-1 20
E. by S.	E. by S. 1/4 S.	+	1	+1 30	E. by S.	S. by S. 1/8 S.	-	1	-1 20
E. S. E.	S. E. by E. 1/4 E.	+	1	+1 30	E. S. E.	S. E. by E. 7/8 E.	-	1	-1 20
S. E. by E.	S. E. 1/4 E.	+	2	+2 50	S. E. by E.	S. E. 1/4 E.	-	1	-1 20
S. E.	S. E. 1/2 S.	+	2	+2 50	S. E.	S. E. by S. 1/8 S.	-	1	-1 20
S. E. by S.	S. S. E.	+	2	+2 50	S. E. by S.	S. S. E.	-	1	-1 20
S. S. E.	S. by E. 1/4 E.	+	2	+2 50	S. S. E.	S. S. E.	-	0	+0 10
S. S. E. by E.	S. by E. 1/2 E.	+	2	+2 50	S. by E.	S. by E. 1/8 E.	-	1	-1 20
SOUTH.	S. 1/4 W.	+	4	+4 10	SOUTH.	S. by E.	-	1	-1 20
S. by W.	S. by W. 1/4 W.	+	4	+4 10	S. by W.	S. 1/4 W.	-	1	-1 20
S. W. by S.	S. W. by S. 1/2 S.	+	4	+4 10	S. W.	S. by W. 1/4 W.	-	3	-3 0
S. W.	S. W. 1/2 W.	+	4	+4 10	S. W. by S.	S. by W. 1/2 W.	-	3	-3 0
S. W. by W.	S. W. by W. 1/4 W.	+	4	+4 10	S. W. by W.	S. W. by S. 1/8 S.	-	4	-4 20
W. S. W.	S. W. by W. 1/2 W.	+	4	+4 10	S. W.	S. W. 1/2 W.	-	4	-4 20
W. by S.	W. by S. 1/2 S.	+	4	+4 10	W. S. W.	S. W. by W. 1/8 W.	-	4	-4 20
WEST.	W. 1/4 S.	+	2	+2 50	WEST.	W. by S. 1/4 S.	-	3	-3 0
W. by N.	W. 1/2 N.	+	1	+1 30	W. by S.	W. 1/4 N.	-	3	-3 0
W. N. W.	W. N. W.	+	0	+0 0	W. by N.	W. 1/2 N.	-	1	-1 30
N. W. by W.	N. W. by W.	+	0	+0 0	N. W.	W. N. W.	-	0	+0 10
N. W.	N. W.	+	0	+0 0	N. W. by W.	N. W. by W.	-	0	+0 10
N. N. W. by N.	N. N. W. by N.	+	0	+0 0	N. W.	N. W. by N.	-	0	+0 10
N. N. W.	N. N. W.	+	0	+0 0	N. N. W. by N.	N. N. W.	-	0	+0 10
N. by W.	N. by W.	+	0	+0 0	N. N. W.	N. N. W.	-	0	+0 10
NORTH.	NORTH.	+	0	+0 0	N. by W.	N. by W.	-	0	+0 10

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.

From the observations given above, the following values of the coefficients of the deviation are obtained:

$A = +1^{\circ} 2^{\circ}$ $B = +0^{\circ} 1' 1$ $C = -1^{\circ} 22' 1$
 $D = +1^{\circ} 21' 0$ $E = -0^{\circ} 6' 8$

$A = +1^{\circ} 8' 1$ $B = -1^{\circ} 28' 4$ $C = -0^{\circ} 33' 1$
 $D = +1^{\circ} 52' 8$ $E = +0^{\circ} 10' 2$

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.

From the observations given above, the following values of the coefficients of the deviation are obtained:

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE FORWARD ALIDADE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Magdalena Bay, June 9, 1866. Correction for Object = -0° 41'. Correction for Lubber Line = 0.				San Francisco, June 23, 1866. Correction for Object = -0° 45'. Correction for Lubber Line = 0.					
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	NORTH.	0	0	-0° 40'	NORTH.	N. 1/2 E.	1	0	-2° 10'
N. by E.	N. 1/2 E.	+	1/2	+0 50	N. by E.	N. by E.	1	0	-2 10
N. N. E.	N. N. E.				N. N. E.	N. N. E.	0	0	-2 0
N. E. by N.	N. E. by N.				N. E. by N.	N. E. by N.	0	0	-0 40
N. E. by E.	N. E. by E.				N. E.	N. E.	0	0	-0 40
E. N. E.	E. N. E.				E. N. E.	E. N. E.	0	0	-0 40
E. by N.	E. by N.				E. by N.	E. by N.	0	0	-0 50
EAST.	EAST.				EAST.	EAST.	0	0	-2 10
E. by S.	E. by S.				E. by S.	E. by S.	0	0	-2 0
E. S. E.	E. S. E.				E. S. E.	E. S. E.	0	0	-0 40
S. E. by E.	S. E. by E.				S. E. by E.	S. E. by E.	0	0	-0 40
S. E.	S. E.				S. E.	S. E.	0	0	-0 40
S. S. E.	S. S. E.				S. S. E.	S. S. E.	0	0	-0 40
S. by E.	S. by E.				S. by E.	S. by E.	0	0	-0 40
SOUTH.	SOUTH.				SOUTH.	SOUTH.	0	0	-0 40
S. by W.	S. by W.				S. by W.	S. by W.	0	0	-0 40
S. S. W.	S. S. W.				S. S. W.	S. S. W.	0	0	-0 40
S. W. by S.	S. W. by S.				S. W. by S.	S. W. by S.	0	0	-0 40
S. W.	S. W.				S. W.	S. W.	0	0	-0 40
S. W. by W.	S. W. by W.				S. W. by W.	S. W. by W.	0	0	-0 40
S. W. W.	S. W. W.				S. W. W.	S. W. W.	0	0	-0 40
WEST.	WEST.				WEST.	WEST.	0	0	-0 40
W. by N.	W. by N.				W. by N.	W. by N.	0	0	-0 40
W. N. W.	W. N. W.				W. N. W.	W. N. W.	0	0	-0 40
N. W.	N. W.				N. W.	N. W.	0	0	-0 40
N. W. by N.	N. W. by N.				N. W. by N.	N. W. by N.	0	0	-0 40
N. N. W.	N. N. W.				N. N. W.	N. N. W.	0	0	-0 40
N. by W.	N. by W.				N. by W.	N. by W.	0	0	-0 40
NORTH.	NORTH.				NORTH.	NORTH.	0	0	-0 40

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.

From the observations given above, the following values of the coefficients of the deviation are obtained:

$A = +1^{\circ} 19'.2$ $B = -2^{\circ} 4'.1$ $C = -1^{\circ} 7'.6$
 $D = +1^{\circ} 19'.2$ $E = 0^{\circ} 0'.0$

$A = +10^{\circ} 40'.6$ $B = -1^{\circ} 54'.2$ $C = -2^{\circ} 25'.1$
 $D = +0^{\circ} 58'.0$ $E = +0^{\circ} 21'.5$

MAGNETIC OBSERVATIONS.

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE FORWARD BINNACLE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Hampton Roads, November 1, 1865.
Correction for Object = + 3° 57'. Correction for Lubber Line = 0.

St. Thomas, November 18, 1865.
Correction for Object = + 0° 16'. Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. ½ E.	—	0	— 1° 40'
N. by E.	N. E. by N. ½ N.	—	0	— 1 40
N. N. E.	N. E. by N.	—	0	— 1 40
N. E. by N.	N. E. by E. ½ E.	—	0	— 0 50
N. E.	N. E. by N. ½ N.	—	0	— 3 0
N. N. E. by E.	N. E. by S.	—	0	— 5 30
N. E. by E.	N. E. by E. ½ E.	—	0	— 6 0
EAST.	N. E. by S.	—	0	— 6 0
E. by S.	S. E. by E. ½ E.	—	0	— 5 0
E. S. E.	S. E. by E. ½ E.	—	0	— 4 30
E. by E.	S. E. by S.	—	0	— 3 40
S. E.	S. E. by E. ½ E.	—	0	— 3 0
S. E. by S.	S. S. E. by E. ½ E.	—	0	— 2 10
S. S. E.	S. by E. ½ E.	—	0	— 0 50
S. S. E. by E.	S. ½ E.	—	0	— 1 30
SOUTH.	S. ½ W.	+	0	— 1 30
S. by W.	S. by W. ½ W.	+	0	— 1 30
S. S. W.	S. by W. by S. ½ S.	+	0	— 5 0
S. W.	S. W. by S.	+	0	— 7 40
S. W. by W.	S. W. ½ W.	+	0	— 7 40
W. S. W.	S. W. by W. ½ W.	+	0	— 9 10
W. by S.	S. W. by S. ½ S.	+	0	— 9 30
WEST.	W. ½ S.	+	0	— 9 30
W. by N.	W. N. W. ½ W.	+	0	— 7 40
W. N. W.	W. N. W.	+	0	— 4 0
N. W. by W.	W. N. W. by W.	+	0	— 3 30
N. W.	N. W. ½ W.	+	0	— 2 10
N. N. W.	N. W. by N. ½ N.	+	0	— 1 10
N. N. W. by N.	N. N. W. by W. ½ W.	+	0	— 1 40
N. N. W.	N. by W. ½ W.	+	0	— 1 40
NORTH.	N. ½ W.	—	0	— 1 40

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign —.
From the observations given above, the following values of the coefficients of the deviation are obtained:
A = + 0° 49'.0 B = — 5° 40'.8 C = — 2° 33'.4
D = + 2° 17'.7 E = + 0° 8'.2

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign —.
From the observations given above, the following values of the coefficients of the deviation are obtained:
A = — 0° 44'.4 B = — 1° 56'.2 C = — 0° 12'.4
D = + 1° 59'.5 E = — 0° 7'.2

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE FORWARD BINNACLE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Isle Royal, Salute Islands, November 30, 1865.

Correction for Object = -0° 2'. Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.			0	0
N. by E.			0	0
N. N. E.			0	0
N. E. by N.			0	0
N. E.			0	0
N. E. by E.			0	0
E. N. E.			0	0
E. by N.			0	0
EAST.	EAST.	0	0	0
E. by S.			0	0
E. S. E.			0	0
S. E. by E.			0	0
S. E.			0	0
S. E. by S.			0	0
S. S. E.			0	0
S. by E.			0	0
SOUTH.			0	0
S. by W.			0	0
S. S. W.			0	0
S. W. by S.			0	0
S. W.			0	0
S. W. by W.			0	0
W. S. W.			0	0
W. by S.			0	0
WEST.			0	0
W. by N.			0	0
W. N. W.			0	0
N. W. by W.			0	0
N. W.			0	0
N. W. by N.			0	0
N. N. W.			0	0
N. by W.			0	0
NORTH.			0	0

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.
From the observations given above, the following values of the coefficients of the deviation are obtained:
A = D = E = C =

Ceara, December 19, 1865.

Correction for Object = +1° 51'. Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.		0	0	+1 50
N. by E.	N. by E.	0	0	+1 50
N. N. E.	N. N. E. by N.	0	0	+1 50
N. E. by N.	N. E. by N.	0	0	+3 0
N. E.	N. E. by E.	1/2	15	+2 10
N. E. by E.	N. E. by E.	0	0	+1 50
E. N. E.	E. N. E.	0	0	+0 40
E. by N.	E. by N.	0	0	+0 40
EAST.	E. by S. 1/2 S.	1/2	15	-2 10
E. by S.	E. by S. 1/2 E.	1/2	15	-2 20
E. S. E.	S. E. by E.	0	0	-2 20
S. E. by E.	S. E. by S.	0	0	
S. E.	S. S. E.	0	0	
S. S. E.	S. by E.	0	0	
S. by E.	SOUTH.	0	0	
SOUTH.	S. by W.	0	0	
S. by W.	S. S. W.	0	0	
S. S. W.	S. W. by S.	0	0	
S. W. by S.	S. W.	0	0	
S. W.	S. W. by W.	0	0	
S. W. by W.	W. S. W.	0	0	
W. S. W.	W. by S.	0	0	
W. by S.	WEST.	0	0	
WEST.	W. by N.	0	0	
W. by N.	W. N. W.	0	0	
W. N. W.	N. W. by W.	0	0	
N. W. by W.	N. W.	0	0	
N. W.	N. W. by N.	0	0	
N. W. by N.	N. N. W.	0	0	
N. N. W.	N. by W.	0	0	
N. by W.	NORTH.	0	0	
NORTH.		0	0	

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.
From the observations given above, the following values of the coefficients of the deviation are obtained:
A = -0° 54'.7 B = +0° 24'.6 C = +1° 26'.9
D = +2° 7'.8 E = +0° 3'.2

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE FORWARD BINNACLE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

MAGNETIC OBSERVATIONS.

Bahia, December 30, 1865. Correction for Object = + 2° 30'. Correction for Lubber Line = 0.					Rio Janeiro, January 10, 1865. Correction for Object = + 2° 44'. Correction for Lubber Line = 0.				
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	NORTH.	0	0	+ 1° 50'	NORTH.			0	+ 2° 40'
N. by E.	N. by E.	0	0	+ 2 30	N. by E.	N. E. by N.	0	0	+ 2 40
N. N. E.	N. N. E.	0	0	+ 2 30	N. N. E. by N.	N. E. by E.	0	0	+ 2 40
N. E. by N.	N. E. by N.	0	0	+ 2 30	N. E. by E.	E. N. E.	0	0	+ 2 40
N. E. by E.	N. E. by E.	0	0	+ 2 30	E. N. E.	E. by N.	0	0	+ 2 40
E. N. E.	E. N. E.	0	0	+ 2 30	E. by N.	EAST.	0	0	+ 2 40
E. by N.	E. by N.	0	0	+ 2 30	EAST.	E. by S. 1/2 S.	0	1/2	+ 1 40
E. by S.	E. by S. 1/2 S.	1	10	+ 1 10	E. by S.	E. S. E.	1	0	+ 2 20
E. S. E.	S. E. by E. 1/2 E.	1	0	0 20	E. S. E.	S. E. by E.	1	0	+ 1 40
S. E. by E.	S. E. 1/2 S.	1	0	0 20	S. E. by E.	S. E. 1/2 E.	1	0	0 20
S. E. by S.	S. E. by S. 1/2 S.	1	0	0 20	S. E. by S.	S. E. 1/2 S.	1	0	0 20
S. S. E.	S. S. by E. 1/2 E.	1	0	0 20	S. S. E.	S. by E. 1/2 E.	1	0	0 20
S. by E.	S. 1/2 E.	1	0	0 50	S. by E.	SOUTH.	1	0	+ 1 20
SOUTH.	SOUTH.	0	0	+ 2 10	SOUTH.	S. by W. 1/2 W.	0	0	+ 2 20
S. by W.	S. by W.	0	0	+ 2 30	S. by W.	S. S. W.	0	0	+ 1 40
S. S. W.	S. S. W.	0	0	+ 2 30	S. S. W.	S. W. by S.	0	0	+ 1 20
S. W. by S.	S. W. by S.	0	0	+ 2 30	S. W. by S.	S. W.	0	0	+ 1 20
S. W.	S. W.	0	0	+ 2 30	S. W.	S. W. by W.	0	0	+ 1 20
S. W. by W.	S. W. by W.	0	0	+ 2 30	S. W. by W.	W. S. W.	0	0	+ 1 20
W. S. W.	W. S. W.	0	0	+ 2 30	W. S. W.	W. 1/2 S.	0	0	+ 1 20
W. by S.	W. 1/2 S.	1	10	+ 1 10	WEST.	W. 1/2 N.	1	0	+ 1 20
WEST.	W. 1/2 N.	1	0	0 0	WEST.	W. by N. 1/2 N.	1	0	+ 1 20
W. by N.	W. by N.	1	0	0 50	W. by N.	W. N. W.	1	0	+ 1 20
W. N. W.	W. N. W.	1	0	+ 2 10	W. N. W.	N. W. 1/2 W.	1	0	+ 1 20
N. W. by W.	N. W. 1/2 W.	1	0	+ 1 50	N. W. by W.	N. W. 1/2 N.	1	0	+ 1 20
N. W.	N. W.	1	0	+ 3 10	N. W.	N. W. by N. 1/2 N.	1	0	+ 1 20
N. W. by N.	N. N. W.	1	0	+ 3 10	N. W. by N.	N. N. W.	1	0	+ 1 20
N. N. W.	N. N. W.	1	0	+ 3 10	N. N. W.	N. by W.	1	0	+ 1 20
N. by W.	N. by W.	1	0	+ 3 10	N. by W.	NORTH.	1	0	+ 1 20
NORTH.	NORTH.	1	0	+ 1 50	NORTH.				

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.

From the observations given above, the following values of the coefficients of the deviation are obtained:

$A = + 0^{\circ} 57'.9$ $B = + 0^{\circ} 26'.5$ $C = - 0^{\circ} 33'.8$
 $D = + 2^{\circ} 6'.5$ $E = - 0^{\circ} 11'.2$

$A = - 0^{\circ} 17'.1$ $B = + 2^{\circ} 59'.8$ $C = - 1^{\circ} 45'.5$
 $D = + 2^{\circ} 3'.7$ $E = + 0^{\circ} 9'.3$

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE FORWARD BINNACLE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Monte Video, January 24, 1866.						Sandy Point, February 10, 1866.								
Correction for Object = -0° 13'			Correction for Lubber Line = 0.			Correction for Object = +0° 7'			Correction for Lubber Line = 0.					
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	NORTH.	0	0	+0° 10'	NORTH.	NORTH.	0	0	+2° 40'	NORTH.	NORTH.	0	0	+1° 20'
N. by E.	N. by E.	+	1	10	N. by E.	N. by E.	+	1	10	N. by E.	N. by E.	+	1	20
N. N. E.	N. N. E.	+	2	30	N. N. E.	N. N. E.	+	2	30	N. N. E.	N. N. E.	+	2	10
N. E. by N.	N. E. by N.	+	3	30	N. E. by N.	N. E. by N.	+	3	30	N. E. by N.	N. E. by N.	+	3	0
N. E.	N. E.	+	4	0	N. E.	N. E.	+	4	0	N. E.	N. E.	+	4	0
N. E. by E.	N. E. by E.	+	4	0	N. E. by E.	N. E. by E.	+	4	0	N. E. by E.	N. E. by E.	+	4	20
N. E.	N. E.	+	4	0	N. E.	N. E.	+	4	0	N. E.	N. E.	+	4	20
N. E. by N.	N. E. by N.	+	4	0	N. E. by N.	N. E. by N.	+	4	0	N. E. by N.	N. E. by N.	+	4	20
E. by N.	E. by N.	+	4	0	E. by N.	E. by N.	+	4	0	E. by N.	E. by N.	+	4	20
EAST.	EAST.	+	2	30	EAST.	EAST.	+	2	30	EAST.	EAST.	+	2	4
E. by S.	E. by S.	+	2	30	E. by S.	E. by S.	+	2	30	E. by S.	E. by S.	+	2	4
E. S. E.	E. S. E.	+	2	30	E. S. E.	E. S. E.	+	2	30	E. S. E.	E. S. E.	+	2	3
S. E. by E.	S. E. by E.	+	1	10	S. E. by E.	S. E. by E.	+	1	10	S. E. by E.	S. E. by E.	+	1	3
S. E.	S. E.	+	1	10	S. E.	S. E.	+	1	10	S. E.	S. E.	+	1	30
S. E. by S.	S. E. by S.	+	1	10	S. E. by S.	S. E. by S.	+	1	10	S. E. by S.	S. E. by S.	+	1	4
S. S. E.	S. S. E.	+	1	10	S. S. E.	S. S. E.	+	1	10	S. S. E.	S. S. E.	+	1	4
S. S. E.	S. S. E.	+	1	10	S. S. E.	S. S. E.	+	1	10	S. S. E.	S. S. E.	+	1	0
S. by E.	S. by E.	+	1	10	S. by E.	S. by E.	+	1	10	S. by E.	S. by E.	+	1	0
SOUTH.	SOUTH.	0	0	0	SOUTH.	SOUTH.	0	0	0	SOUTH.	SOUTH.	0	0	0
S. by W.	S. by W.	+	1	10	S. by W.	S. by W.	+	1	10	S. by W.	S. by W.	+	1	0
S. S. W.	S. S. W.	+	1	10	S. S. W.	S. S. W.	+	1	10	S. S. W.	S. S. W.	+	1	0
S. W. by S.	S. W. by S.	+	1	10	S. W. by S.	S. W. by S.	+	1	10	S. W. by S.	S. W. by S.	+	1	0
S. W.	S. W.	+	1	10	S. W.	S. W.	+	1	10	S. W.	S. W.	+	1	0
S. W. by W.	S. W. by W.	+	0	10	S. W. by W.	S. W. by W.	+	0	10	S. W. by W.	S. W. by W.	+	0	10
W. S. W.	W. S. W.	+	0	10	W. S. W.	W. S. W.	+	0	10	W. S. W.	W. S. W.	+	0	10
WEST.	WEST.	+	1	40	WEST.	WEST.	+	1	40	WEST.	WEST.	+	1	40
W. by N.	W. by N.	+	3	0	W. by N.	W. by N.	+	3	0	W. by N.	W. by N.	+	3	30
W. N. W.	W. N. W.	+	3	0	W. N. W.	W. N. W.	+	3	0	W. N. W.	W. N. W.	+	3	0
N. W. by W.	N. W. by W.	+	4	30	N. W. by W.	N. W. by W.	+	4	30	N. W. by W.	N. W. by W.	+	4	20
N. W.	N. W.	+	4	30	N. W.	N. W.	+	4	30	N. W.	N. W.	+	4	20
N. W. by N.	N. W. by N.	+	3	0	N. W. by N.	N. W. by N.	+	3	0	N. W. by N.	N. W. by N.	+	3	0
N. N. W.	N. N. W.	+	3	0	N. N. W.	N. N. W.	+	3	0	N. N. W.	N. N. W.	+	3	0
N. N. W.	N. N. W.	+	3	0	N. N. W.	N. N. W.	+	3	0	N. N. W.	N. N. W.	+	3	0
N. by W.	N. by W.	+	3	0	N. by W.	N. by W.	+	3	0	N. by W.	N. by W.	+	3	0
NORTH.	NORTH.	0	0	0	NORTH.	NORTH.	0	0	0	NORTH.	NORTH.	0	0	0

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 A = +0° 17'.8 B = +2° 55'.4 C = -0° 41'.1
 D = +1° 45'.2 E = -0° 2'.2

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 A = -1° 16'.5 B = +5° 16'.9 C = -2° 11'.0
 D = +2° 0'.5 E = -0° 3'.2

MAGNETIC OBSERVATIONS.

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE FORWARD BINNACLE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Valparaiso, April 4, 1866.

Correction for Object = + 0° 1'. Correction for Lubber Line = 0.

Callao, April 29, 1866.

Correction for Object = + 0° 6'. Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. ½ E.	— ½	0 1	— 1° 20'
N. by E.	N. by E.	0	0	0 0
N. N. E.	N. N. E. ½ E.	+	+	+ 1 30
N. E. by N.	N. E. by N.	+	+	+ 2 50
N. E.	N. E.	+	+	+ 2 50
N. E. by E.	N. E. by E.	+	+	+ 2 50
E. N. E.	E. N. E.	+	+	+ 1 30
E. by N.	E. by N.	+	+	+ 1 30
EAST.	EAST.	+	+	+ 1 30
E. by S.	E. by S.	0	0	0 0
E. S. E.	E. S. E.	0	0	0 0
S. E. by E.	S. E. by E.	0	0	0 0
S. E.	S. E.	0	0	0 0
S. E. by S.	S. E. by S.	0	0	0 0
S. S. E.	S. S. E.	0	0	0 0
S. by E.	S. by E.	0	0	0 0
SOUTH.	S. ½ E.	+	+	+ 1 30
S. by W.	S. by W.	+	+	+ 1 30
S. S. W.	S. S. W.	0	0	0 0
S. W. by S.	S. W. by S.	0	0	0 0
S. W.	S. W.	0	0	0 0
S. W. by W.	S. W. by W.	0	0	0 0
W. S. W.	W. S. W.	0	0	0 0
W. by S.	W. by S.	0	0	0 0
WEST.	W. ½ N.	— ½	— ½	— 2 50
W. by N.	W. by N.	—	—	— 2 50
W. N. W.	W. N. W.	—	—	— 2 50
N. W. by W.	N. W. by W.	—	—	— 4 10
N. W.	N. W.	—	—	— 2 50
N. W. by N.	N. W. by N.	—	—	— 2 50
N. N. W.	N. N. W.	—	—	— 2 50
N. by W.	N. by W.	—	—	— 2 50
NORTH.	N. ½ W.	— ½	— ½	— 1 20

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign — .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 A = — 0° 14' 6 B = + 1° 47' 9 C = — 0° 46' 1
 D = + 1° 33' 7 E = — 0° 9' 0

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign — .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 A = — 1° 3' 4 B = + 1° 10' 2 C = — 2° 6' 8
 D = + 2° 8' 2 E = + 0° 24' 7

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE FORWARD PINNACLE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Panama, May 26, 1866. Correction for Object = + 0° 1'. Correction for Lubber Line = 0.				Acapulco, June 1, 1866. Correction for Object = + 0° 6'. Correction for Lubber Line = 0.					
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. ½ E.	—	0	— 4° 10'	NORTH.	N. ½ E.	—	0	— 4° 10'
N. by E.	N. E. ¼ E.	—	0	— 2 50	N. by E.	N. E. ¼ E.	—	0	— 2 40
N. N. E.	N. E. by N. ¼ N.	—	0	— 2 50	N. N. E.	N. E. by N. ¼ N.	—	0	— 2 40
N. E. by N.	N. E. ¼ N.	—	0	— 2 50	N. E. by N.	N. E. ¼ N.	—	0	— 2 40
N. E.	N. E.	—	0	— 2 50	N. E.	N. E.	—	0	— 2 40
N. E. by E.	N. E. ¼ E.	—	0	— 2 50	N. E. by E.	N. E. ¼ E.	—	0	— 2 40
E. N. E.	N. E. by N. ¼ N.	—	0	— 2 50	E. N. E.	N. E. by N. ¼ N.	—	0	— 2 40
E. by N.	N. N.	—	0	— 2 50	E. by N.	N. N.	—	0	— 4 10
E.	N. ½ N.	—	0	— 2 50	E.	N. ½ N.	—	0	— 4 10
E. ¼ S.	N. ½ S.	—	0	— 2 50	E. ¼ S.	N. ½ S.	—	0	— 4 10
E. by S.	N. E. ¼ S.	—	0	— 2 50	E. by S.	N. E. ¼ S.	—	0	— 5 30
E. S. E.	N. E. by E. ¼ E.	—	0	— 4 10	E. S. E.	N. E. by E. ¼ E.	—	0	— 5 30
S. E. by E.	S. E. ¼ E.	—	0	— 4 10	S. E. by E.	S. E. ¼ E.	—	0	— 5 30
S. E.	S. E.	—	0	— 4 10	S. E.	S. E.	—	0	— 5 30
S. E. by S.	S. E. ¼ S.	—	0	— 4 10	S. E. by S.	S. E. ¼ S.	—	0	— 4 10
S. S. E.	S. E. by E. ¼ E.	—	0	— 2 50	S. S. E.	S. E. by E. ¼ E.	—	0	— 4 10
S. by E.	S. ½ E.	—	0	— 2 50	S. by E.	S. ½ E.	—	0	— 2 40
SOUTH.	S. ¼ W.	—	0	— 1 20	SOUTH.	S. ¼ W.	—	0	— 2 40
S. by W.	S. ½ W.	—	0	0	S. by W.	S. ½ W.	—	0	— 0 10
S. S. W.	S. S. W.	—	0	0	S. S. W.	S. S. W.	—	0	— 1 30
S. W. by S.	S. W. ¼ S.	—	0	0	S. W. by S.	S. W. ¼ S.	—	0	— 1 30
S. W.	S. W.	—	0	— 1 30	S. W.	S. W.	—	0	— 3 0
S. W. by W.	S. W. ¼ W.	—	0	— 1 30	S. W. by W.	S. W. ¼ W.	—	0	— 3 0
W. S. W.	S. W. by S. ¼ S.	—	0	— 1 30	W. S. W.	S. W. by S. ¼ S.	—	0	— 1 30
W. by S.	W. ¼ S.	—	0	— 1 30	W. by S.	W. ¼ S.	—	0	— 1 30
WEST.	W. ½ N.	—	0	— 1 20	WEST.	W. ½ N.	—	0	— 1 20
W. by N.	W. by N. ¼ N.	—	0	— 2 50	W. by N.	W. by N. ¼ N.	—	0	— 1 20
W. N. W.	W. N. W.	—	0	— 4 10	W. N. W.	W. N. W.	—	0	— 2 40
N. W. by W.	W. N. W. ¼ W.	—	0	— 4 10	N. W. by W.	W. N. W. ¼ W.	—	0	— 4 10
N. W.	N. W.	—	0	— 5 40	N. W.	N. W.	—	0	— 5 30
N. W. by N.	N. W. ¼ N.	—	0	— 5 40	N. W. by N.	N. W. ¼ N.	—	0	— 5 30
N. N. W.	N. by W. ¼ W.	—	0	— 5 40	N. N. W.	N. by W. ¼ W.	—	0	— 5 30
N. by W.	N. ½ W.	—	0	— 4 10	N. by W.	N. ½ W.	—	0	— 4 10
NORTH.	N. W.	—	0	— 4 10	NORTH.	N. W.	—	0	— 4 10

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign —.

From the observations given above, the following values of the coefficients of the deviation are obtained:

$A = -2^{\circ} 31'.9$ $B = -1^{\circ} 1'.5$ $C = -1^{\circ} 33'.0$
 $D = +2^{\circ} 6'.5$ $E = -0^{\circ} 23'.5$

$A = -2^{\circ} 31'.2$ $B = -2^{\circ} 2'.4$ $C = -1^{\circ} 41'.1$
 $D = +2^{\circ} 39'.2$ $E = +0^{\circ} 10'.7$

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE FORWARD BINNACLE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Magdalena Bay, June 9, 1866. Correction for Object = -0° 41'. Correction for Lubber Line = 0.				San Francisco, June 23, 1866. Correction for Object = -0° 45'. Correction for Lubber Line = 0.					
Assumed Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. 1/2 E.	—	0	-6° 10'	NORTH.	N. 1/2 E.	—	0	-6° 20
N. by E.	N. by E. 1/8 E.	—	0	-4 50	N. by E.	N. by E. 1/8 E.	—	0	-6 20
N. N. E. by N.					N. N. E. by N.	N. N. E. by N. 1/8 N.			-6 30
N. E.					N. E.	N. E. 1/8 E.			-7 40
N. E. by E.					N. E. by E.	N. E. by E. 1/8 E.			-6 20
E. N. E.					E. N. E.	E. by N. 1/8 N.			-6 30
E. by N.					E. by N.	E. 1/8 S.			-7 50
EAST.					EAST.	S.			-7 10
E. by S.					E. by S.	E. by S. 1/8 S.			-9 10
E. S. E.					E. S. E.	S. E. by E. 1/8 E.			-7 40
S. E. by E.					S. E. by E.	S. E. 1/8 S.			-6 20
S. E.					S. E.	S. E. by S. 1/8 S.			-6 10
S. E. by S.					S. E. by S.	S. by E. 1/8 E.			-3 30
S. S. E.					S. S. E.	S. by E.			-3 20
S. by E.					S. by E.	S. 1/2 E.			-0 40
SOUTH.					SOUTH.	S. 1/2 W.	+	0	+0 50
S. by W.					S. by W.	S. by W. 1/8 W.	+	1	+2 10
S. S. W.					S. S. W.	S. W. by S. 1/8 S.	+	3	+3 30
S. W. by S.					S. W. by S.	S. W. 1/8 W.	+	4	+4 50
S. W.					S. W.	S. W. by W. 1/8 W.	+	4	+4 50
S. W. by W.					S. W. by W.	W. by S. 1/8 S.	+	3	+3 20
W. S. W.					W. S. W.	W. 1/8 S.	+	0	+0 40
W. by S.					W. by S.	W. by N. 1/8 N.	+	0	+0 50
WEST.					WEST.	N. W. by W. 1/8 W.	+	2	+2 10
W. by N.					W. by N.	N. W. 1/8 N.	+	3	+3 40
W. N. W.					W. N. W.	N. W. by N. 1/8 N.	+	5	+5 0
N. W. by W.					N. W. by W.	N. by W. 1/8 W.	+	6	+6 20
N. W.					N. W.	N. by W.	+	6	+6 20
N. W. by N.					N. W. by N.	NORTH.	+	6	+6 20
N. N. W.					N. N. W.				
N. N. W. by N.					N. N. W. by N.				
N. N. W.					N. N. W.				
N. by W.					N. by W.				
NORTH.					NORTH.				

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.

From the observations given above, the following values of the coefficients of the deviation are obtained:

$A = -1^{\circ} 42'.6$ $B = -2^{\circ} 44'.3$ $C = -4^{\circ} 7'.3$ $D = +2^{\circ} 11'.8$ $E = -0^{\circ} 7'.9$

$A = -3^{\circ} 9'.0$ $B = -4^{\circ} 41'.1$ $C = -3^{\circ} 34'.9$ $D = +1^{\circ} 56'.5$ $E = +0^{\circ} 30'.2$

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE FORWARD RITCHIE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Hampton Roads, November 1, 1865.

Correction for Object = + 3° 57'. Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. 1/2 E.	—	0	+ 1° 10'
N. by E.	N. by E. 1/2 E.	—	0	+ 0 10
N. by E.	N. N. E.	+	0	+ 2 30
N. E. by N.	N. E. by N.	+	0	+ 4 0
N. E. by E.	N. E. 1/2 N.	+	0	+ 4 50
N. E. by E.	N. E. 1/2 E.	+	0	+ 5 20
N. E.	N. E. 1/2 E.	+	0	+ 6 20
N. E. by N.	N. E. by N. 1/2 N.	+	0	+ 5 50
EAST.	E. 1/2 N.	+	0	+ 4 30
E. by S.	E. by S. 1/2 S.	+	0	+ 4 50
E. S. E.	S. E. by E. 1/2 E.	+	0	+ 5 20
S. E. by E.	S. E. 1/2 S.	+	0	+ 6 10
S. E. by S.	S. E. 1/2 E.	+	0	+ 7 40
S. S. E.	S. S. E. 1/2 E.	+	0	+ 9 30
S. by E.	S. by E.	+	0	+ 8 40
SOUTH.	S. 1/2 W.	+	0	+ 9 0
S. by W.	S. by W. 1/2 W.	+	0	+ 8 0
S. S. W.	S. S. W. by S. 1/2 S.	+	0	+ 7 10
S. W. by S.	S. W. 1/2 S.	+	0	+ 5 0
S. W. by W.	S. W. 1/2 W.	+	0	+ 4 0
W. S. W.	W. S. W.	+	0	+ 3 0
WEST.	W. by S.	—	0	+ 0 40
W. by N.	W. by N. 1/2 N.	—	0	+ 0 40
N. N. W.	N. W. by W. 1/2 W.	—	0	+ 0 40
N. W. by W.	N. W. 1/2 W.	—	0	+ 1 40
N. W.	N. W. 1/2 N.	—	0	+ 1 40
N. W. by N.	N. W. by N. 1/2 N.	—	0	+ 0 50
N. N. W.	N. by W. 1/2 W.	—	0	+ 0 40
N. by W.	N. 1/2 W.	—	0	+ 1 10
NORTH.	N.	—	0	+ 1 10

St. Thomas, November 18, 1865.

Correction for Object = + 0° 16'. Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. 1/2 W.	+	0	+ 1° 10'
N. by E.	N. by E. 1/2 E.	+	0	+ 0 10
N. N. E.	N. N. E. by N. 1/2 N.	+	0	+ 2 40
N. E. by N.	N. E. by N.	+	0	+ 5 20
N. E. by E.	N. E. 1/2 E.	+	0	+ 5 20
N. E.	N. E. 1/2 E.	+	0	+ 5 20
N. E. by N.	N. E. by N. 1/2 N.	+	0	+ 2 30
E. 1/2 S.	E. 1/2 S.	+	0	+ 2 30
E. S. E.	S. E. by E. 1/2 E.	+	0	+ 0 10
S. E. by E.	S. E. 1/2 E.	+	0	+ 2 30
S. E. by S.	S. E. 1/2 S.	+	0	+ 2 30
S. S. E.	S. S. E.	+	0	+ 0 10
S. by E.	S. by E.	+	0	+ 0 20
SOUTH.	S. 1/2 W.	+	0	+ 0 20
S. by W.	S. by W. 1/2 W.	+	0	+ 1 10
S. S. W.	S. S. W. by S. 1/2 S.	+	0	+ 2 40
S. W. by S.	S. W. 1/2 S.	+	0	+ 5 20
S. W. by W.	S. W. 1/2 W.	+	0	+ 5 20
W. S. W.	W. S. W.	+	0	+ 5 20
WEST.	W. 1/2 S.	—	0	+ 1 40
W. by N.	W. by N. 1/2 N.	—	0	+ 1 40
N. N. W.	N. W. by W. 1/2 W.	—	0	+ 0 20
N. W. by W.	N. W. 1/2 W.	—	0	+ 3 0
N. W.	N. W. 1/2 N.	—	0	+ 5 50
N. W. by N.	N. W. by N. 1/2 N.	—	0	+ 5 50
N. N. W.	N. by W. 1/2 W.	—	0	+ 3 0
N. by W.	N. 1/2 W.	—	0	+ 3 0
NORTH.	N.	—	0	+ 1 10

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign — .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 $A = + 4^{\circ} 22'.5$ $B = + 1^{\circ} 19'.2$ $C = - 3^{\circ} 37'.2$
 $D = + 2^{\circ} 17'.2$ $E = + 0^{\circ} 27'.5$

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign — .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 $A = + 1^{\circ} 3'.7$ $B = + 2^{\circ} 4'.0$ $C = - 1^{\circ} 16'.6$
 $D = + 3^{\circ} 16'.0$ $E = - 0^{\circ} 25'.5$

MAGNETIC OBSERVATIONS.

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE FORWARD RITCHIE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Isle Royal, Salute Islands, November 30, 1865. Correction for Object = -0° 2'. Correction for Lubber Line = 0.				Ceara, December 19, 1865. Correction for Object = +1° 51'. Correction for Lubber Line = 0.					
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.			0	/	NORTH.			0	/
N. by E.					N. by E.	N. 1/2 E.	+	7	10
N. N. E.					N. N. E.	N. by E. by N. 3/4 N.	+	8	40
N. E. by E.					N. E. by E.	N. E. 1/2 N.	+	10	0
N. E.					N. E.	N. E. 1/2 E.	+	8	0
N. N. E.					N. N. E.	N. E. by E. 1/2 E.	+	6	20
N. E. by N.					E. by N.	E. by N. 1/2 N.	+	5	0
EAST.	E. 1/2 N.	+ 1/2		+ 5 40	EAST.	EAST.	0	7	0
E. by S.					E. by S.	E. by S. 1/2 S.	-	2	50
E. S. E.					E. S. E.	S. E. by E. 1/2 E.	-	0	40
S. E. by E.					S. E. by E.				
S. E.					S. E.				
S. E. by S.					S. E. by S.				
S. S. E.					S. S. E.				
S. by E.					S. by E.				
SOUTH.					SOUTH.				
S. by W.					S. by W.				
S. S. W.					S. S. W.				
S. W. by S.					S. W. by S.				
S. W.					S. W.				
S. W. by W.					S. W. by W.				
W. S. W.					W. S. W.				
W. by S.					W. by S.				
WEST.					WEST.				
W. by N.					W. by N.				
W. N. W.					W. N. W.				
N. W. by W.					N. W. by W.				
N. W.					N. W.				
N. W. by N.					N. W. by N.				
N. N. W.					N. N. W.				
N. by W.					N. by W.				
NORTH.					NORTH.				

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.
From the observations given above, the following values of the coefficients of the deviation are obtained:

$$A = +3^{\circ} \quad 31'.0 \quad B = -0^{\circ} \quad 26'.1 \quad C = +3^{\circ} \quad 36'.9$$

$$D = +2^{\circ} \quad 26'.6 \quad E = -0^{\circ} \quad 3'.9$$

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE FORWARD RITCHIE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Bahia, December 30, 1865.

Correction for Object = + 2° 30'. Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH	N. ½ E.	+	0	- 0° 20'
N. by E.	N. by E. ½ E.	-	0	0 20'
N. N. E.	N. N. E.	+	1	+ 1 50
N. E. by N.	N. E. by N. ½ N.	+	3	+ 3 30
N. E.	N. E.	+	7	+ 7 10
N. E. by E.	N. E. by E. ½ E.	+	8	+ 8 10
N. E. N. E.	N. E. N. E.	+	8	+ 8 10
E. by N.	E. by N. ½ N.	+	10	+ 10 10
EAST.	E. ½ S.	+	4	+ 4 50
E. by S.	E. by S. ½ S.	+	4	0 0
E. S. E.	E. S. E.	+	4	0 0
S. E. by E.	S. E. by E. ½ E.	+	2	+ 2 50
S. E.	S. E.	+	2	+ 2 30
S. E. by S.	S. E. by S.	+	2	+ 2 30
S. S. E.	S. S. E.	+	2	+ 2 30
S. by E.	S. by E. ½ E.	+	3	+ 3 00
SOUTH.	S. ½ W.	+	4	+ 4 00
S. by W.	S. by W. ½ W.	+	5	+ 5 00
S. S. W.	S. S. W.	+	4	+ 4 10
S. W. by S.	S. W. by S. ½ S.	+	4	0 0
S. W.	S. W.	+	4	0 0
S. W. by W.	S. W. by W. ½ W.	+	2	+ 2 50
W. S. W.	W. S. W.	+	1	+ 1 30
W. by S.	W. by S. ½ S.	+	0	0 0
WEST.	W. ½ N.	-	3	- 3 40
W. by N.	W. by N. ½ N.	-	5	- 5 40
W. N. W.	W. N. W.	-	3	- 3 50
N. W. by W.	N. W. by W. ½ W.	-	1	- 1 00
N. W.	N. W.	-	2	- 2 30
N. W. by N.	N. W. by N. ½ N.	-	3	- 3 10
N. N. W.	N. N. W.	-	1	- 1 00
N. by W.	N. by W. ½ W.	-	0	0 20
NORTH.	N. ½ W.	-	0	0 20

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.

From the observations given above, the following values of the coefficients of the deviation are obtained:

A = + 2° 6'.2 B = + 3° 29'.1 C = - 1° 33'.9
 D = + 2° 35'.7 E = - 0° 0'.5

Rio Janeiro, January 10, 1866.

Correction for Object = + 2° 44'. Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.			0	
N. by E.				
N. N. E.				
N. E. by N.	N. E. by N. ½ N.	+		+ 8° 20'
N. E.	N. E.	+		+ 8 20
N. E. by E.	N. E. by E. ½ E.	+		+ 6 20
N. E. N. E.	N. E. N. E.	+		+ 7 40
E. by N.	E. by N. ½ N.	+		+ 7 20
EAST.	E. ½ S.	+		+ 7 0
E. by S.	E. by S. ½ S.	+		+ 5 50
E. S. E.	E. S. E.	+		+ 5 30
S. E. by E.	S. E. by E. ½ E.	+		+ 5 30
S. E.	S. E.	+		+ 5 30
S. E. by S.	S. E. by S. ½ S.	+		+ 5 30
S. S. E.	S. S. E.	+		+ 4 10
SOUTH.	S. ½ E.	+		+ 4 10
S. by W.	S. by W. ½ W.	+		+ 3 0
S. S. W.	S. S. W.	+		+ 3 50
S. W. by S.	S. W. by S. ½ S.	+		+ 3 4
S. W.	S. W.	+		+ 3 4
S. W. by W.	S. W. by W. ½ W.	+		+ 4 10
W. S. W.	W. S. W.	+		+ 4 10
W. by S.	W. by S. ½ S.	+		+ 3 0
WEST.	W. ½ N.	+		+ 3 50
W. by N.	W. by N. ½ N.	+		+ 4 10
W. N. W.	W. N. W.	+		+ 4 10
N. W. by W.	N. W. by W. ½ W.	+		+ 3 0
N. W.	N. W.	+		+ 3 50
N. W. by N.	N. W. by N. ½ N.	+		+ 3 50
N. N. W.	N. N. W.	+		+ 3 4
N. by W.	N. by W. ½ W.	+		+ 3 4
NORTH.				

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.

From the observations given above, the following values of the coefficients of the deviations are obtained:

A = + 3° 14'.0 B = + 4° 23'.5 C = - 1° 10'.4
 D = + 2° 10'.5 E = - 0° 0'.1

MAGNETIC OBSERVATIONS

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE FORWARD RITCHIE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Monte Video, January 24, 1866. Correction for Object = - 0° 13' Correction for Lubber Line = 0.				Sandy Point, February 10, 1866. Correction for Object = + 0° 7' Correction for Lubber Line = 0.					
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. 1/4 W.	+	0	+ 2° 30'	NORTH.	N. 1/4 E.	-	0	- 1° 20'
N. by E.	N. by E. 1/4 E.	+	5	+ 5 20	N. by E.	N. by E.	+	0	+ 0 10
N. N. E.	N. by N. 1/4 N.	+	8	+ 8 10	N. N. E. by N.	N. by E. 1/4 E.	+	1	+ 1 30
N. E.	N. E. 1/4 N.	+	8	+ 8 10	N. E.	N. N. E.	+	3	+ 3 0
N. N. E. by E.	N. E. 1/4 E.	+	8	+ 8 10	N. E. by E.	N. E. 1/4 E.	+	5	+ 5 50
N. E. by N.	E. by N. 1/4 N.	+	8	+ 8 10	N. E. by N.	E. by N. 1/4 N.	+	5	+ 5 50
EAST.	E. 1/4 S.	+	8	+ 8 10	E. 1/4 N.	E. 1/4 N.	+	5	+ 5 50
E. by S.	E. by S. 1/4 S.	+	5	+ 5 20	E. by S.	E. by S. 1/4 S.	+	5	+ 5 50
E. S. E. by E.	S. E. by E. 1/4 E.	+	4	+ 4 0	E. S. E.	E. by E. 1/4 E.	+	4	+ 4 20
S. E.	S. E. 1/4 S.	+	4	+ 4 0	S. E. by E.	S. E. 1/4 S.	+	4	+ 4 20
S. E. by S.	S. E. by S. 1/4 S.	+	4	+ 4 0	S. E. by S.	S. E. by S. 1/4 S.	+	3	+ 3 0
S. S. E.	S. S. E. 1/4 E.	+	4	+ 4 0	S. S. E.	S. S. E. 1/4 S.	+	3	+ 3 0
S. S. E. by E.	S. by E. 1/4 E.	+	4	+ 4 0	S. S. E. by E.	S. by E. 1/4 E.	+	4	+ 4 20
SOUTH.	S. 1/4 W.	+	2	+ 2 30	SOUTH.	S. 1/4 E.	+	4	+ 4 20
S. by W.	S. by W. 1/4 W.	+	2	+ 2 30	S. by W.	S. by W.	+	4	+ 4 20
S. S. W.	S. S. W. 1/4 W.	+	2	+ 2 30	S. S. W.	S. S. W. 1/4 S.	+	3	+ 3 0
S. W. by S.	S. W. 1/4 S.	+	2	+ 2 30	S. W. by S.	S. W. 1/4 S.	+	3	+ 3 0
S. W. by W.	S. W. by W. 1/4 W.	+	2	+ 2 30	S. W. by W.	S. W. 1/4 S.	+	3	+ 3 0
W. S. W.	W. by S. 1/4 S.	+	1	+ 1 10	W. S. W.	W. by S.	+	1	+ 1 30
W. by S.	WEST.	+	0	+ 0 10	W. by S.	W. 1/4 N.	+	0	+ 0 10
WEST.	W. by N.	-	0	- 0 10	WEST.	W. by N. 1/4 N.	-	1	- 1 20
W. N. W.	W. N. W.	-	0	- 0 10	W. N. W.	N. W. by W. 1/4 W.	-	2	- 2 40
N. W. by W.	N. W. 1/4 W.	-	3	- 3 0	N. W. by W.	N. W. 1/4 N.	-	5	- 5 30
N. W.	N. W. 1/4 N.	-	1	- 1 40	N. W.	N. W. 1/4 N.	-	3	- 3 30
N. N. W. by N.	N. N. W. by N.	-	0	- 0 10	N. N. W. by N.	N. W. by N. 1/4 N.	-	5	- 5 30
N. N. W.	N. N. W.	-	0	- 0 10	N. N. W.	N. by W. 1/4 W.	-	4	- 4 10
N. by W.	N. by W.	-	0	- 0 10	N. by W.	N. by W.	-	2	- 2 40
NORTH.	NORTH.	-	2	- 2 30	NORTH.	NORTH.	-	1	- 1 20

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 A = + 3° 23'.8 B = + 3° 48'.0 C = - 0° 0'.4
 D = + 2° 11'.0 E = - 0° 28'.5

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign - .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 A = + 1° 46'.2 B = + 3° 49'.5 C = - 2° 44'.2
 D = + 2° 11'.2 E = - 0° 10'.0

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE FORWARD RITCHIE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Valparaiso, April 4, 1866.

Correction for Object = + 0° 1'. Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. $\frac{1}{2}$ W.	+	0	+ 2° 50'
N. by E.	N. by E. $\frac{1}{2}$ E.	+	0	+ 2 50
N. N. E.	N. N. E. by E.	+	0	+ 4 20
N. E.	N. E. $\frac{1}{2}$ N.	+	0	+ 5 40
N. E. by E.	N. E. $\frac{1}{2}$ E.	+	0	+ 5 40
N. N. E.	N. N. E. $\frac{1}{2}$ N.	+	0	+ 7 0
N. E.	N. E. $\frac{1}{2}$ N.	+	0	+ 7 0
N. N. E.	N. N. E. $\frac{1}{2}$ N.	+	0	+ 7 0
N. E. by N.	N. E. by N.	+	0	+ 2 50
EAST.	E. $\frac{1}{2}$ N.	+	0	+ 2 50
E. by S.	E. by S.	+	0	+ 2 50
E. S. E.	E. S. E. $\frac{1}{2}$ S.	+	0	+ 4 20
S. E. by E.	S. E. by E. $\frac{1}{2}$ E.	+	0	+ 5 40
S. E.	S. E. $\frac{1}{2}$ S.	+	0	+ 5 40
S. S. E.	S. S. E. $\frac{1}{2}$ S.	+	0	+ 2 50
S. by E.	S. by E.	+	0	+ 2 50
S. S. E.	S. S. E. $\frac{1}{2}$ S.	+	0	+ 4 20
S. by W.	S. by W.	+	0	+ 4 20
S. S. W.	S. S. W. $\frac{1}{2}$ S.	+	0	+ 5 40
S. W. by S.	S. W. by S.	+	0	+ 5 40
S. W.	S. W. $\frac{1}{2}$ W.	+	0	+ 5 40
S. W. by W.	S. W. by W.	+	0	+ 4 20
W. S. W.	W. S. W. $\frac{1}{2}$ S.	+	0	+ 4 20
W. by S.	W. by S.	+	0	+ 2 50
WEST.	W. $\frac{1}{2}$ S.	+	0	+ 1 30
W. by N.	W. by N.	+	0	+ 1 30
W. N. W.	W. N. W.	-	0	- 1 20
N. W. by W.	N. W. by W.	0	0	0 0
N. W.	N. W. $\frac{1}{2}$ W.	0	0	0 0
N. W. by N.	N. W. by N.	0	0	0 0
N. N. W.	N. N. W.	0	0	0 0
N. by W.	N. by W.	+	0	+ 1 30
NORTH.	N. by W. $\frac{1}{2}$ W.	+	0	+ 2 50

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.

From the observations given above, the following values of the coefficients of the deviation are obtained:

A = + 3° 33'.4 B = + 1° 20'.2 C = - 1° 29'.0
 D = + 2° 7'.8 E = + 0° 31'.2

Callao, April 29, 1866.

Correction for Object = + 0° 6'. Correction for Lubber Line = 0.

Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. $\frac{1}{2}$ E.	+	0	+ 0° 10'
N. by E.	N. by E. $\frac{1}{2}$ E.	+	0	+ 1 30
N. N. E.	N. N. E. by N.	+	0	+ 3 0
N. E.	N. E. $\frac{1}{2}$ N.	+	0	+ 4 20
N. E. by E.	N. E. $\frac{1}{2}$ E.	+	0	+ 5 40
N. N. E.	N. N. E. $\frac{1}{2}$ N.	+	0	+ 5 40
N. E.	N. E. $\frac{1}{2}$ N.	+	0	+ 5 40
N. N. E.	N. N. E. $\frac{1}{2}$ N.	+	0	+ 5 40
N. E. by N.	N. E. by N.	+	0	+ 4 20
EAST.	E. $\frac{1}{2}$ N.	+	0	+ 4 20
E. by S.	E. by S.	+	0	+ 3 0
E. S. E.	E. S. E. $\frac{1}{2}$ S.	+	0	+ 3 0
S. E. by E.	S. E. by E. $\frac{1}{2}$ E.	+	0	+ 3 0
S. E.	S. E. $\frac{1}{2}$ S.	+	0	+ 3 0
S. S. E.	S. S. E. $\frac{1}{2}$ S.	+	0	+ 3 0
S. by E.	S. by E.	+	0	+ 3 0
S. S. E.	S. S. E. $\frac{1}{2}$ S.	+	0	+ 3 0
S. by W.	S. by W.	+	0	+ 4 20
S. S. W.	S. S. W. $\frac{1}{2}$ S.	+	0	+ 4 20
S. W. by S.	S. W. by S.	+	0	+ 5 40
S. W.	S. W. $\frac{1}{2}$ W.	+	0	+ 5 40
S. W. by W.	S. W. by W.	+	0	+ 4 20
W. S. W.	W. S. W. $\frac{1}{2}$ S.	+	0	+ 4 20
W. by S.	W. by S.	+	0	+ 3 0
WEST.	W. $\frac{1}{2}$ S.	0	0	+ 0 10
W. by N.	W. by N.	+	0	+ 1 20
W. N. W.	W. N. W. $\frac{1}{2}$ N.	-	0	- 2 40
N. W. by W.	N. W. by W.	-	0	- 2 40
N. W.	N. W. $\frac{1}{2}$ W.	-	0	- 2 40
N. W. by N.	N. W. by N.	-	0	- 1 20
N. N. W.	N. N. W.	-	0	- 1 20
N. by W.	N. by W.	+	0	+ 0 10
NORTH.	N. by W. $\frac{1}{2}$ W.	+	0	+ 0 10

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.

From the observations given above, the following values of the coefficients of the deviation are obtained:

A = + 2° 37'.1 B = + 1° 52'.8 C = - 1° 58'.0
 D = + 2° 30'.5 E = + 0° 12'.0

MAGNETIC OBSERVATIONS.

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE FORWARD RITCHIE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Panama, May 20, 1866. Correction for Lubber Line = 0.				Acapulco, June 1, 1866. Correction for Lubber Line = 0.					
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	NORTH.	0	0	0° 0'	NORTH.	NORTH.	0	0	+ 0° 10'
N. by E.	N. by E. $\frac{1}{2}$ E.	+	1	0	N. by E.	N. $\frac{1}{2}$ E.	+	1	+ 1 30
N. N. E.	N. by E. by N. $\frac{1}{4}$ N.	+	2	30	N. N. E.	N. by E. by N. $\frac{1}{4}$ N.	+	2	+ 1 30
N. E.	N. E. by N.	+	3	0	N. E.	N. E. by N.	+	3	+ 3 0
N. E. by E.	N. E. $\frac{1}{2}$ E.	+	4	0	N. E. by E.	N. E. $\frac{1}{2}$ E.	+	4	+ 3 0
N. N. E.	N. E. by N. $\frac{1}{4}$ N.	+	5	0	N. N. E.	N. E. by N. $\frac{1}{4}$ N.	+	5	+ 4 20
N. E.	N. E. $\frac{1}{2}$ E.	+	2	50	N. E.	N. E. $\frac{1}{2}$ E.	+	2	+ 3 0
N. E. by E.	N. E. by N.	+	2	50	N. E. by E.	N. E. by N.	+	2	+ 3 0
N. N. E.	N. by N. $\frac{1}{4}$ N.	+	1	30	N. N. E.	N. by N. $\frac{1}{4}$ N.	+	1	+ 1 30
EAST.	E. $\frac{1}{2}$ N.	+	0	0	EAST.	E. $\frac{1}{2}$ S.	+	0	+ 1 30
E. by S.	E. by S. $\frac{1}{4}$ S.	+	1	30	E. by S.	E. by S. $\frac{1}{4}$ S.	+	1	+ 1 0
E. S. E.	S. E. by E. $\frac{1}{2}$ E.	+	1	30	E. S. E.	S. E. by E. $\frac{1}{2}$ E.	+	1	+ 1 0
S. E.	S. E.	+	0	0	S. E.	S. E.	+	0	+ 1 30
S. E. by S.	S. E. $\frac{1}{2}$ S.	+	2	50	S. E. by S.	S. E. $\frac{1}{2}$ S.	+	2	+ 3 0
S. S. E.	S. by E. $\frac{1}{4}$ E.	+	2	50	S. S. E.	S. by E. $\frac{1}{4}$ E.	+	2	+ 3 0
S. S. E.	S. by E.	+	1	30	S. S. E.	S. by E.	+	1	+ 4 20
SOUTH.	S. $\frac{1}{2}$ E.	+	1	30	SOUTH.	S. $\frac{1}{2}$ E.	+	1	+ 5 40
S. by W.	S. $\frac{1}{2}$ W.	+	4	10	S. by W.	S. $\frac{1}{2}$ W.	+	4	+ 5 40
S. S. W.	S. by W. $\frac{1}{4}$ W.	+	2	50	S. S. W.	S. by W. $\frac{1}{4}$ W.	+	2	+ 5 40
S. W. by S.	S. W. by S. $\frac{1}{2}$ S.	+	4	10	S. W. by S.	S. W. by S. $\frac{1}{2}$ S.	+	4	+ 5 40
S. W.	S. W.	+	5	40	S. W.	S. W.	+	5	+ 5 40
S. W. by W.	S. W. $\frac{1}{2}$ W.	+	4	10	S. W. by W.	S. W. $\frac{1}{2}$ W.	+	4	+ 20
W. S. W.	S. W. by W. $\frac{1}{4}$ W.	+	4	10	W. S. W.	S. W. by W. $\frac{1}{4}$ W.	+	4	+ 3 0
W. by S.	W. by S. $\frac{1}{2}$ S.	+	4	10	W. by S.	W. by S. $\frac{1}{2}$ S.	+	4	+ 1 30
WEST.	W. $\frac{1}{2}$ S.	+	1	30	WEST.	W. $\frac{1}{2}$ S.	+	1	+ 1 30
W. by N.	W. by N.	-	0	0	W. by N.	W. by N.	-	0	+ 10
W. N. W.	N. W. by W. $\frac{1}{4}$ W.	-	1	20	W. N. W.	N. W. by W. $\frac{1}{4}$ W.	-	1	+ 20
N. W. by W.	N. W. $\frac{1}{2}$ W.	-	2	50	N. W. by W.	N. W. $\frac{1}{2}$ W.	-	2	+ 40
N. W.	N. W.	-	2	50	N. W.	N. W.	-	2	+ 40
N. W. by N.	N. W. by N.	-	1	20	N. W. by N.	N. W. by N.	-	1	+ 20
N. N. W.	N. by W. $\frac{1}{4}$ W.	-	1	20	N. N. W.	N. by W. $\frac{1}{4}$ W.	-	1	+ 40
N. by W.	N. $\frac{1}{2}$ W.	-	1	0	N. by W.	N. $\frac{1}{2}$ W.	-	1	+ 20
NORTH.	NORTH.	-	0	0	NORTH.	NORTH.	-	0	+ 10

A deviation of the North Point of the Compass to the East is designated by the sign +; a deviation to the West by the sign -.

From the observations given above, the following values of the coefficients of the deviation are obtained:

$A = + 1^{\circ} 34'.0$ $B = + 0^{\circ} 12'.2$ $C = - 1^{\circ} 53'.8$ $D = + 2^{\circ} 10'.8$ $E = - 0^{\circ} 14'.0$

$A = + 1^{\circ} 52'.8$ $B = + 0^{\circ} 38'.2$ $C = - 2^{\circ} 11'.8$ $D = + 2^{\circ} 24'.2$ $E = + 0^{\circ} 26'.2$

REPORT ON

OBSERVATIONS FOR DETERMINING THE DEVIATIONS OF THE FORWARD RITCHIE COMPASS ON THE U. S. IRON CLAD MONADNOCK.

Magdalena Bay, June 9, 1866.				San Francisco, June 23, 1866.					
Correction for Object = -0° 41'. Correction for Lubber Line = 0.				Correction for Object = -0° 45'. Correction for Lubber Line = 0.					
Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.	Assumed Magnetic Direction of Ship's Head.	Ship's Head by Compass.	Deviation of Compass in Points.	Deviation of Compass in Degrees.	Corrected Deviation of Compass.
NORTH.	N. ½ E.	— ½	0	-3° 30'	NORTH.	N. ½ E.	—	0	6° 20'
N. by E.	N. by E. ½ E.	—	½	-2 0	N. by E.	N. by E. ½ E.	—	½	4 50
N. N. E.	N. N. E.	—	½		N. N. E.	N. N. E.	—	½	3 30
N. E. by N.	N. E. by N.	—	½		N. E. by N.	N. E. by N.	—	½	3 30
N. E. by E.	N. E. by E.	—	½		N. E.	N. E.	—	0	2 0
N. N. E. by E.	N. N. E. by E.	—	½		N. N. E.	N. N. E.	—	0	30
E. by N.	E. by N.	—	½		E. by N.	E. by N.	—	0	2 0
E. N. E.	E. N. E.	—	½		E. N. E.	E. N. E.	—	0	40
E. by S.	E. by S.	—	½		EAST.	EAST.	—	0	40
E. S. E.	E. S. E.	—	½		E. by S.	E. by S.	—	½	0 50
S. E. by E.	S. E. by E.	—	½		E. by S. ½ S.	E. by S. ½ S.	—	½	2 10
S. E. by S.	S. E. by S.	—	½		S. E. by E.	S. E. by E.	—	½	3 40
S. S. E.	S. S. E.	—	½		S. E.	S. E.	—	½	4 50
S. by E.	S. by E.	—	½		S. S. E.	S. S. E.	—	½	4 50
SOUTH.	SOUTH.	—	½		S. by E.	S. by E.	—	½	5 0
S. by W.	S. by W.	—	½		S. S. E.	S. S. E.	—	½	6 20
S. S. W.	S. S. W.	—	½		SOUTH.	SOUTH.	—	½	7 40
S. W. by S.	S. W. by S.	—	½		S. by W.	S. by W.	—	½	7 40
S. W.	S. W.	—	½		S. S. W.	S. S. W.	—	½	7 40
S. W. by W.	S. W. by W.	—	½		S. W.	S. W.	—	½	9 0
W. S. W.	W. S. W.	—	½		S. W. by W.	S. W. by W.	—	½	7 30
W. by S.	W. by S.	—	½		S. W. by S.	S. W. by S.	—	½	6 20
WEST.	WEST.	—	½		S. W.	S. W.	—	½	6 10
W. by N.	W. by N.	—	½		S. W. by W.	S. W. by W.	—	½	4 40
W. N. W.	W. N. W.	—	½		WEST.	WEST.	—	½	4 40
N. W. by W.	N. W. by W.	—	½		W. by N.	W. by N.	—	½	30
N. W.	N. W.	—	½		W. N. W.	W. N. W.	—	½	2 0
N. W. by N.	N. W. by N.	—	½		N. W. by W.	N. W. by W.	—	½	1 0
N. N. W.	N. N. W.	—	½		N. W.	N. W.	—	½	3 20
N. by W.	N. by W.	—	½		N. W. by N.	N. W. by N.	—	½	20
NORTH.	NORTH.	—	½		N. N. W.	N. N. W.	—	½	6 40
		—	½		N. by W.	N. by W.	—	½	10 20
		—	½		N. ½ W.	N. ½ W.	—	½	6 20

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign — .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 A = + 2° 43'.8 B = + 0° 39'.9 C = - 6° 1'.3
 D = + 2° 38'.7 E = - 0° 1'.3

A deviation of the North Point of the Compass to the East is designated by the sign + ; a deviation to the West by the sign — .
 From the observations given above, the following values of the coefficients of the deviation are obtained:
 A = + 1° 3'.8 B = - 0° 16'.2 C = - 6° 41'.6
 D = + 1° 48'.5 E = - 0° 33'.5

The observations made at stations where the deviations had been determined on all of the thirty-two points were first discussed. For that purpose the values of the coefficients A_1, B_1, C_1, D_1, E_1 , for each compass, at each station, were computed from the deviations on the true magnetic points by means of the equations given on pages 126 to 128. A specimen of the form employed in making these computations is appended. It sufficiently explains itself.

ADMIRALTY STANDARD COMPASS. COMPUTATION OF COEFFICIENTS B_1 AND C_1 , FROM DEVIATIONS OBSERVED ON 32 POINTS, ON THE U. S. IRON CLAD MONADNOCK. Bahia, December 30, 1865.

True Magnetic Direction of Ship's Head.	I.	True Magnetic Direction of Ship's Head.	II.	III.	IV.	V.		VI.	
	Observed Deviation of Compass.		Observed Deviation of Compass.	Half Sum of Quantities in Cols. I and II. Unchanging Part of Deviation.	Half Sum of Cols. I and II, (changing Signs of Col. II.) Semi-circular Deviation.	Multipliers.	Products of Col. IV by Multipliers.	Multipliers.	Products of Col. IV by Multipliers.
NORTH.	+ 1° 40'	SOUTH.	+ 1° 40'	+ 1° 40'	0° 0'	0	0° 0'	1	0° 0
N. by E.	+ 3 20	S. by W.	+ 1 20	+ 2 20	+ 1 0	S_1	+ 0 12	S_7	+ 0 59
N. N. E.	+ 3 40	S. S. W.	+ 1 00	+ 2 20	+ 1 20	S_2	+ 0 31	S_8	+ 1 14
N. E. by N.	+ 4 30	S. W. by S.	+ 0 30	+ 2 30	+ 2 0	S_3	+ 1 7		+ 1 40
N. E.	+ 4 40	S. W.	0 0	+ 2 20	+ 2 20	S_4	+ 1 39	S_4	+ 1 39
N. E. by E.	+ 5 0	S. W. by W.	- 0 40	+ 2 10	+ 2 50	S_5	+ 2 21	S_5	+ 1 34
E. N. E.	+ 5 30	W. S. W.	- 1 10	+ 2 10	+ 3 20	S_6	+ 3 5	S_2	+ 1 17
E. by N.	+ 5 40	W. by S.	- 1 50	+ 1 55	+ 3 45	S_7	+ 3 41	S_1	+ 0 44
EAST.	+ 5 20	WEST.	- 2 0	+ 1 40	+ 3 40	1	+ 3 40	0	0 0
E. by S.	+ 5 10	W. by N.	- 2 10	+ 1 30	+ 3 40	S_7	+ 3 36	- S_1	- 0 43
E. S. E.	+ 4 40	W. N. W.	- 2 0	+ 1 20	+ 3 20	S_6	+ 3 5	- S_3	- 1 17
S. E. by E.	+ 4 20	N. W. by W.	- 2 0	+ 1 10	+ 3 10	S_5	+ 2 38	- S_3	- 1 46
S. E.	+ 3 20	N. W.	- 2 0	+ 0 40	+ 2 40	S_4	+ 1 53	- S_4	- 1 53
S. E. by S.	+ 2 40	N. W. by N.	- 1 10	+ 0 45	+ 1 55	S_3	+ 1 4	- S_5	- 1 36
S. S. E.	+ 2 10	N. N. W.	- 0 10	+ 1 0	+ 1 10	S_2	+ 0 27	- S_6	- 1 5
S. by E.	+ 2 0	N. by W.	+ 0 30	+ 1 15	+ 0 45	S_1	+ 0 9	- S_7	- 0 44
Sum of + terms = + 29 8						+ 9 7			
Sum of - terms = -						- 9 4			
Divisor 8						+ 29 8		8 + 0 3	
						$B_1 = + 3 38.5$		$C_1 = + 0 0.4$	

N. B.—Easterly deviations are to be entered in this table with the sign +; Westerly deviations with the sign -.

REPORT ON

COMPUTATION OF COEFFICIENTS A_1, D_1, E_1 , FROM DEVIATIONS OBSERVED ON 32 POINTS.

I.	II.	III.	IV.	V.		VI.	
				Multipliers.	Products of Col. IV by Multipliers.	Multipliers.	Products of Col. IV by Multipliers.
		Half Sum of Quantities in Cols. I and II. Constant Part of Deviation.	Half Sum of Cols. I and II, (changing Signs of Col. II.) Quadrantal Deviation.		Computation of D_1 .		Computation of E_1 .
Upper Half of Table A, Col. III.	Lower Half of Table A, Col. III.						
+ 1° 40'	+ 1° 40'	+ 1° 40'	0° 0'	0	0° 0'	1	0° 0'
+ 2 20	+ 1 30	+ 1 55	+ 0 25	S_2	+ 0 10	S_6	+ 0 23
+ 2 20	+ 1 20	+ 1 50	+ 0 30	S_4	+ 0 21	S_4	+ 0 21
+ 2 30	+ 1 10	+ 1 50	+ 0 40	S_6	+ 0 37	S_2	+ 0 15
+ 2 20	+ 0 40	+ 1 30	+ 0 50	1	+ 0 50	0	0 0
+ 2 10	+ 0 45	+ 1 27	+ 0 43	S_6	+ 0 40	S_2	- 0 16
+ 2 10	+ 1 0	+ 1 35	+ 0 35	S_4	+ 0 25	S_4	- 0 25
+ 1 55	+ 1 15	+ 1 35	+ 0 20	S_2	+ 0 8	S_6	- 0 18
Sum of + terms = +		13 22	Sum of + terms = +	3 11		+	59
Sum of - terms = -			Sum of - terms = -			-	59
	Divisor 8	+ 13 22	Divisor 4	+ 3 11		4	0 0
		$A_1 = + 1 40.2$		$D_1 = + 0 47.8$			$E_1 = 0 0.0$

NOTE.— $S_1 = .195$. $S_2 = .383$. $S_3 = .556$. $S_4 = .707$. $S_5 = .831$. $S_6 = .924$. $S_7 = .981$.

The resulting values of the coefficients for each compass, at each station, are given in the following tables :

COEFFICIENTS OF THE DEVIATIONS OF THE ADMIRALTY STANDARD COMPASS.

STATION.	DATE.	A_1	B_1	C_1	D_1	E_1
Hampton Roads	November 1, 1865	+ 1° 37'.4	+ 9° 4'.6	- 0° 33'.1	+ 0° 29'.2	- 0° 7'.5
St. Thomas	November 18, 1865	+ 0 14.6	+ 5 45.5	+ 0 33.5	+ 0 3.2	- 0 48.2
Bahia	December 30, 1865	+ 1 40.2	+ 3 38.5	+ 0 0.4	+ 0 47.8	0 0.0
Monte Video	January 24, 1866	+ 1 32.8	+ 3 4.8	+ 0 5.8	+ 1 19.5	+ 0 14.5
Sandy Point	February 10, 1866	+ 0 35.9	+ 1 20.6	- 0 40.6	+ 0 53.5	+ 0 1.5
Valparaiso	April 4, 1866	+ 0 35.6	+ 1 20.2	- 0 6.9	+ 0 54.2	- 0 10.2
Callao	April 29, 1866	+ 0 9.1	+ 2 21.1	- 0 1.8	+ 0 52.5	+ 0 5.8
Panama	May 20, 1866	+ 0 31.6	+ 3 2.1	+ 0 1.9	+ 0 55.0	+ 0 8.0
Acapulco	June 1, 1866	- 0 36.9	+ 2 45.4	+ 0 5.5	+ 0 56.8	+ 0 8.0
San Francisco	June 23, 1866	- 0 39.6	+ 4 53.2	- 1 15.4	+ 0 51.2	+ 0 5.8

COEFFICIENTS OF THE DEVIATIONS OF THE AFTER BINNACLE COMPASS.

STATION.	DATE.	A_1	B_1	C_1	D_1	E_1
Hampton Roads	November 1, 1865	+ 0° 27'.5	+ 7° 16'.8	- 1° 14'.1	+ 1° 39'.2	+ 0° 6'.2
St. Thomas	November 18, 1865
Bahia	December 30, 1865	+ 1 29.8	+ 5 43.6	- 0 6.9	+ 1 41.5	+ 0 7.8
Monte Video	January 24, 1866	+ 1 3.1	+ 5 30.6	+ 0 41.9	+ 1 57.5	- 0 42.5
Sandy Point	February 10, 1866	- 0 24.5	+ 5 44.4	- 0 14.6	+ 1 58.5	+ 0 0.2
Valparaiso	April 4, 1866	+ 0 4.9	+ 3 58.8	+ 0 7.9	+ 2 1.5	- 0 0.2
Callao	April 29, 1866	- 0 27.1	+ 4 12.5	- 0 3.9	+ 2 7.5	+ 0 9.0
Panama	May 20, 1866	- 0 50.0	+ 3 19.5	+ 0 22.0	+ 2 32.7	- 0 18.0
Acapulco	June 1, 1866	- 1 0.2	+ 3 4.4	- 0 17.1	+ 2 15.2	- 0 17.2
San Francisco	June 23, 1866	- 0 35.2	+ 3 28.2	- 2 13.9	+ 1 47.5	+ 0 10.2

COEFFICIENTS OF THE DEVIATIONS OF THE AFTER RITCHIE COMPASS.

STATION.	DATE.	A ₁	B ₁	C ₁	D ₁	E ₁
Hampton Roads . . .	November 1, 1865	+ 7° 40'.0	+ 11° 26'.5	- 1° 44'.1	+ 0° 15'.5	- 0° 54'.5
St. Thomas	November 18, 1865	+ 3 14.4	+ 8 .26.9	+ 0 40.4	+ 1 54.2	- 0 37.2
Bahia	December 30, 1865	+ 8 47.1	+ 6 55.6	- 0 57.2	+ 1 59.7	+ 0 14.2
Monte Video	January 24, 1866
Sandy Point	February 10, 1866	+ 8 18.4	+ 4 3.2	- 3 25.6	+ 1 14.5	+ 0 58.5
Valparaiso	April 4, 1866	+ 4 21.9	+ 3 49.1	+ 0 12.4	+ 2 21.0	+ 0 7.5
Callao	April 29, 1866	+ 4 19.4	+ 5 50.1	+ 0 14.1	+ 1 30.5	+ 0 52.0
Panama	May 20, 1866	+ 5 20.6	+ 4 3.1	- 0 10.2	+ 1 17.0	- 1 33.0
Acapulco	June 1, 1866	+ 4 0.6	+ 4 29.1	+ 1 12.8	+ 1 12.2	+ 0 47.0
San Francisco	June 23, 1866	+ 4 11.6	+ 6 46.2	- 1 31.4	+ 2 28.5	+ 0 21.2

COEFFICIENTS OF THE DEVIATIONS OF THE AFTER AZIMUTH COMPASS.

STATION.	DATE.	A ₁	B ₁	C ₁	D ₁	E ₁
Hampton Roads . . .	November 1, 1865	- 1° 5'.0	- 4° 53'.0	- 0° 9'.1	+ 5° 35'.2	+ 0° 17'.0
St. Thomas	November 18, 1865	- 1 17.5	- 3 0.9	+ 1 20.0	+ 6 49.2	+ 0 12.2
Bahia	December 30, 1865	- 3 36.9	- 4 28.6	- 0 19.5	+ 7 22.0	- 1 5.5
Monte Video	January 24, 1866
Sandy Point	February 10, 1866	- 0 5.6	- 2 57.8	- 0 47.2	+ 7 10.2	- 0 25.5
Valparaiso	April 4, 1866	- 2 16.2	- 4 54.1	+ 0 20.9	+ 5 52.5	+ 0 37.5
Callao	April 29, 1866	- 3 56.2	- 2 0.6	- 0 49.6	+ 5 6.5	+ 0 35.7
Panama	May 20, 1866	- 2 6.9	- 3 47.2	+ 1 44.6	+ 6 21.2	- 0 34.0
Acapulco	June 1, 1866	- 3 11.2	- 3 25.8	- 0 0.8	+ 5 54.2	+ 0 23.8
San Francisco	June 23, 1866

COEFFICIENTS OF THE DEVIATIONS OF THE FORWARD ALIDADE COMPASS.

STATION.	DATE.	A ₁	B ₁	C ₁	D ₁	E ₁
Hampton Roads . . .	November 1, 1865	+ 2° 8'.1	- 2° 28'.4	- 1° 52'.0	+ 1° 4'.2	0° 0.0
St. Thomas	November 18, 1865	+ 0 50.9	- 0 35.1	- 0 46.2	+ 1 15.7	+ 0 20.5
Bahia	December 30, 1865	+ 2 9.4	- 0 6.0	- 0 34.1	+ 1 15.0	+ 0 14.5
Monte Video	January 24, 1866	+ 2 7.1	+ 0 57.2	- 1 5.0	+ 1 23.0	- 0 9.8
Sandy Point	February 10, 1866	+ 2 25.6	+ 0 58.5	- 1 54.4	+ 1 47.0	- 0 20.2
Valparaiso	April 4, 1866	+ 1 55.2	+ 0 30.0	- 0 53.9	+ 1 4.2	- 0 5.2
Callao	April 29, 1866	+ 0 21.0	+ 0 40.9	- 1 36.4	+ 1 29.0	- 0 6.8
Panama	May 20, 1866	+ 2 15.2	+ 0 1.1	- 1 22.1	+ 1 21.0	- 0 6.8
Acapulco	June 1, 1866	+ 1 8.1	- 1 28.4	- 0 33.1	+ 1 52.8	+ 0 10.2
San Francisco	June 23, 1866	+ 0 40.6	- 1 54.2	- 2 25.1	+ 0 58.0	+ 0 21.5

COEFFICIENTS OF THE DEVIATIONS OF THE FORWARD BINNACLE COMPASS.

STATION.	DATE.	A ₁	B ₁	C ₁	D ₁	E ₁
Hampton Roads . . .	November 1, 1865	+ 0° 49'.0	- 5° 40'.8	- 2° 33'.4	+ 2° 17'.7	+ 0° 8'.2
St. Thomas	November 18, 1865	- 0 44.4	- 1 56.2	- 0 12.4	+ 1 59.5	- 0 7.2
Bahia	December 30, 1865	+ 0 57.9	+ 0 26.5	- 0 33.8	+ 2 6.5	- 0 11.2
Monte Video	January 24, 1866	+ 0 17.8	+ 2 55.4	- 0 41.1	+ 1 45.2	- 0 2.2
Sandy Point	February 10, 1866	- 1 16.5	+ 5 16.9	- 2 11.0	+ 2 0.5	- 0 3.2
Valparaiso	April 4, 1866	- 0 14.6	+ 1 47.9	- 0 46.1	+ 1 33.7	- 0 9.0
Callao	April 29, 1866	- 1 3.4	+ 1 10.2	- 2 6.8	+ 2 8.2	+ 0 24.7
Panama	May 20, 1866	- 2 31.9	- 1 1.5	- 1 33.0	+ 2 6.5	- 0 23.5
Acapulco	June 1, 1866	- 2 31.2	- 2 2.4	- 1 41.1	+ 2 39.2	+ 0 10.7
San Francisco	June 23, 1866	- 3 9.0	- 4 41.1	- 3 34.9	+ 1 56.5	+ 0 30.2

COEFFICIENTS OF THE DEVIATIONS OF THE FORWARD RITCHIE COMPASS.

STATION.	DATE.	A ₁	B ₁	C ₁	D ₁	E ₁
Hampton Roads	November 1, 1865	+ 4° 22'.5	+ 1° 19'.2	- 3° 37'.2	+ 2° 17'.2	+ 0° 27'.5
St. Thomas	November 18, 1865	+ 1 3.7	+ 2 4.0	- 1 16.6	+ 3 16.0	- 0 25.5
Bahia	December 30, 1865	+ 2 6.2	+ 3 29.1	- 1 33.9	+ 2 35.7	- 0 0.5
Monte Video	January 24, 1866	+ 3 23.8	+ 3 48.0	- 0 0.4	+ 2 11.0	- 0 28.5
Sandy Point	February 10, 1866	+ 1 46.2	+ 3 49.5	- 2 44.2	+ 2 11.2	- 0 10.0
Valparaiso	April 4, 1866	+ 3 33.4	+ 1 20.2	- 1 29.0	+ 2 7.8	+ 0 31.2
Callao	April 29, 1866	+ 2 37.1	+ 1 52.8	- 1 58.0	+ 2 30.5	+ 0 12.0
Panama	May 20, 1866	+ 1 34.0	+ 0 12.2	- 1 53.8	+ 2 10.8	- 0 14.0
Acapulco	June 1, 1866	+ 1 52.8	+ 0 38.2	- 2 11.8	+ 2 24.2	+ 0 26.2
San Francisco	June 23, 1866	+ 1 3.8	- 0 16.2	- 6 41.6	+ 1 48.5	- 0 33.5

In the case of the Admiralty Standard Compass, for some not very evident reason, the variations in the value of the coefficient A_1 are greater than might have been expected. The After Binnacle, Forward Alidade, and Forward Binnacle Compasses were frequently removed from their places, and the fittings were not sufficiently exact to give any certainty of replacing them with their lubber lines always precisely in the same position. This source of error sufficiently accounts for the variations in the values of the A_1 s belonging to them. The Forward and After Ritchie Compasses were firmly fixed in their places, and were not removed during the cruise, except at Valparaiso; but the arrangements for reading off their cards were such that an improper position of the eye of the observer might easily introduce a large parallax, which accounts for the changes in the values of the A_1 s belonging to them. The After Azimuth Compass was always taken down after each swing, and as there was no fixed mark by which to adjust its lubber line, the changes in the value of its A_1 are not surprising.

It now becomes necessary to determine the probable errors of the values of the coefficients which have just been given. To do this for any compass, at any particular station, the value of δ at each of the thirty-two points must be computed from the coefficients for that station. Comparing the values thus found with the corrected observed values, a series of thirty-two residuals are obtained, from which the probable error of δ for that station is deduced by means of the formula

$$r = 0.6745 \sqrt{\frac{[vv]}{m - \mu}}$$

where r is the probable error of a single observed value of δ ; $[vv]$ the sum of the squares of the thirty-two residuals; m the number of the residuals, in this case thirty-two; and μ the number of the coefficients, in the present instance five. Then, letting p_A, p_B, p_C, p_D, p_E , represent respectively the weights, and r_A, r_B, r_C, r_D, r_E , the probable errors, of the values of A_1, B_1, C_1, D_1, E_1 , when determined from a set of deviations observed on each of the thirty-two true magnetic points; we have

$$r_A = \frac{r}{\sqrt{p_A}} \qquad r_B = \frac{r}{\sqrt{p_B}}, \qquad \&c.$$

From the normal equations on page 126, we also have,

$$\begin{aligned} p_A &= 32 & p_D &= 16 \\ p_B &= 16 & p_E &= 16 \\ p_C &= 16 \end{aligned}$$

It is therefore evident that the probable errors of B_1 , C_1 , D_1 , and E_1 , will all be equal to each other.

The probable error of a single observed value of δ has been computed in this way, for each compass, at three stations; namely, Bahia, Sandy Point, and Panama, and the results are given in the following table. The column headed "mean value of r " was obtained by adding together, for each compass, the sum of the squares of the residuals at Bahia, Sandy Point, and Panama; dividing the result by three; and then computing the value of r from the mean value of $[vv]$ thus found. The column headed " $\frac{r}{\sqrt{32}}$ " gives the probable error of A_1 ; and the column headed " $\frac{r}{\sqrt{16}}$ " gives the probable error of B_1 , C_1 , D_1 , and E_1 , for each compass, when these coefficients have been computed from a set of deviations observed on thirty-two points.

Compass.	Value of r .			Mean value of r .	$\frac{r}{\sqrt{32}}$	$\frac{r}{\sqrt{16}}$
	Bahia.	Sandy Point.	Panama.			
Admiralty Standard	$\pm 9'.8$	$\pm 12'.2$	$\pm 11'.3$	$\pm 11'.1$	$\pm 2'.0$	$\pm 2'.8$
After Binnacle	± 25.8	± 20.1	± 26.2	± 24.2	± 4.3	± 6.1
After Ritchie	± 30.6	± 56.6	± 38.8	± 43.4	± 7.7	± 10.8
After Azimuth	± 39.3	± 51.1	± 32.6	± 41.7	± 7.4	± 10.4
Forward Alidade	± 19.0	± 24.5	± 23.6	± 22.5	± 4.0	± 5.6
Forward Binnacle	± 40.2	± 31.2	± 25.3	± 32.8	± 5.8	± 8.2
Forward Ritchie	± 59.7	± 30.2	± 37.8	± 44.4	± 7.8	± 11.1

As an incidental result, this table shows that for ordinary steering compasses (such as the Forward Alidade, Forward Binnacle, and After Binnacle) when read to the nearest eighth of a point, the probable accidental error of a single reading is about half a degree; for Ritchie Monitor Compasses (such as the Forward and After Ritchie) when read to the nearest eighth of a point, the probable accidental error of a single reading is about three-quarters of a degree; and for Admiralty Standard Compasses, read to the nearest ten minutes, the probable accidental error of a single reading is about eleven minutes.

From the mathematical theory of the deviations of the compass, given in a preceding part of this section, we have

$$\mathfrak{B} = B_1 - A_1 C_1$$

and also

$$\mathfrak{B} = \frac{c}{\lambda} \tan \theta + \frac{P}{\lambda} \times \frac{1}{H}$$

Hence

$$0 = -B_1 + A_1 C_1 + \frac{c}{\lambda} \tan \theta + \frac{P}{\lambda} \times \frac{1}{H}$$

But as P is liable to undergo a slow change, we introduce a term depending upon the time, and the equation becomes

$$0 = -B_1 + A_1 C_1 + \frac{c}{\lambda} \tan \theta + \frac{P}{\lambda} \times \frac{1}{H} + \frac{\Delta P}{\lambda} \times \frac{t}{H} \quad (17)$$

where ΔP is the change of the value of P in one day, and t is the elapsed time in days, counted from November 1st, 1865.

We have further

$$\mathfrak{C} = C_1 + A_1 B_1$$

and also

$$\mathfrak{C} = \frac{f}{\lambda} \tan \theta + \frac{Q}{\lambda} \times \frac{1}{H}$$

Hence

$$0 = -C_1 - A_1 B_1 + \frac{f}{\lambda} \tan \theta + \frac{Q}{\lambda} \times \frac{1}{H}$$

But as Q is liable to undergo a slow change, we introduce a term depending upon the time, in the same manner as above, and the equation becomes

$$0 = -C_1 - A_1 B_1 + \frac{f}{\lambda} \tan \theta + \frac{Q}{\lambda} \times \frac{1}{H} + \frac{\Delta Q}{\lambda} \times \frac{t}{H} \quad (18)$$

Each observed value of B_1 and C_1 gives two equations of condition; one of the same form as (17), the other of the same form as (18); and from all the equations of condition thus obtained for any compass, the values of A_1 , $\frac{c}{\lambda}$, $\frac{P}{\lambda}$, $\frac{\Delta P}{\lambda}$, $\frac{f}{\lambda}$, $\frac{Q}{\lambda}$, and $\frac{\Delta Q}{\lambda}$, for that compass, have been computed by the method of least squares.

The value of A_1 thus found we will designate as the "true A_1 " in order to distinguish it from the "apparent A_1 " obtained directly from the corrected observed values of the deviations. The value of the true A_1 depends only upon the value of the constants a , b , d , and e , in equations (1) and (2); but the apparent A_1 is made up of the true A_1 , together with any errors that may exist in the placing of the lubber line of the compass, or in the determination of the true magnetic bearing of the distant object used as an azimuth mark in swinging the ship.

The equations of condition, formed in the manner just explained; the normal equations derived from them by the method of least squares; and the resulting values of the constants, A_1 , $\frac{c}{\lambda}$, $\frac{P}{\lambda}$, $\frac{\Delta P}{\lambda}$, $\frac{f}{\lambda}$, $\frac{Q}{\lambda}$, and $\frac{\Delta Q}{\lambda}$, for each compass are as follows: the values of B_1 and C_1 being expressed in parts of radius.

ADMIRALTY STANDARD COMPASS.

Equations of Condition.

Absolute Terms.	A_1	$\frac{c}{\lambda}$	$\frac{P}{\lambda}$	$\frac{\Delta P}{\lambda}$	$\frac{f}{\lambda}$	$\frac{Q}{\lambda}$	$\frac{\Delta Q}{\lambda}$
o = -0.158	-0.010	+ 2.694	+ 0.212				
o = -0.100	+ 0.010	+ 1.176	+ 0.148	+ 2.520			
o = -0.064	0.000	+ 0.077	+ 0.161	+ 9.516			
o = -0.054	+ 0.002	- 0.603	+ 0.166	+ 13.933			
o = -0.023	- 0.012	- 1.426	+ 0.164	+ 16.522			
o = -0.023	- 0.002	- 0.710	+ 0.158	+ 24.375			
o = -0.041	- 0.001	- 0.113	+ 0.143	+ 25.608			
o = -0.053	+ 0.001	+ 0.623	+ 0.132	+ 26.316			
o = -0.048	+ 0.002	+ 0.836	+ 0.129	+ 27.440			
o = -0.085	- 0.022	+ 1.910	+ 0.177	+ 41.519			
o = + 0.010	- 0.158				+ 2.694	+ 0.212	
o = - 0.010	- 0.100				+ 1.176	+ 0.148	+ 2.520
o = 0.000	- 0.064				+ 0.077	+ 0.161	+ 9.516
o = - 0.002	- 0.054				- 0.603	+ 0.166	+ 13.933
o = + 0.012	- 0.023				- 1.426	+ 0.164	+ 16.522
o = + 0.002	- 0.023				- 0.710	+ 0.158	+ 24.375
o = + 0.001	- 0.041				- 0.113	+ 0.143	+ 25.608
o = - 0.001	- 0.053				+ 0.623	+ 0.132	+ 26.316
o = - 0.002	- 0.048				+ 0.836	+ 0.129	+ 27.440
o = + 0.022	- 0.085				+ 1.910	+ 0.177	+ 41.519

Normal Equations.

o = 0.000	+ 0.058						
o = - 0.699	- 0.037	+ 16.294					
o = - 0.109	- 0.006	+ 0.826	+ 0.258				
o = - 9.869	- 1.057	+ 70.177	+ 28.825	+ 4983.3			
o = + 0.037	- 0.699				+ 16.294		
o = + 0.006	- 0.109				+ 0.826	+ 0.258	
o = + 1.057	- 9.869				+ 70.177	+ 28.825	+ 4983.3

Hence

$$A_1 = 0.000 \qquad \frac{P}{\lambda} = + 0.460 \qquad \frac{f}{\lambda} = - 0.0016$$

$$\frac{c}{\lambda} = + 0.0240 \qquad \frac{\Delta P}{\lambda} = + 0.00102 \qquad \frac{Q}{\lambda} = + 0.006$$

$$\frac{\Delta Q}{\lambda} = - 0.00023$$

AFTER BINNACLE COMPASS.

Equations of Condition.

Absolute Terms.	A_1	$\frac{c}{\lambda}$	$\frac{P}{\lambda}$	$\frac{\Delta P}{\lambda}$	$\frac{f}{\lambda}$	$\frac{Q}{\lambda}$	$\frac{\Delta Q}{\lambda}$
o = -0.127	- 0.022	+ 2.694	+ 0.212				
o = -0.100	- 0.002	+ 0.077	+ 0.161	+ 9.516			
o = -0.096	+ 0.012	- 0.603	+ 0.166	+ 13.933			
o = -0.100	- 0.004	- 1.426	+ 0.164	+ 16.522			
o = -0.070	+ 0.002	- 0.710	+ 0.158	+ 24.375			
o = -0.073	- 0.001	- 0.113	+ 0.143	+ 25.608			
o = -0.058	+ 0.006	+ 0.623	+ 0.132	+ 26.316			
o = -0.054	- 0.005	+ 0.836	+ 0.129	+ 27.440			
o = -0.061	- 0.039	+ 1.910	+ 0.177	+ 41.519			
o = + 0.022	- 0.127				+ 2.694	+ 0.212	
o = + 0.002	- 0.100				+ 0.077	+ 0.161	+ 9.516
o = - 0.012	- 0.096				- 0.603	+ 0.166	+ 13.933
o = + 0.004	- 0.100				- 1.426	+ 0.164	+ 16.522
o = - 0.002	- 0.070				- 0.710	+ 0.158	+ 24.375
o = + 0.001	- 0.073				- 0.113	+ 0.143	+ 25.608
o = - 0.006	- 0.058				+ 0.623	+ 0.132	+ 26.316
o = + 0.005	- 0.054				+ 0.836	+ 0.129	+ 27.440
o = + 0.039	- 0.061				+ 1.910	+ 0.177	+ 41.519

AFTER BINNACLE COMPASS.
Normal Equations.

Absolute Terms.	A_1	$\frac{c}{\lambda}$	$\frac{P}{\lambda}$	$\frac{\Delta P}{\lambda}$	$\frac{f}{\lambda}$	$\frac{Q}{\lambda}$	$\frac{\Delta Q}{\lambda}$
0 = 0.000	+ 0.068						
0 = - 0.288	- 0.136	+ 14.910					
0 = - 0.122	- 0.010	+ 0.652	+ 0.236				
0 = - 13.033	- 1.478	+ 67.212	+ 28.451	+ 4977.0			
0 = + 0.136	- 0.288				+ 14.910		
0 = + 0.010	- 0.122				+ 0.652	+ 0.236	
0 = + 1.478	- 13.033				+ 67.212	+ 28.451	+ 4977.0

Hence

$$A_1 = -0.010$$

$$\frac{c}{\lambda} = -0.0048$$

$$\frac{P}{\lambda} = +0.664$$

$$\frac{\Delta P}{\lambda} = -0.00112$$

$$\frac{f}{\lambda} = -0.0084$$

$$\frac{Q}{\lambda} = +0.002$$

$$\frac{\Delta Q}{\lambda} = -0.00022$$

AFTER RITCHIE COMPASS.
Equations of Condition.

Absolute Terms.	A_1	$\frac{c}{\lambda}$	$\frac{P}{\lambda}$	$\frac{\Delta P}{\lambda}$	$\frac{f}{\lambda}$	$\frac{Q}{\lambda}$	$\frac{\Delta Q}{\lambda}$
0 = - 0.200	- 0.030	+ 2.694	+ 0.212				
0 = - 0.148	+ 0.012	+ 1.176	+ 0.148	+ 2.520			
0 = - 0.121	- 0.017	+ 0.077	+ 0.161	+ 9.516			
0 = - 0.071	- 0.060	- 1.426	+ 0.164	+ 16.522			
0 = - 0.067	+ 0.004	- 0.710	+ 0.158	+ 24.375			
0 = - 0.102	+ 0.004	- 0.113	+ 0.143	+ 25.608			
0 = - 0.071	- 0.003	+ 0.623	+ 0.132	+ 26.316			
0 = - 0.078	+ 0.021	+ 0.836	+ 0.129	+ 27.440			
0 = - 0.118	- 0.027	+ 1.910	+ 0.177	+ 41.519			
0 = + 0.030	- 0.200				+ 2.694	+ 0.212	
0 = - 0.012	- 0.148				+ 1.176	+ 0.148	+ 2.520
0 = + 0.017	- 0.121				+ 0.077	+ 0.161	+ 9.516
0 = + 0.060	- 0.071				- 1.426	+ 0.164	+ 16.522
0 = - 0.004	- 0.067				- 0.710	+ 0.158	+ 24.375
0 = - 0.004	- 0.102				- 0.113	+ 0.143	+ 25.608
0 = + 0.003	- 0.071				+ 0.623	+ 0.132	+ 26.316
0 = - 0.021	- 0.078				+ 0.836	+ 0.129	+ 27.440
0 = + 0.027	- 0.118				+ 1.910	+ 0.177	+ 41.519

Normal Equations.

0 = 0.000	+ 0.127						
0 = - 0.896	- 0.022	+ 15.930					
0 = - 0.161	- 0.018	+ 0.926	+ 0.231				
0 = - 15.837	- 1.525	+ 78.581	+ 26.514	+ 4789.2			
0 = + 0.022	- 0.896				+ 15.930		
0 = + 0.018	- 0.161				+ 0.926	+ 0.231	
0 = + 1.525	- 15.837				+ 78.581	+ 26.514	+ 4789.2

Hence

$$A_1 = 0.000$$

$$\frac{c}{\lambda} = +0.0178$$

$$\frac{P}{\lambda} = +0.766$$

$$\frac{\Delta P}{\lambda} = -0.00122$$

$$\frac{f}{\lambda} = +0.0052$$

$$\frac{Q}{\lambda} = -0.149$$

$$\frac{\Delta Q}{\lambda} = +0.00042$$

AFTER AZIMUTH COMPASS.
Equations of Condition.

Absolute Terms.	A_1	$\frac{c}{\lambda}$	$\frac{P}{\lambda}$	$\frac{\Delta P}{\lambda}$	$\frac{f}{\lambda}$	$\frac{Q}{\lambda}$	$\frac{\Delta Q}{\lambda}$
o = + 0.085	- 0.003	+ 2.694	+ 0.212				
o = + 0.053	+ 0.023	+ 1.176	+ 0.148	+ 2.520			
o = + 0.078	- 0.006	+ 0.077	+ 0.161	+ 9.516			
o = + 0.052	- 0.014	- 1.426	+ 0.164	+ 16.522			
o = + 0.086	+ 0.006	- 0.710	+ 0.158	+ 24.375			
o = + 0.035	- 0.014	- 0.113	+ 0.143	+ 25.608			
o = + 0.066	+ 0.030	+ 0.623	+ 0.132	+ 26.316			
o = + 0.060	0.000	+ 0.836	+ 0.129	+ 27.440			
o = + 0.003	+ 0.085				+ 2.694	+ 0.212	
o = - 0.023	+ 0.053				+ 1.176	+ 0.148	+ 2.520
o = + 0.006	+ 0.078				+ 0.077	+ 0.161	+ 9.516
o = + 0.014	+ 0.052				- 1.426	+ 0.164	+ 16.522
o = - 0.006	+ 0.086				- 0.710	+ 0.158	+ 24.375
o = + 0.014	+ 0.035				- 0.113	+ 0.143	+ 25.608
o = - 0.030	+ 0.066				+ 0.623	+ 0.132	+ 26.316
o = 0.000	+ 0.060				+ 0.836	+ 0.129	+ 27.440

Normal Equations.

o = 0.000	+ 0.037						
o = + 0.250	+ 0.055	+ 12.282					
o = + 0.082	+ 0.003	+ 0.588	+ 0.200				
o = + 8.100	+ 0.352	- 0.725	+ 19.147	+ 3065.3			
o = - 0.055	+ 0.250				+ 12.282		
o = - 0.003	+ 0.082				+ 0.588	+ 0.200	
o = - 0.352	+ 8.100				- 0.725	+ 19.147	+ 3065.3

Hence

$$\begin{aligned}
 A_1 &= 0.000 & \frac{P}{\lambda} &= -0.373 & \frac{f}{\lambda} &= +0.0066 \\
 \frac{c}{\lambda} &= -0.0026 & \frac{\Delta P}{\lambda} &= -0.00032 & \frac{Q}{\lambda} &= -0.044 \\
 & & & & \frac{\Delta Q}{\lambda} &= +0.00039
 \end{aligned}$$

FORWARD ALIDADE COMPASS.
Equations of Condition.

Absolute Terms.	A_1	$\frac{c}{\lambda}$	$\frac{P}{\lambda}$	$\frac{\Delta P}{\lambda}$	$\frac{f}{\lambda}$	$\frac{Q}{\lambda}$	$\frac{\Delta Q}{\lambda}$
o = + 0.043	- 0.033	+ 2.694	+ 0.212				
o = + 0.010	- 0.013	+ 1.176	+ 0.148	+ 2.520			
o = + 0.002	- 0.010	+ 0.077	+ 0.161	+ 9.516			
o = - 0.017	- 0.019	- 0.603	+ 0.166	+ 13.933			
o = - 0.017	- 0.033	- 1.426	+ 0.164	+ 16.522			
o = - 0.009	- 0.016	- 0.710	+ 0.158	+ 24.375			
o = - 0.012	- 0.028	- 0.113	+ 0.143	+ 25.608			
o = 0.000	- 0.024	+ 0.623	+ 0.132	+ 26.316			
o = + 0.026	- 0.010	+ 0.836	+ 0.129	+ 27.440			
o = + 0.033	- 0.042	+ 1.910	+ 0.177	+ 41.519			
o = + 0.033	+ 0.043				+ 2.694	+ 0.212	
o = + 0.013	+ 0.010				+ 1.176	+ 0.148	+ 2.520
o = + 0.010	+ 0.002				+ 0.077	+ 0.161	+ 9.516
o = + 0.019	- 0.017				- 0.603	+ 0.166	+ 13.933
o = + 0.019	- 0.033				- 1.426	+ 0.164	+ 16.522
o = + 0.033	- 0.017				- 0.710	+ 0.158	+ 24.375
o = + 0.016	- 0.009				- 0.113	+ 0.143	+ 25.608
o = + 0.028	- 0.012				+ 0.623	+ 0.132	+ 26.316
o = + 0.024	0.000				+ 0.836	+ 0.129	+ 27.440
o = + 0.010	+ 0.026				+ 1.910	+ 0.177	+ 41.519
o = + 0.042	+ 0.033						

FORWARD ALIDADE COMPASS.
Normal Equations.

Absolute Terms.	A_1	$\frac{c}{\lambda}$	$\frac{P}{\lambda}$	$\frac{\Delta P}{\lambda}$	$\frac{f}{\lambda}$	$\frac{Q}{\lambda}$	$\frac{\Delta Q}{\lambda}$
0 = 0.000	+ 0.011						
0 = + 0.255	- 0.135	+ 16.294					
0 = + 0.012	- 0.037	+ 0.826	+ 0.258				
0 = + 1.089	- 4.686	+ 70.177	+ 28.825	+ 4983.3			
0 = + 0.135	+ 0.255				+ 16.294		
0 = + 0.037	+ 0.012				+ 0.826	+ 0.258	
0 = + 4.686	+ 1.089				+ 70.177	+ 28.825	+ 4983.3

Hence

$$A_1 = -0.025 \qquad \frac{P}{\lambda} = +0.014 \qquad \frac{f}{\lambda} = -0.0012$$

$$\frac{c}{\lambda} = -0.0162 \qquad \frac{\Delta P}{\lambda} = -0.00010 \qquad \frac{Q}{\lambda} = -0.106$$

$$\frac{\Delta Q}{\lambda} = -0.00031$$

FORWARD BINNACLE COMPASS.
Equations of Condition.

Absolute Terms.	A	$\frac{c}{\lambda}$	$\frac{P}{\lambda}$	$\frac{\Delta P}{\lambda}$	$\frac{f}{\lambda}$	$\frac{Q}{\lambda}$	$\frac{\Delta Q}{\lambda}$
0 = + 0.099	- 0.045	+ 2.694	+ 0.212				
0 = + 0.034	- 0.004	+ 1.176	+ 0.148	+ 2.520			
0 = - 0.008	- 0.010	+ 0.077	+ 0.161	+ 9.516			
0 = - 0.051	- 0.012	- 0.603	+ 0.166	+ 13.933			
0 = - 0.092	- 0.038	- 1.426	+ 0.164	+ 16.522			
0 = - 0.031	- 0.013	- 0.710	+ 0.158	+ 24.375			
0 = - 0.020	- 0.037	- 0.113	+ 0.143	+ 25.608			
0 = + 0.018	- 0.027	+ 0.623	+ 0.132	+ 26.316			
0 = + 0.036	- 0.029	+ 0.836	+ 0.129	+ 27.440			
0 = + 0.082	- 0.062	+ 1.910	+ 0.177	+ 41.519			
0 = + 0.045	+ 0.099				+ 2.694	+ 0.212	
0 = + 0.004	+ 0.034				+ 1.176	+ 0.148	+ 2.520
0 = + 0.010	- 0.008				+ 0.077	+ 0.161	+ 9.516
0 = + 0.012	- 0.051				- 0.603	+ 0.166	+ 13.933
0 = + 0.038	- 0.092				- 1.426	+ 0.164	+ 16.522
0 = + 0.013	- 0.031				- 0.710	+ 0.158	+ 24.375
0 = + 0.037	- 0.020				- 0.113	+ 0.143	+ 25.608
0 = + 0.027	+ 0.018				+ 0.623	+ 0.132	+ 26.316
0 = + 0.029	+ 0.036				+ 0.836	+ 0.129	+ 27.440
0 = + 0.062	+ 0.082				+ 1.910	+ 0.177	+ 41.519

Normal Equations.

0 = 0.000	+ 0.043						
0 = + 0.690	- 0.211	+ 16.294					
0 = + 0.015	- 0.046	+ 0.826	+ 0.258				
0 = + 1.334	- 6.283	+ 70.177	+ 28.825	+ 4983.3			
0 = + 0.211	+ 0.690				+ 16.294		
0 = + 0.046	+ 0.015				+ 0.826	+ 0.258	
0 = + 6.283	+ 1.334				+ 70.177	+ 28.825	+ 4983.3

Hence

$$A_1 = 0.000 \qquad \frac{P}{\lambda} = +0.140 \qquad \frac{f}{\lambda} = -0.0059$$

$$\frac{c}{\lambda} = -0.0477 \qquad \frac{\Delta P}{\lambda} = -0.00041 \qquad \frac{Q}{\lambda} = -0.075$$

$$\frac{\Delta Q}{\lambda} = -0.00074$$

FORWARD RITCHIE COMPASS.

Equations of Condition.

Absolute Terms.	A_1	$\frac{c}{\lambda}$	$\frac{P}{\lambda}$	$\frac{\Delta P}{\lambda}$	$\frac{f}{\lambda}$	$\frac{Q}{\lambda}$	$\frac{\Delta Q}{\lambda}$
o = -0.023	-0.063	+ 2.694	+ 0.212				
o = -0.036	-0.022	+ 1.176	+ 0.148	+ 2.520			
o = -0.061	-0.027	+ 0.077	+ 0.161	+ 9.516			
o = -0.066	0.000	- 0.603	+ 0.166	+ 13.933			
o = -0.067	-0.048	- 1.426	+ 0.164	+ 16.522			
o = -0.023	-0.026	- 0.710	+ 0.158	+ 24.375			
o = -0.033	-0.034	- 0.113	+ 0.143	+ 25.608			
o = -0.004	-0.033	+ 0.623	+ 0.132	+ 26.316			
o = -0.011	-0.038	+ 0.836	+ 0.129	+ 27.440			
o = + 0.005	-0.117	+ 1.910	+ 0.177	+ 41.519			
o = + 0.063	-0.023				+ 2.694	+ 0.212	
o = + 0.022	-0.036				+ 1.176	+ 0.148	+ 2.520
o = + 0.027	-0.061				+ 0.077	+ 0.161	+ 9.516
o = + 0.000	-0.066				- 0.603	+ 0.166	+ 13.933
o = + 0.048	-0.067				- 1.426	+ 0.164	+ 16.522
o = + 0.026	-0.023				- 0.710	+ 0.158	+ 24.375
o = + 0.034	-0.033				- 0.113	+ 0.143	+ 25.608
o = + 0.033	-0.004				+ 0.623	+ 0.132	+ 26.316
o = + 0.038	-0.011				+ 0.836	+ 0.129	+ 27.440
o = + 0.117	+ 0.005				+ 1.910	+ 0.177	+ 41.519

Normal Equations.

o = 0.000	+ 0.042						
o = + 0.044	- 0.384	+ 16.294					
o = - 0.052	- 0.068	+ 0.826	+ 0.258				
o = - 4.306	- 9.388	+ 70.177	+ 28.825	+ 4983.3			
o = + 0.384	+ 0.044				+ 16.294		
o = + 0.068	- 0.052				+ 0.826	+ 0.258	
o = + 9.388	- 4.306				+ 70.177	+ 28.825	+ 4983.3

Hence

$$\begin{aligned}
 A_1 &= 0.000 & \frac{P}{\lambda} &= + 0.367 & \frac{f}{\lambda} &= - 0.0141 \\
 \frac{c}{\lambda} &= - 0.0169 & \frac{\Delta P}{\lambda} &= - 0.00102 & \frac{Q}{\lambda} &= - 0.083 \\
 & & & & \frac{\Delta Q}{\lambda} &= - 0.00120
 \end{aligned}$$

The value of the true A_1 having thus become known for each compass, the values of the coefficients \mathfrak{B} , \mathfrak{C} , \mathfrak{D} , and \mathfrak{E} , for each compass, at each station, were next computed by means of the formulæ (16). The results, expressed in parts of radius, are as follows:

COEFFICIENTS OF THE DEVIATIONS OF THE ADMIRALTY STANDARD COMPASS.

STATION.	DATE.	\mathfrak{A}	\mathfrak{B}	\mathfrak{C}	\mathfrak{D}	\mathfrak{E}
Hampton Roads	November 1, 1865	0.000	+ 0.158	- 0.010	+ 0.021	- 0.004
St. Thomas	November 18, 1865	0.000	+ 0.100	+ 0.010	+ 0.006	- 0.013
Bahia	December 30, 1865	0.000	+ 0.064	0.000	+ 0.016	0.000
Monte Video	January 24, 1866	0.000	+ 0.054	+ 0.002	+ 0.024	+ 0.004
Sandy Point	February 10, 1866	0.000	+ 0.023	- 0.012	+ 0.016	0.000
Valparaiso	April 4, 1866	0.000	+ 0.023	- 0.002	+ 0.016	- 0.003
Callao	April 29, 1866	0.000	+ 0.041	0.000	+ 0.016	+ 0.002
Panama	May 20, 1866	0.000	+ 0.053	+ 0.001	+ 0.017	+ 0.002
Acapulco	June 1, 1866	0.000	+ 0.048	+ 0.002	+ 0.018	+ 0.002
San Francisco	June 23, 1866	0.000	+ 0.085	- 0.022	+ 0.018	0.000
Means					+ 0.017	- 0.001

COEFFICIENTS OF THE DEVIATIONS OF THE AFTER BINNACLE.

STATION.	DATE.	A	B	C	D	E
Hampton Roads . . .	November 1, 1865	- 0.010	+ 0.127	- 0.023	+ 0.037	- 0.001
St. Thomas	November 18, 1865	- 0.010
Bahia	December 30, 1865	- 0.010	+ 0.100	- 0.003	+ 0.034	+ 0.002
Monte Video	January 24, 1866	- 0.010	+ 0.096	+ 0.011	+ 0.039	- 0.012
Sandy Point	February 10, 1866	- 0.010	+ 0.100	- 0.005	+ 0.040	- 0.001
Valparaiso	April 4, 1866	- 0.010	+ 0.070	+ 0.002	+ 0.038	0.000
Callao	April 29, 1866	- 0.010	+ 0.073	- 0.002	+ 0.040	+ 0.002
Panama	May 20, 1866	- 0.010	+ 0.058	+ 0.006	+ 0.046	- 0.005
Acapulco	June 1, 1866	- 0.010	+ 0.054	- 0.006	+ 0.041	- 0.006
San Francisco	June 23, 1866	- 0.010	+ 0.060	- 0.040	+ 0.032	0.000
Means					+ 0.038	- 0.002

COEFFICIENTS OF THE DEVIATIONS OF THE AFTER RITCHIE COMPASS.

STATION.	DATE.	A	B	C	D	E
Hampton Roads . . .	November 1, 1865	0.000	+ 0.200	- 0.030	+ 0.024	- 0.022
St. Thomas	November 18, 1865	0.000	+ 0.148	+ 0.012	+ 0.044	- 0.009
Bahia	December 30, 1865	0.000	+ 0.121	- 0.017	+ 0.042	+ 0.002
Monte Video	January 24, 1866
Sandy Point	February 10, 1866	0.000	+ 0.071	- 0.060	+ 0.022	+ 0.013
Valparaiso	April 4, 1866	0.000	+ 0.067	+ 0.004	+ 0.043	+ 0.002
Callao	April 29, 1866	0.000	+ 0.102	+ 0.004	+ 0.032	+ 0.016
Panama	May 20, 1866	0.000	+ 0.071	- 0.003	+ 0.025	- 0.027
Acapulco	June 1, 1866	0.000	+ 0.078	+ 0.021	+ 0.024	+ 0.015
San Francisco	June 23, 1866	0.000	+ 0.118	- 0.027	+ 0.050	+ 0.003
Means					+ 0.034	- 0.001

COEFFICIENTS OF THE DEVIATIONS OF THE AFTER AZIMUTH COMPASS.

STATION.	DATE.	A	B	C	D	E
Hampton Roads . . .	November 1, 1865	0.000	- 0.085	- 0.003	+ 0.101	+ 0.005
St. Thomas	November 18, 1865	0.000	- 0.053	+ 0.023	+ 0.120	+ 0.002
Bahia	December 30, 1865	0.000	- 0.078	- 0.006	+ 0.132	- 0.019
Monte Video	January 24, 1866
Sandy Point	February 10, 1866	0.000	- 0.052	- 0.014	+ 0.126	- 0.007
Valparaiso	April 4, 1866	0.000	- 0.086	+ 0.006	+ 0.106	+ 0.010
Callao	April 29, 1866	0.000	- 0.035	- 0.014	+ 0.090	+ 0.011
Panama	May 20, 1866	0.000	- 0.066	+ 0.030	+ 0.113	- 0.012
Acapulco	June 1, 1866	0.000	- 0.060	0.000	+ 0.105	+ 0.007
San Francisco	June 23, 1866
Means					+ 0.112	0.000

COEFFICIENTS OF THE DEVIATIONS OF THE FORWARD ALIDADE COMPASS.

STATION.	DATE.	A	B	C	D	E
Hampton Roads . . .	November 1, 1865	- 0.025	- 0.044	- 0.032	+ 0.019	+ 0.001
St. Thomas	November 18, 1865	- 0.025	- 0.010	- 0.013	+ 0.022	+ 0.006
Bahia	December 30, 1865	- 0.025	- 0.002	- 0.010	+ 0.022	+ 0.004
Monte Video	January 24, 1866	- 0.025	+ 0.016	- 0.019	+ 0.024	- 0.004
Sandy Point	February 10, 1866	- 0.025	+ 0.017	- 0.034	+ 0.031	- 0.007
Valparaiso	April 4, 1866	- 0.025	+ 0.008	- 0.016	+ 0.019	- 0.002
Callao	April 29, 1866	- 0.025	+ 0.012	- 0.029	+ 0.026	- 0.003
Panama	May 20, 1866	- 0.025	- 0.001	- 0.024	+ 0.023	- 0.003
Acapulco	June 1, 1866	- 0.025	- 0.026	- 0.009	+ 0.033	+ 0.002
San Francisco	June 23, 1866	- 0.025	- 0.034	- 0.041	+ 0.017	+ 0.007
Means					+ 0.024	0.000

COEFFICIENTS OF THE DEVIATIONS OF THE FORWARD BINNACLE COMPASS.

STATION.	DATE.	A	B	C	D	E
Hampton Roads	November 1, 1865	0.000	- 0.099	- 0.045	+ 0.044	+ 0.007
St. Thomas	November 18, 1865	0.000	- 0.034	- 0.004	+ 0.035	- 0.002
Bahia	December 30, 1865	0.000	+ 0.008	- 0.010	+ 0.037	- 0.003
Monte Video	January 24, 1866	0.000	+ 0.051	- 0.012	+ 0.032	- 0.001
Sandy Point	February 10, 1866	0.000	+ 0.092	- 0.038	+ 0.039	- 0.004
Valparaiso	April 4, 1866	0.000	+ 0.031	- 0.013	+ 0.028	- 0.003
Callao	April 29, 1866	0.000	+ 0.020	- 0.037	+ 0.037	+ 0.006
Panama	May 20, 1866	0.000	- 0.018	- 0.027	+ 0.037	- 0.006
Acapulco	June 1, 1866	0.000	- 0.036	- 0.029	+ 0.046	+ 0.004
San Francisco	June 23, 1866	0.000	- 0.082	- 0.062	+ 0.035	+ 0.014
Means					+ 0.037	+ 0.001

COEFFICIENTS OF THE DEVIATIONS OF THE FORWARD RITCHIE COMPASS.

STATION.	DATE.	A	B	C	D	E
Hampton Roads	November 1, 1865	0.000	+ 0.023	- 0.063	+ 0.038	+ 0.006
St. Thomas	November 18, 1865	0.000	+ 0.036	- 0.022	+ 0.057	- 0.008
Bahia	December 30, 1865	0.000	+ 0.061	- 0.027	+ 0.047	- 0.002
Monte Video	January 24, 1866	0.000	+ 0.066	0.000	+ 0.040	- 0.008
Sandy Point	February 10, 1866	0.000	+ 0.067	- 0.048	+ 0.039	- 0.006
Valparaiso	April 4, 1866	0.000	+ 0.023	- 0.026	+ 0.037	+ 0.008
Callao	April 29, 1866	0.000	+ 0.033	- 0.034	+ 0.044	+ 0.002
Panama	May 20, 1866	0.000	+ 0.004	- 0.033	+ 0.038	- 0.004
Acapulco	June 1, 1866	0.000	+ 0.011	- 0.038	+ 0.041	+ 0.007
San Francisco	June 23, 1866	0.000	- 0.005	- 0.117	+ 0.025	- 0.009
Means					+ 0.041	- 0.001

The values of the coefficients D and E for any compass should be constant. Therefore the mean of all the observed values has been assumed as the truth, and is given on the line marked "means" in the case of each compass.

The constants thus far determined furnish the data with which to compute the values of the coefficients A, B, C, D, E, in any part of the world, for any of the compasses under discussion. For convenience of reference these constants are collected in the following table:

Compass.	$A_1 = A$	$\frac{c}{\lambda}$	$\frac{P}{\lambda}$	$\frac{P}{\lambda}$	$\frac{f}{\lambda}$	$\frac{Q}{\lambda}$	$\frac{\Delta Q}{\lambda}$	D	E
Admiralty Standard . .	0.000	+ 0.0240	+ 0.460	- 0.00102	- 0.0016	+ 0.006	- 0.00023	+ 0.017	- 0.001
After Binnacle	- 0.010	- 0.0048	+ 0.664	- 0.00112	- 0.0084	+ 0.002	- 0.00022	+ 0.038	- 0.002
After Ritchie	0.000	+ 0.0178	+ 0.766	- 0.00122	+ 0.0052	- 0.149	+ 0.00042	+ 0.034	- 0.001
After Azimuth	0.000	- 0.0026	- 0.373	- 0.00032	+ 0.0066	- 0.044	+ 0.00039	+ 0.112	0.000
Forward Alidade	- 0.025	- 0.0162	+ 0.014	- 0.00010	- 0.0012	- 0.106	- 0.00031	+ 0.024	0.000
Forward Binnacle	0.000	- 0.0477	+ 0.140	- 0.00041	- 0.0059	- 0.075	- 0.00074	+ 0.037	+ 0.001
Forward Ritchie	0.000	- 0.0169	+ 0.367	- 0.00102	- 0.0141	- 0.083	- 0.00120	+ 0.041	- 0.001

The values of the coefficients A, B, C, D, E, for each compass at each station, were next computed from the quantities given in this table, in the following manner. The coefficients A, D, and E are constant for each compass, and were taken

directly from the table; while the coefficients \mathfrak{B} and \mathfrak{C} were obtained by means of the formulæ

$$\mathfrak{B} = \frac{c}{\lambda} \tan \theta + \frac{P}{\lambda} \times \frac{1}{H} + \frac{\Delta P}{\lambda} \times \frac{t}{H}$$

$$\mathfrak{C} = \frac{f}{\lambda} \tan \theta + \frac{Q}{\lambda} \times \frac{1}{H} + \frac{\Delta Q}{\lambda} \times \frac{t}{H}$$

where θ is the true magnetic dip; H the earth's magnetic horizontal force, expressed in English units, namely, in feet, grains, and seconds; and t the time in days, counted from November 1st, 1865. The results, expressed in parts of radius, are as follows:

COEFFICIENTS OF THE DEVIATIONS OF THE ADMIRALTY STANDARD COMPASS.

STATION.	DATE.	\mathfrak{A}	\mathfrak{B}	\mathfrak{C}	\mathfrak{D}	\mathfrak{E}
Hampton Roads . . .	November 1, 1865	0.000	+ 0.162	- 0.003	+ 0.017	- 0.001
St. Thomas	November 18, 1865	0.000	+ 0.004	- 0.002	+ 0.017	- 0.001
Bahia	December 30, 1865	0.000	+ 0.066	- 0.001	+ 0.017	- 0.001
Monte Video	January 24, 1866	0.000	+ 0.048	- 0.001	+ 0.017	- 0.001
Sandy Point	February 10, 1866	0.000	+ 0.024	0.000	+ 0.017	- 0.001
Valparaiso	April 4, 1866	0.000	+ 0.031	- 0.003	+ 0.017	- 0.001
Callao	April 29, 1866	0.000	+ 0.037	- 0.005	+ 0.017	- 0.001
Panama	May 20, 1866	0.000	+ 0.049	- 0.006	+ 0.017	- 0.001
Acapulco	June 1, 1866	0.000	+ 0.052	- 0.007	+ 0.017	- 0.001
San Francisco	June 23, 1866	0.000	+ 0.085	- 0.011	+ 0.017	- 0.001

COEFFICIENTS OF THE DEVIATIONS OF THE AFTER BINNACLE COMPASS.

STATION.	DATE.	\mathfrak{A}	\mathfrak{B}	\mathfrak{C}	\mathfrak{D}	\mathfrak{E}
Hampton Roads	November 1, 1865	- 0.010	+ 0.128	- 0.022	+ 0.038	- 0.002
St. Thomas	November 18, 1865
Bahia	December 30, 1865	- 0.010	+ 0.096	- 0.002	+ 0.038	- 0.002
Monte Video	January 24, 1866	- 0.010	+ 0.098	+ 0.002	+ 0.038	- 0.002
Sandy Point	February 10, 1866	- 0.010	+ 0.097	+ 0.009	+ 0.038	- 0.002
Valparaiso	April 4, 1866	- 0.010	+ 0.081	+ 0.001	+ 0.038	- 0.002
Callao	April 29, 1866	- 0.010	+ 0.067	- 0.004	+ 0.038	- 0.002
Panama	May 20, 1866	- 0.010	+ 0.055	- 0.011	+ 0.038	- 0.002
Acapulco	June 1, 1866	- 0.010	+ 0.051	- 0.013	+ 0.038	- 0.002
San Francisco	June 23, 1866	- 0.010	+ 0.062	- 0.025	+ 0.038	- 0.002

COEFFICIENTS OF THE DEVIATIONS OF THE AFTER RITCHIE COMPASS.

STATION.	DATE.	\mathfrak{A}	\mathfrak{B}	\mathfrak{C}	\mathfrak{D}	\mathfrak{E}
Hampton Roads	November 1, 1865	0.000	+ 0.211	- 0.018	+ 0.034	- 0.001
St. Thomas	November 18, 1865	0.000	+ 0.131	- 0.015	+ 0.034	- 0.001
Bahia	December 30, 1865	0.000	+ 0.113	- 0.020	+ 0.034	- 0.001
Monte Video	January 24, 1866
Sandy Point	February 10, 1866	0.000	+ 0.080	- 0.025	+ 0.034	- 0.001
Valparaiso	April 4, 1866	0.000	+ 0.079	- 0.017	+ 0.034	- 0.001
Callao	April 29, 1866	0.000	+ 0.076	- 0.011	+ 0.034	- 0.001
Panama	May 20, 1866	0.000	+ 0.080	- 0.005	+ 0.034	- 0.001
Acapulco	June 1, 1866	0.000	+ 0.080	- 0.003	+ 0.034	- 0.001
San Francisco	June 23, 1866	0.000	+ 0.119	+ 0.001	+ 0.034	- 0.001

COEFFICIENTS OF THE DEVIATIONS OF THE AFTER AZIMUTH COMPASS.

STATION.	DATE.	A	B	C	D	E
Hampton Roads	November 1, 1865	0.000	- 0.086	+ 0.008	+ 0.112	0.000
St. Thomas	November 18, 1865	0.000	- 0.059	+ 0.002	+ 0.112	0.000
Bahia	December 30, 1865	0.000	- 0.063	- 0.003	+ 0.112	0.000
Monte Video	January 24, 1866
Sandy Point	February 10, 1866	0.000	- 0.062	- 0.010	+ 0.112	0.000
Valparaiso	April 4, 1866	0.000	- 0.065	- 0.002	+ 0.112	0.000
Callao	April 29, 1866	0.000	- 0.061	+ 0.003	+ 0.112	0.000
Panama	May 20, 1866	0.000	- 0.059	+ 0.009	+ 0.112	0.000
Acapulco	June 1, 1866	0.000	- 0.059	+ 0.011	+ 0.112	0.000
San Francisco	June 23, 1866

COEFFICIENTS OF THE DEVIATIONS OF THE FORWARD ALIDADE COMPASS.

STATION.	DATE.	A	B	C	D	E
Hampton Roads	November 1, 1865	- 0.025	- 0.041	- 0.026	+ 0.024	0.000
St. Thomas	November 18, 1865	- 0.025	- 0.017	- 0.018	+ 0.024	0.000
Bahia	December 30, 1865	- 0.025	0.000	- 0.020	+ 0.024	0.000
Monte Video	January 24, 1866	- 0.025	+ 0.011	- 0.021	+ 0.024	0.000
Sandy Point	February 10, 1866	- 0.025	+ 0.024	- 0.021	+ 0.024	0.000
Valparaiso	April 4, 1866	- 0.025	+ 0.011	- 0.023	+ 0.024	0.000
Callao	April 29, 1866	- 0.025	+ 0.001	- 0.023	+ 0.024	0.000
Panama	May 20, 1866	- 0.025	- 0.011	- 0.023	+ 0.024	0.000
Acapulco	June 1, 1866	- 0.025	- 0.014	- 0.023	+ 0.024	0.000
San Francisco	June 23, 1866	- 0.025	- 0.032	- 0.034	+ 0.024	0.000

COEFFICIENTS OF THE DEVIATIONS OF THE FORWARD BINNACLE COMPASS.

STATION.	DATE.	A	B	C	D	E
Hampton Roads	November 1, 1865	0.000	- 0.099	- 0.032	+ 0.037	+ 0.001
St. Thomas	November 18, 1865	0.000	- 0.036	- 0.020	+ 0.037	+ 0.001
Bahia	December 30, 1865	0.000	+ 0.015	- 0.020	+ 0.037	+ 0.001
Monte Video	January 24, 1866	0.000	+ 0.046	- 0.019	+ 0.037	+ 0.001
Sandy Point	February 10, 1866	0.000	+ 0.084	- 0.016	+ 0.037	+ 0.001
Valparaiso	April 4, 1866	0.000	+ 0.046	- 0.026	+ 0.037	+ 0.001
Callao	April 29, 1866	0.000	+ 0.015	- 0.029	+ 0.037	+ 0.001
Panama	May 20, 1866	0.000	- 0.022	- 0.033	+ 0.037	+ 0.001
Acapulco	June 1, 1866	0.000	- 0.033	- 0.035	+ 0.037	+ 0.001
San Francisco	June 23, 1866	0.000	- 0.083	- 0.056	+ 0.037	+ 0.001

COEFFICIENTS OF THE DEVIATIONS OF THE FORWARD RITCHIE COMPASS.

STATION.	DATE.	A	B	C	D	E
Hampton Roads	November 1, 1865	0.000	+ 0.032	- 0.056	+ 0.041	- 0.001
St. Thomas	November 18, 1865	0.000	+ 0.032	- 0.032	+ 0.041	- 0.001
Bahia	December 30, 1865	0.000	+ 0.048	- 0.026	+ 0.041	- 0.001
Monte Video	January 24, 1866	0.000	+ 0.057	- 0.022	+ 0.041	- 0.001
Sandy Point	February 10, 1866	0.000	+ 0.067	- 0.013	+ 0.041	- 0.001
Valparaiso	April 4, 1866	0.000	+ 0.045	- 0.032	+ 0.041	- 0.001
Callao	April 29, 1866	0.000	+ 0.028	- 0.041	+ 0.041	- 0.001
Panama	May 20, 1866	0.000	+ 0.011	- 0.051	+ 0.041	- 0.001
Acapulco	June 1, 1866	0.000	+ 0.005	- 0.056	+ 0.041	- 0.001
San Francisco	June 23, 1866	0.000	- 0.010	- 0.092	+ 0.041	- 0.001

Comparing these computed values with the values before found directly from the observations, the following residuals are obtained:

VALUE OF THE COMPUTED MINUS THE OBSERVED COEFFICIENTS OF THE DEVIATIONS OF THE ADMIRALTY STANDARD COMPASS.

STATION.	DATE.	A	B	C	D	E
Hampton Roads . . .	November 1, 1865		+ 0.004	+ 0.007	- 0.004	+ 0.003
St. Thomas	November 18, 1865		- 0.006	- 0.012	+ 0.011	+ 0.012
Bahia	December 30, 1865		+ 0.002	- 0.001	+ 0.001	- 0.001
Monte Video	January 24, 1866		- 0.006	- 0.003	- 0.007	- 0.005
Sandy Point	February 10, 1866		+ 0.001	+ 0.012	+ 0.001	- 0.001
Valparaiso	April 4, 1866		+ 0.008	- 0.001	+ 0.001	+ 0.002
Callao	April 29, 1866		- 0.004	- 0.005	+ 0.001	- 0.003
Panama	May 20, 1866		- 0.004	- 0.007	0.000	- 0.003
Acapulco	June 1, 1866		+ 0.004	- 0.009	- 0.001	- 0.003
San Francisco	June 23, 1866		0.000	+ 0.011	- 0.001	- 0.001

VALUE OF THE COMPUTED MINUS THE OBSERVED COEFFICIENTS OF THE DEVIATIONS OF THE AFTER BINNACLE COMPASS.

STATION.	DATE.	A	B	C	D	E
Hampton Roads . . .	November 1, 1865		+ 0.001	+ 0.001	+ 0.001	- 0.001
St. Thomas	November 18, 1865	
Bahia	December 30, 1865		- 0.004	+ 0.001	+ 0.004	- 0.004
Monte Video	January 24, 1866		+ 0.002	- 0.009	- 0.001	+ 0.010
Sandy Point	February 10, 1866		- 0.003	+ 0.014	- 0.002	- 0.001
Valparaiso	April 4, 1866		+ 0.011	- 0.001	0.000	- 0.002
Callao	April 29, 1866		- 0.006	- 0.002	- 0.002	- 0.004
Panama	May 20, 1866		- 0.003	- 0.017	- 0.008	+ 0.003
Acapulco	June 1, 1866		- 0.003	- 0.007	- 0.003	+ 0.004
San Francisco	June 23, 1866		+ 0.002	+ 0.015	+ 0.006	- 0.002

VALUE OF THE COMPUTED MINUS THE OBSERVED COEFFICIENTS OF THE DEVIATIONS OF THE AFTER RITCHIE COMPASS.

STATION.	DATE.	A	B	C	D	E
Hampton Roads . . .	November 1, 1865		+ 0.011	+ 0.012	+ 0.010	+ 0.021
St. Thomas	November 18, 1865		- 0.017	- 0.027	- 0.010	+ 0.008
Bahia	December 30, 1865		- 0.008	- 0.003	- 0.008	- 0.003
Monte Video	January 24, 1866	
Sandy Point	February 10, 1866		+ 0.009	+ 0.035	+ 0.012	- 0.014
Valparaiso	April 4, 1866		+ 0.012	- 0.021	- 0.009	- 0.003
Callao	April 29, 1866		- 0.026	- 0.015	+ 0.002	- 0.017
Panama	May 20, 1866		+ 0.009	- 0.002	+ 0.009	+ 0.026
Acapulco	June 1, 1866		+ 0.002	- 0.024	+ 0.010	- 0.016
San Francisco	June 23, 1866		+ 0.001	+ 0.028	- 0.016	- 0.004

VALUE OF THE COMPUTED MINUS THE OBSERVED COEFFICIENTS OF THE DEVIATIONS OF THE AFTER AZIMUTH COMPASS.

STATION.	DATE.	A	B	C	D	E
Hampton Roads	November 1, 1865		- 0.001	+ 0.011	+ 0.011	- 0.005
St. Thomas	November 18, 1865		- 0.006	- 0.021	- 0.008	- 0.002
Bahia	December 30, 1865		+ 0.015	+ 0.003	- 0.020	+ 0.019
Monte Video	January 24, 1866	
Sandy Point	February 10, 1866		- 0.010	+ 0.004	- 0.014	+ 0.007
Valparaiso	April 4, 1866		+ 0.021	- 0.008	+ 0.006	- 0.010
Callao	April 29, 1866		- 0.026	+ 0.017	+ 0.022	- 0.011
Panama	May 20, 1866		+ 0.007	- 0.021	- 0.001	+ 0.012
Acapulco	June 1, 1866		+ 0.001	+ 0.011	+ 0.007	- 0.007
San Francisco	June 23, 1866	

VALUE OF THE COMPUTED MINUS THE OBSERVED COEFFICIENTS OF THE DEVIATIONS OF THE FORWARD ALIDADE COMPASS.

STATION.	DATE.	A	B	C	D	E
Hampton Roads	November 1, 1865		+ 0.003	+ 0.006	+ 0.005	- 0.001
St. Thomas	November 18, 1865		- 0.007	- 0.005	+ 0.002	- 0.006
Bahia	December 30, 1865		+ 0.002	- 0.010	+ 0.002	- 0.004
Monte Video	January 24, 1866		- 0.005	- 0.002	0.000	+ 0.004
Sandy Point	February 10, 1866		+ 0.007	+ 0.013	- 0.007	+ 0.007
Valparaiso	April 4, 1866		+ 0.003	- 0.007	+ 0.005	+ 0.002
Callao	April 29, 1866		- 0.011	+ 0.006	- 0.002	+ 0.003
Panama	May 20, 1866		- 0.010	+ 0.001	+ 0.001	+ 0.003
Acapulco	June 1, 1866		+ 0.012	- 0.014	- 0.009	- 0.002
San Francisco	June 23, 1866		+ 0.002	+ 0.007	+ 0.007	- 0.007

VALUE OF THE COMPUTED MINUS THE OBSERVED COEFFICIENTS OF THE DEVIATIONS OF THE FORWARD BINNACLE COMPASS.

STATION.	DATE.	A	B	C	D	E
Hampton Roads	November 1, 1865		0.000	+ 0.013	- 0.007	- 0.006
St. Thomas	November 18, 1865		- 0.002	- 0.016	+ 0.002	+ 0.003
Bahia	December 30, 1865		+ 0.007	- 0.010	0.000	+ 0.004
Monte Video	January 24, 1866		- 0.005	- 0.007	+ 0.005	+ 0.002
Sandy Point	February 10, 1866		- 0.008	+ 0.022	- 0.002	+ 0.005
Valparaiso	April 4, 1866		+ 0.015	- 0.013	+ 0.009	+ 0.004
Callao	April 29, 1866		- 0.005	+ 0.008	0.000	- 0.005
Panama	May 20, 1866		- 0.004	- 0.006	0.000	+ 0.007
Acapulco	June 1, 1866		+ 0.003	- 0.006	- 0.009	- 0.003
San Francisco	June 23, 1866		- 0.001	+ 0.006	+ 0.002	- 0.013

VALUE OF THE COMPUTED MINUS THE OBSERVED COEFFICIENTS OF THE DEVIATIONS OF THE FORWARD RITCHIE COMPASS.

STATION.	DATE.	A	B	C	D	E
Hampton Roads	November 1, 1865		+ 0.009	+ 0.007	+ 0.003	- 0.007
St. Thomas	November 18, 1865		- 0.004	- 0.010	- 0.016	+ 0.007
Bahia	December 30, 1865		- 0.013	+ 0.001	- 0.006	+ 0.001
Monte Video	January 24, 1866		- 0.009	- 0.022	+ 0.001	+ 0.007
Sandy Point	February 10, 1866		0.000	+ 0.035	+ 0.002	+ 0.005
Valparaiso	April 4, 1866		+ 0.022	- 0.006	+ 0.004	- 0.009
Callao	April 29, 1866		- 0.005	- 0.007	- 0.003	- 0.003
Panama	May 20, 1866		+ 0.007	- 0.018	+ 0.003	+ 0.003
Acapulco	June 1, 1866		- 0.006	- 0.018	0.000	- 0.008
San Francisco	June 23, 1866		- 0.005	+ 0.025	+ 0.016	+ 0.008

In the following table the columns headed r_B , r_C , r_D , r_E , contain respectively the probable errors of a single observed value of B , C , D , and E , for each compass, computed from the residuals just given. But as these residuals were got by subtracting the computed from the observed values of the coefficients, and as each observed value was found from a set of deviations observed on all the thirty-two points, it follows that the probable errors here given belong to the coefficients when they have been computed from a set of deviations observed on all the thirty-two points. For convenience of reference we will designate these as the probable errors derived from all the observations of the cruise.

Compass.	r_B	r_C	r_D	r_E	$\frac{r}{\sqrt{16}}$
Admiralty Standard. . .	± 0.0033	± 0.0053	± 0.0032	± 0.0033	± 0.0008
After Binnacle . . .	± 0.0036	± 0.0069	± 0.0026	± 0.0028	± 0.0018
After Ritchie . . .	± 0.0090	± 0.0153	± 0.0072	± 0.0106	± 0.0031
After Azimuth . . .	± 0.0100	± 0.0100	± 0.0094	± 0.0074	± 0.0030
Forward Alidade . . .	± 0.0050	± 0.0059	± 0.0035	± 0.0031	± 0.0016
Forward Binnacle . . .	± 0.0046	± 0.0084	± 0.0036	± 0.0043	± 0.0024
Forward Ritchie . . .	± 0.0070	± 0.0127	± 0.0056	± 0.0047	± 0.0032
Means . . .	± 0.0061	± 0.0092	± 0.0050	± 0.0052	± 0.0023

But we have before found the probable errors of B_1 , C_1 , D_1 , and E_1 , when computed from observations made at a single station on each of the thirty-two points, by a totally different process, namely, from the thirty-two observed deviations the values of A_1 , B_1 , C_1 , D_1 , and E_1 , were computed; next, with the values of A_1 , B_1 , C_1 , D_1 , and E_1 , thus found, the deviations were computed for each point; then, comparing these computed values of the deviation with the observed values, a series of residuals were obtained from which the probable errors in question (which are given in the table on page 185) were easily got. These we will designate as the probable errors obtained from observations at a single station; and it will be remembered that it was shown that, no matter what their numerical values might be, the probable errors of B_1 , C_1 , D_1 , and E_1 must all be equal to each other. Although the difference between the probable errors of B_1 , C_1 , D_1 , E_1 , and those of B , C , D , E , can never be great, yet, in general, it would not be rigorously correct to assume that they are equal to each other. However, in the case of the compasses under discussion we will make this assumption, for by so doing no error greater than the uncertainty of the probable errors themselves will be introduced. In order to facilitate the comparison of the two sets of probable errors, those of B_1 ,

C_1 , D_1 , E_1 are given in the table above, in the column headed $\frac{r}{\sqrt{16}}$. This column is identical with the column headed in the same manner in the table on page 185, except that the quantities are here expressed in parts of radius instead of minutes of arc.

Now, comparing the probable errors derived from all the observations of the cruise with those derived from observations at any single station, we see that, taking the mean of the results for all the compasses, r_D and r_E are almost identical, as they should be, but they are each more than twice as great as $\frac{r}{\sqrt{16}}$. On the other hand,

r_B and r_C are neither equal to each other, nor yet to r_D and r_E , but are, the one nearly three, and the other four, times as great as $\frac{r}{\sqrt{16}}$. Assuming the theory employed in this discussion to be correct, we should have expected to find r_B, r_C, r_D, r_E sensibly equal to each other, and all sensibly equal to $\frac{r}{\sqrt{16}}$. Such, however, is not the case; and, as the results for each compass all tend in precisely the same direction as the mean result, a doubt naturally arises whether or not the theory really represents the semi-circular deviation as accurately as it does the quadrantal. As this doubt is founded upon observations which may possibly have been affected by some unknown cause of constant error—as they were all made on a single vessel during a single cruise—perhaps it would not be well to insist upon it too strongly; but at all events, it shows the necessity for further investigation of the subject, and especially the great want of more observations.

The probable errors of the coefficients B, C, D, E , for each compass, when computed from the values of $A_1, \frac{c}{\lambda}, \frac{P}{\lambda}, \frac{\Delta P}{\lambda}, \frac{f}{\lambda}, \frac{Q}{\lambda}, \frac{\Delta Q}{\lambda}, D$, and E , given in the table on page 193, are as follows:

Compass.	r_B°	r_C°	r_D°	r_E°
Admiralty Standard	± 0.0010	± 0.0017	± 0.0010	± 0.0010
After Binnacle	± 0.0012	± 0.0023	± 0.0009	± 0.0009
After Ritchie	± 0.0030	± 0.0051	± 0.0024	± 0.0035
After Azimuth	± 0.0035	± 0.0035	± 0.0033	± 0.0026
Forward Alidade	± 0.0016	± 0.0019	± 0.0011	± 0.0010
Forward Binnacle	± 0.0014	± 0.0026	± 0.0012	± 0.0014
Forward Ritchie.	± 0.0022	± 0.0040	± 0.0018	± 0.0015

The following table shows, for each compass, the place at which the maximum value of its deviation, δ , was the greatest, together with the point on which that maximum value occurred, and its amount. Also, the place at which the maximum value of its deviation was the least, together with the point on which that maximum occurred, and its amount. These deviations are given on the compass points, and in computing them the true A was used.

Compass and Station.	Point.	δ
Admiralty Standard.		
Hampton Roads	E. by N.	+ 9° 29'
Sandy Point	N. E. by E.	+ 2 3
After Binnacle.		
Hampton Roads	N. W. by W.	— 9 15
Acapulco.	N. W. by W.	— 5 21
After Ritchie.		
Hampton Roads	W. N. W.	— 12 45
Panama	N. W. by W.	— 5 41
After Azimuth.		
Hampton Roads	S. E. by E.	— 10 5
St. Thomas	S. E.	— 8 45

Compass and Station.	Point.	δ
Forward Alidade.		
Bahia	N. W. by N.	— 3° 39'
Sandy Point	N. W.	— 4 34
Forward Binnacle.		
Bahia	N. W.	— 3 31
San Francisco	S. W.	+ 7 43
Forward Ritchie.		
St. Thomas	N. W.	— 4 55
San Francisco	S. W. by S.	+ 6 53

The following table shows, for each compass, the maximum change, $\Delta\delta$, in its deviation, which occurred on any single point, together with the azimuth at which, and the places between which that change occurred.

Compass and Station.	Azimuth.	$\Delta\delta$
Admiralty Standard.		
Hampton Roads and Sandy Point	S. 88° 52' E.	7° 53'
After Binnacle.		
Hampton Roads and Acapulco	S. 82 43 E.	4 23
After Ritchie.		
Hampton Roads and Panama	S. 84 27 E.	7 28
After Azimuth.		
Hampton Roads and Sandy Point	S. 48 31 E.	1 43
Forward Alidade.		
Hampton Roads and Sandy Point	N. 85 20 E.	3 39
Forward Binnacle.		
Sandy Point and San Francisco	N. 76 17 E.	9 42
Forward Ritchie.		
Sandy Point and San Francisco	N. 43 16 E.	6 18

In order to show the difference between the values of the deviation computed from observations made at a single station, and those computed from all the observations of the cruise, or, in other words, the difference between the theory and the observations, let δ be the deviation of a compass on any point, ζ , at a given station, as computed from values of A_1, B_1, C_1, D_1, E_1 , derived from all the observations of that compass made during the cruise; and also let δ' be the deviation of the same compass, on the same point, at the same station, as computed from values of A_1, B_1, C_1, D_1, E_1 , derived from observations of that compass made on each of the thirty-two points at the station in question. Then the following table shows, for each compass, the maximum value attained by $\delta - \delta'$ during the cruise, together with the point on which, and the station at which, that maximum occurred.

Compass.	Station.	Point.	$\delta - \delta'$
Admiralty Standard	St. Thomas	S. S. W.	+ 1° 41'
After Binnacle	Panama	S. S. E.	+ 1 14
After Ritchie	Sandy Point	S. by E.	— 2 51
After Azimuth	Callao	S. E. by S.	— 3 4
Forward Alidade	Acapulco	S. E.	+ 1 36
Forward Binnacle	Valparaiso	N. W. by W.	— 1 41
Forward Ritchie	San Francisco	N. N. E.	+ 2 11

As the After Azimuth Compass was a very poor instrument, the discrepancy between theory and observation in the case of its deviations is not surprising. In the case of all the other compasses, except perhaps the Forward and After Ritchie, the agreement of the observed and computed values of the deviations is much more satisfactory; and indeed the differences between them are so small as to be of very little consequence for the ordinary purposes of navigation; still, viewed from a purely scientific stand-point, they are larger than might have been expected.

The hard and soft iron forces involved in the production of the semi-circular deviation were next examined in order to ascertain whether or not their relations to each other were such as to render it possible, in the case of a vessel swung for the first time, to predict from the observed deviations of her standard compass what the deviations would be at any other place. The coefficients of the semi-circular deviation are \mathfrak{B} and \mathfrak{C} , and the components of the hard iron force involved in their production are $\frac{P}{\lambda}$ and $\frac{Q}{\lambda}$; while the components of the soft iron force are $\frac{c}{\lambda}$ and $\frac{f}{\lambda}$.

As these components act at right angles to each other, the total hard iron force will be

$$\sqrt{\frac{P^2}{\lambda^2} + \frac{Q^2}{\lambda^2}},$$

and if we let α represent the direction in which it acts, measured from the ship's head toward the right hand, we have

$$\tan \alpha = \frac{\frac{Q}{\lambda}}{\frac{P}{\lambda}}$$

In the same way the total soft iron force will be

$$\sqrt{\frac{c^2}{\lambda^2} + \frac{f^2}{\lambda^2}}$$

and to determine its direction we have

$$\tan \alpha' = \frac{\frac{f}{\lambda}}{\frac{c}{\lambda}}$$

By means of these formulæ the following table was computed. It shows the amount and direction of the hard and soft iron forces acting on each compass on November 1, 1865, and June 23, 1866.

Compass.	Hard Iron Force.				Soft Iron Force.	
	November 1, 1865.		June 23, 1866.		Amount.	Direction.
	Amount.	Direction.	Amount.	Direction.		
Admiralty Standard	0.460	000° 8	0.226	348° 0	0.024	356° 1
After Binnacle	0.664	000.2	0.639	353.0	0.010	240.4
After Ritchie	0.780	349.0	0.431	354.0	0.018	16.3
After Azimuth	0.375	186.8	0.449	173.9	0.007	111.2
Forward Alidade	0.107	277.6	0.178	267.3	0.016	184.2
Forward Binnacle	0.159	331.9	0.254	280.1	0.048	187.1
Forward Ritchie	0.376	347.2	0.387	289.1	0.022	219.9

The following table shows the change, in amount and direction, of the hard iron force between November 1, 1865, and June 23, 1866; the ratio of the hard to the soft iron force on each of these dates; and also the mean ratio of the same forces.

Compass.	Change of Hard Iron Force.		Ratio of Hard to Soft Iron Force.		
	Amount.	Direction.	Nov. 1, 1865.	June 23, 1866.	Mean.
Admiralty Standard. . .	— 0.234	— 12°.8	19.2	9.4	14.3
After Binnacle . . .	— 0.025	— 7.2	68.8	66.1	67.4
After Ritchie . . .	— 0.299	+ 5.0	42.1	26.0	34.0
After Azimuth. . .	+ 0.074	— 12.9	52.6	62.8	57.7
Forward Alidade . . .	+ 0.071	— 10.3	6.6	11.0	8.8
Forward Binnacle . . .	+ 0.095	— 51.8	3.3	5.3	4.3
Forward Ritchie . . .	+ 0.011	— 58.1	17.1	17.6	17.3

An examination of the last two tables shows that during the whole cruise the hard iron force was changing in a very remarkable manner, both in amount and direction. In the case of the three compasses mounted above the forward turret, the force was increasing; while in the case of those mounted above the after turret, it was decreasing. In other words, there seems to have been a transfer of hard iron force from aft forward. Now, looking at the change in direction of the force, we see that in every case, excepting only that of the After Ritchie, it took place in such a manner as to correspond to a rotation from right to left. Further, the ratio of the hard to the soft iron force was slowly varying at each compass; and for the different compasses it ranged between 4.3 and 67.4. Finally, there was not a single compass on board at which the direction of the hard and soft iron force coincided; from which it follows that in no case was the ratio of the hard and soft iron forces the same in the coefficient \mathfrak{B} as it was in the coefficient \mathfrak{C} . Under these circumstances we are forced to conclude that, so far as can be judged from the observations here given, in the case of a vessel swung for the first time it is impossible to make any reliable estimate of the ratio of the hard to the soft iron force in the coefficients \mathfrak{B} and \mathfrak{C} ; and, therefore, it is also impossible to make any reliable estimate as to what changes her deviations will undergo upon a change of magnetic latitude. As a further proof of this, we see that the After Azimuth Compass, with a maximum deviation of $10^{\circ} 5'$, changed its deviation during the cruise by only $1^{\circ} 43'$, that is, by about one-sixth of its whole amount; while the Forward Binnacle Compass, with a maximum deviation of only $7^{\circ} 43'$ changed its deviation during the cruise by $9^{\circ} 42'$, that is, by about one and a quarter times its whole amount.

In the beginning of this section it was stated that, at the positions occupied by the Admiralty Standard and After Azimuth Compasses, observations of deflection and dip were made in order to determine the absolute magnetic force; and the details of the method followed in taking these observations were explained. We will now proceed to reduce and discuss the observations themselves, and for that purpose the first thing necessary to be known is the magnetic moment of the deflecting magnets. For its determination we have the observations recorded in the following table, which were all made on shore. The first and second columns

of the table give the place where, and the date when, each observation was made. The third and fourth columns give respectively the observed deflections when the north ends of the deflecting magnets were directed towards the west and towards the east; the distance of their centres from the centre of the compass needle being in both cases eleven inches. The fifth column gives the mean of the four observed deflections recorded in the third and fourth columns. The sixth, seventh, and eighth columns contain, in precisely the same manner, the observed deflections, and their mean, when the centres of the deflecting magnets were at a distance of fifteen inches from the centre of the compass needle. Now, let r be the distance, expressed in feet, between the centres of the deflecting magnets and the centre of the compass needle; u , the observed angle of deflection given for each value of r in the column headed "mean"; m , the combined magnetic moment of the two deflecting magnets; and H , the earth's horizontal force at the place where the observation was made, taken from the table on page 61. Then we shall have

$$\frac{1}{2}r^3 \tan u = \frac{m}{H}$$

and the ninth column contains the mean of the two values of $\log. \frac{m}{H}$ computed respectively from the angles of deflection observed with $r = 11$ inches = 0.917 foot, and $r = 15$ inches = 1.250 feet. The tenth column contains the value of $\log. m$, found by adding to $\log. \frac{m}{H}$ the known value of $\log. H$.

Station.	Date.	Deflections.						Log. $\frac{m}{H}$.	Log. m .
		$r = 11$ inches.			$r = 15$ inches.				
		West.	East.	Mean.	West.	East.	Mean.		
Gosport	Oct. 30, 1865	19° 30'	22° 40'		14° 30'	17° 30'			
		19 0	22 20	20° 52'	14 20	17 40	*16° 0'	9.1617	9.8344
St. Thomas	Nov. 13, 1865	15 20	14 50		4 20	6 40			
		15 30	14 40	15 5	4 30	6 40	5 32	8.9961	9.8251
Salute Islands	Nov. 28, 1865	14 35	15 0		5 20	5 20			
		14 35	15 5	14 49	4 55	5 20	5 14	8.9799	9.8079
Bahia	Dec. 27, 1865	15 40	16 10		6 10	5 30			
		16 40	16 10	16 10	5 40	5 30	5 42	9.0184	9.8108
Rio Janeiro	Jan. 6, 1866	17 0	17 0		6 40	6 0			
		17 0	17 10	17 2	6 0	6 0	6 10	9.0476	9.8216
Monte Video	Jan. 18, 1866	16 40	16 40		6 20	5 30			
		17 0	16 40	16 45	6 10	5 30	5 52	9.0328	9.8130
Sandy Point	Feb. 7, 1866	16 30	16 20		5 40	6 40			
		16 40	16 20	16 27	6 0	6 30	6 12	9.0408	9.8270
Valparaiso	March 2, 1866	17 0	15 0		7 20	5 0			
		16 40	14 40	15 50	7 30	5 0	6 12	9.0320	9.8326
Valparaiso	April 7, 1866	14 40	17 40		4 30	7 30			
		14 30	17 30	16 5	4 20	7 40	6 0	9.0284	9.8290
Callao	April 26, 1866	14 30	14 30		5 20	5 10			
		14 30	14 30	14 30	5 10	5 30	5 18	8.9777	9.8222
Panama	May 14, 1866	12 50	13 30		4 30	5 20			
		13 10	13 30	13 15	4 40	5 0	4 52	8.9387	9.8195
Acapulco	May 30, 1866	12 30	12 20		4 40	4 30			
		12 40	12 10	12 25	5 30	4 40	4 50	8.9227	9.8107
San Francisco	June 26, 1866	17 40	17 0		7 0	6 10			
		18 0	16 40	17 20	7 10	6 30	6 42	9.0698	9.8208

* In this observation $r = 12$ inches.

The observed values of $\log. m$ show no trace whatever of any change depending upon the time, and therefore the indiscriminate mean of them all has been taken as the truth, and we have

$$\text{Log. } m = 9.8211 \pm 0.0016.$$

The probable error of a single observed value of $\log. m$ is ± 0.0058 .

The following table contains all the observations which were made at the position occupied by the Admiralty Standard Compass on board the Monadnock, for the determination of absolute force. The first nine columns contain quantities precisely similar to those in the columns headed in the same manner in the table last given. The column headed "Log. H " gives the logarithm of the combined horizontal force of the earth and ship, obtained by subtracting $\log. \frac{m}{H}$ from the value of $\log. m$ given above. The column " θ " contains the dip, which was observed immediately after the deflections. The column "Log. Z " contains the logarithm of the combined vertical force of the earth and ship, computed from the quantities in the tenth and eleventh columns by the formula $Z = H' \tan \theta$. The columns "Log. $\frac{H'}{H}$ " and "Log. $\frac{Z'}{Z}$ ", explain themselves when it is stated that H represents the horizontal force of the earth; H' the combined horizontal force of the earth and ship; Z the earth's vertical force; and Z' the combined vertical force of the earth and ship. The column " ζ " contains the azimuth of the ship's head as read off from the compass card at the time the deflections were observed; and the column " ζ " contains the same azimuth, counted from the true magnetic north.

ADMIRALTY STANDARD COMPASS.

Station.	Date.	Deflection.						Log. $\frac{H'}{H}$	Log. $\frac{H'}{H}$	θ'	Log. $\frac{Z'}{Z}$	ζ'	ζ
		$r = 11$ inches.			$r = 15$ inches.								
		West.	East.	Mean.	West.	East.	Mean.						
Hampton Roads	Nov. 1, 1865	22° 20'	26° 0'										
		21 20	26 30										
		21 0	26 0										
		23 0	23 40	23° 44'				9.2288	0.5923			W. (?)	
St. Thomas	Nov. 15, 1865	17 10	15 40		6° 30'	7° 10							
		17 20	15 50	16 30	6 40	7 0	6° 50'						
Salute Islands	Nov. 30, 1865	16 20	16 0		6 20	5 40		9.0628	0.7583			East.	
		16 30	16 0	16 12	6 40	6 0	6 10						
Ceara	Dec. 18, 1865	18 0	16 20	16 50	7 0	6 0	6 22	9.0361	0.7850	+ 41° 30'		N. 89° 41' E.	
		17 0	16 0	16 50	6 30	6 0	6 22	9.0519	0.7692			N. 74 30 E.	
Bahia	Dec. 29, 1865	16 20	16 0	16 5	6 20	6 0	6 17	9.0385	0.7826	+ 8 30	9.9571	0.2786	N. 38 2 E.
		16 0	16 0	16 5	6 30	6 0	6 17	9.0385	0.7826				
Rio Janeiro	Jan. 4, 1866	16 30	16 40	16 37	6 20	6 0	6 12	9.0431	0.7780	— 8 0	9.9258	9.8324	N. 4 30 W.
		16 40	16 40	16 37	6 20	6 0	6 12	9.0431	0.7780				
Rio Janeiro	Jan. 4, 1866	18 40	18 40	18 37	7 0	7 10	7 5	9.0985	0.7226	— 15 0	0.1506	0.0572	S. 2 W.
		18 30	18 40	18 37	7 0	7 10	7 5	9.0985	0.7226				
Monte Video	Jan. 24, 1866	18 0	18 20	18 10	7 10	6 40	6 52	9.0861	0.7350	— 36 30	0.6042	0.0435	S. 19 40 E.
		18 0	18 20	18 10	7 10	6 40	6 52	9.0861	0.7350				
Sandy Point	Feb. 9, 1866	16 0	18 20	17 22	6 20	7 20	6 52	9.0757	0.7454	— 60 30	0.9928	0.0526	S. 39 4 W.
		16 40	18 30	17 22	6 20	7 30	6 52	9.0757	0.7454				
Valparaiso	March 20, 1866	16 40	17 20	16 55	6 30	7 0	6 40	9.0631	0.7580	— 42 0	0.7124	0.0604	S. 20 9 W.
		16 30	17 10	16 55	6 20	6 50	6 40	9.0631	0.7580				
Valparaiso	April 4, 1866	17 20	14 40	16 0	7 0	4 40	6 0	9.0273	0.7938	— 36 15	0.6590	0.0070	N. 5 34 W.
		17 20	14 40	16 0	7 20	5 0	6 0	9.0273	0.7938				
Callao	April 30, 1866	16 30	16 0	15 48	6 30	6 0	6 5	9.0274	0.7937	— 7 45	9.9275	0.0288	S. 0 13 W.
		15 40	15 0	15 48	6 30	6 0	6 5	9.0274	0.7937				
Panama	May 17, 1866	14 0	12 40	13 25	5 20	5 0	5 2	8.9489	0.8722	+ 36 45	0.7454	0.0699	N. 45 6 W.
		14 0	13 0	13 25	5 20	4 30	5 2	8.9489	0.8722				
Acapulco	May 31, 1866	13 30	14 40	14 5	5 0	5 40	5 22	8.9739	0.8472	+ 45 45	0.8586	0.0484	S. 29 2 E.
		13 30	14 40	14 5	5 0	5 50	5 22	8.9739	0.8472				
San Francisco	June 23, 1866	20 0	20 0	20 0	6 40	9 0	7 48	9.1366	0.6845	+ 67 0	1.0567	0.0247	S. 18 22 E.
		19 40	20 20	20 0	5 30	10 0	7 48	9.1366	0.6845				

The following table contains, in precisely the same manner, all the observations which were made for the determination of absolute force at the position occupied by the After Azimuth Compass on board the *Monadnock*.

AFTER AZIMUTH COMPASS.

Station.	Date.	Deflection.						Log. $\frac{m}{H'}$	Log. H'	θ'	Log. Z'	Log. $\frac{H'}{H}$	Log. $\frac{Z'}{Z}$	Z'	Z
		$r = 11$ inches.			$r = 15$ inches.										
		West.	East.	Mean.	West.	East.	Mean.								
Hampton Roads	Nov. 1, 1865	25° 20'	25° 30'	26° 11'	6° 40'	7° 30'	7° 2'	9.2774	0.5437						
		26 0	27 0		6 20	7 40									
		25 20	28 20		7 20	8 20									
St. Thomas	Nov. 15, 1865	19 10	19 40	26° 11'	7 0	8 30	7 48	9.1042	0.7169	+ 40° 12'	0.6052	9.8503	9.9378	West (?)	
		18 40	19 20		7 20	8 20									
		19 40	21 40		7 0	8 30									
Salute Islands	Nov. 30, 1865	19 30	21 20	26° 11'	7 0	8 30	7 48	9.1428	0.6783					East	
		19 30	21 20		7 0	8 30									
		27 0	18 40		7 0	7 20									
Ceara	Dec. 18, 1865	27 0	18 40	26° 11'	8 40	6 30	7 23	9.1471	0.6740						
		21 20	20 20		8 10	7 10									
		21 10	20 10		8 30	8 0									
Bahia	Dec. 29, 1865	19 10	18 10	26° 11'	6 40	6 50	6 42	9.1494	0.6717	+ 9 30	9.8953	9.8793	0.2168		
		19 0	18 10		6 40	6 40									
		17 20	16 20		5 40	6 0									
Rio Janeiro	Jan. 4, 1866	17 30	16 0	26° 11'	8 40	6 20	5 55	9.0351	0.7860	- 6 30	9.7914	9.9607	9.6980	N. 2° E.	N. 2° 4' E.
		17 30	16 0		5 40	6 10									
		20 20	17 50		8 40	6 20									
Rio Janeiro	Jan. 4, 1866	21 40	18 30	26° 11'	9 40	5 40	7 35	9.1254	0.6957	- 18 15	0.3042	0.0120	0.2108	S. 10 W.	S. 13 26 W.
		21 40	18 30		5 40	5 40									
		21 0	16 50		7 0	9 0									
Monte Video	Jan. 24, 1866	21 20	16 40	26° 11'	7 40	8 50	8 7	9.1327	0.6884	- 39 15	0.6079	9.9155	0.0472	S. 45 E.	S. 53 48 E.
		21 20	16 40		7 0	9 0									
		16 20	16 0		7 0	4 40									
Sandy Point	Feb. 9, 1866	15 20	16 50	26° 11'	7 30	4 40	5 58	9.0279	0.7932	- 38 30	0.6938	9.9922	0.0418	S. 10 W.	S. 13 18 W.
		15 20	16 50		6 30	6 0									
		19 0	16 20		7 0	5 0									
Valparaiso	March 20, 1866	19 40	16 40	26° 11'	7 0	5 0	6 7	9.0575	0.7636	- 33 15	0.5863	9.9630	9.9283	N. 7 W.	N. 8 23 W.
		13 0	15 0		7 0	5 40									
		13 0	15 30		6 10	5 40									
Valparaiso	April 4, 1866	15 20	15 30	26° 11'	6 0	5 30	5 50	8.9960	0.8251	- 10 45	0.1035	9.9806	0.2048	South	S. 0 12 E.
		15 20	15 30		6 0	5 30									
		16 0	15 30		7 20	5 20									
Callao	April 30, 1866	17 30	16 0	26° 11'	6 30	7 30	6 40	9.0144	0.8067	+ 40 45	0.7420	9.9259	0.0665	N. 35 W.	N. 38 49 W.
		17 30	16 0		6 30	7 30									
		19 20	19 30		7 30	7 0									
Panama	May 17, 1866	17 30	16 0	26° 11'	7 30	7 0	7 15	9.1063	0.7148	+ 62 0	0.9891	9.9638	9.9571	S. 50 E.	S. 60 37 E.
		19 20	19 30		7 30	7 0									
		17 30	16 0		18 50	7 30									
Acapulco	May 31, 1866	19 20	15 40	26° 11'	7 20	5 20	6 40	9.0624	0.7587	+ 49 45	0.8310	9.8707	0.0208	N. 75 W.	N. 74 47 W.
		19 20	15 40		7 20	5 20									
		19 20	19 30		7 30	7 0									
San Francisco	June 23, 1866	17 30	19 0	26° 11'	7 30	7 0	7 15	9.1063	0.7148	+ 62 0	0.9891	9.9638	9.9571	S. 50 E.	S. 60 37 E.
		19 20	19 30		7 30	7 0									
		17 30	19 0		18 50	7 30									

From the data already given, the value of λ was next computed by means of the formulæ

$$\sin \delta = \frac{1}{1 - \mathfrak{D} \cos 2\zeta'} [\mathfrak{A} + \mathfrak{B} \sin \zeta' + \mathfrak{C} \cos \zeta' + \mathfrak{D} \sin 2\zeta' + \mathfrak{E} \cos 2\zeta']$$

$$\lambda = \frac{H'}{H} \times \frac{\sin \delta}{\mathfrak{A} + \mathfrak{B} \sin \zeta + \mathfrak{C} \cos \zeta + \mathfrak{D} \sin 2\zeta + \mathfrak{E} \cos 2\zeta}$$

The individual results obtained from the observed values of $\frac{H'}{H}$ are as follows:

Station.	Value of λ	
	Admiralty Standard Compass.	After Azimuth Compass.
Salute Islands	0.918	
Ceara	0.896	
Bahia	0.922	
Rio Janeiro	0.939	0.942
Rio Janeiro.	0.904	0.884
Monte Video	0.913	0.814
Sandy Point	0.914	0.821
Valparaiso	0.954	0.848
Valparaiso	0.934	0.886
Callao	0.905	0.820
Panama	0.952	0.861
Acapulco	0.947	0.816
San Francisco	0.914	0.947

Taking the means, for the Admiralty Standard Compass, we have finally

$$\lambda = 0.924 \pm 0.0036$$

and the probable error of a single observed value of λ is ± 0.013 . For the After Azimuth compass we have finally

$$\lambda = 0.864 \pm 0.0107$$

and the probable error of a single observed value of λ is ± 0.034 .

In order to determine these coefficients which depend upon the value of $\frac{Z'}{Z}$, we have equation (6 a), which is

$$0 = 1 - \frac{Z'}{Z} + g \times \frac{\cos \zeta}{\tan \theta} - h \times \frac{\sin \zeta}{\tan \theta} + k + R \times \frac{1}{Z}$$

But as R is liable to a slow change, a term depending upon the time is introduced, and then we get

$$0 = 1 - \frac{Z'}{Z} + g \times \frac{\cos \zeta}{\tan \theta} - h \times \frac{\sin \zeta}{\tan \theta} + k + R \times \frac{1}{Z} + \Delta R \times \frac{t}{Z} \quad (6 b)$$

where ΔR is the daily change in the value of R , and t is the time in days, counted from November 1, 1865. Each observed value of $\frac{Z'}{Z}$ furnishes an equation of condition of the same form as (6 b), and from all the equations of condition thus obtained the most probable values of g, h, k, R , and ΔR , can be found by the method of least squares.

The following are the equations of condition, formed in the manner just explained, for the Admiralty Standard Compass.

Absolute Term.	<i>g</i>	<i>h</i>	<i>k</i>	<i>R</i>	ΔR
0 = - 0.160	+ 0.008	- 1.448	+ 1.000	+ 0.215	+ 6.24
0 = - 0.899	+ 10.23	- 8.007	+ 1.000	+ 2.097	+ 125.8
0 = + 0.320	- 4.779	- 0.376	+ 1.000	- 0.806	- 51.61
0 = - 0.141	+ 4.791	- 0.164	+ 1.000	- 0.806	- 51.61
0 = - 0.108	+ 1.561	+ 0.558	+ 1.000	- 0.275	- 23.10
0 = - 0.129	+ 0.545	- 0.442	+ 1.000	- 0.115	- 11.48
0 = - 0.149	+ 1.322	- 0.485	+ 1.000	- 0.223	- 30.76
0 = - 0.016	- 1.401	- 0.140	+ 1.000	- 0.223	- 34.32
0 = - 0.068	+ 8.822	- 0.033	+ 1.000	- 1.263	- 227.3
0 = - 0.175	+ 1.132	+ 1.136	+ 1.000	+ 0.211	+ 41.59
0 = - 0.118	- 1.046	- 0.580	+ 1.000	+ 0.155	+ 32.66
0 = - 0.058	- 0.497	- 0.165	+ 1.000	+ 0.093	+ 21.74

From these equations of condition, the following normal equations have been obtained by the method of least squares.

Absolute Term.	<i>g</i>	<i>h</i>	<i>k</i>	<i>R</i>	100 ΔR
0 = - 12.462	+ 237.337				
0 = + 7.286	- 79.068	+ 68.794			
0 = - 1.701	+ 20.688	- 10.147	+ 12.000		
0 = - 1.957	+ 9.858	- 16.451	- 0.941	+ 7.605	
0 = - 1.112	- 7.513	- 9.444	- 2.022	+ 6.735	+ 7.892

Solving, we find

$$\begin{aligned}
 g &= + 0.04070 & k &= + 0.1006 \\
 h &= + 0.00504 & R &= + 0.1665 \\
 100\Delta R &= + 0.0694
 \end{aligned}$$

Substituting these results in the equations of condition, we find that the probable error of a single observed value of $\frac{Z'}{Z}$ is ± 0.024 , and the probable error of a computed value of $\frac{Z'}{Z}$ is ± 0.007 .

In a precisely similar manner, from the values of $\frac{Z'}{Z}$ observed at the position of the After Azimuth Compass, we obtain the following equations of condition.

Absolute Term.	<i>g</i>	<i>h</i>	<i>k</i>	<i>R</i>	ΔR
0 = + 0.501	- 4.790	+ 0.173	+ 1.000	- 0.806	- 51.61
0 = - 0.625	+ 4.663	- 1.114	+ 1.000	- 0.806	- 51.61
0 = - 0.115	+ 0.979	+ 1.338	+ 1.000	- 0.275	- 23.10
0 = + 0.059	+ 0.358	- 0.603	+ 1.000	- 0.115	- 11.48
0 = - 0.101	+ 1.370	- 0.324	+ 1.000	- 0.223	- 30.76
0 = + 0.152	- 1.393	- 0.205	+ 1.000	- 0.223	- 34.32
0 = - 0.602	+ 8.823	+ 0.031	+ 1.000	- 1.263	- 227.3
0 = - 0.165	+ 1.250	+ 1.006	+ 1.000	+ 0.211	+ 41.59
0 = - 0.049	+ 0.314	+ 1.154	+ 1.000	+ 0.155	+ 32.66
0 = + 0.094	- 0.257	- 0.456	+ 1.000	+ 0.093	+ 21.74

And the resulting normal equations are

Absolute Term.	<i>g</i>	<i>h</i>	<i>k</i>	<i>R</i>	100 Δ <i>R</i>
0 = - 11.313	+ 129.164				
0 = + 0.311	- 3.078	+ 6.125			
0 = - 0.851	+ 11.317	+ 1.000	+ 10.000		
0 = + 0.840	- 11.053	+ 0.888	- 3.253	+ 3.161	
0 = + 1.367	- 19.634	+ 1.042	- 3.342	+ 4.084	+ 6.305

Solving, we find

$$\begin{aligned}
 g &= + 0.11398 & k &= - 0.0509 \\
 h &= + 0.00981 & R &= - 0.3918 \\
 & & 100\Delta R &= + 0.3634
 \end{aligned}$$

Substituting these results in the equations of condition, the probable error of a single observed value of $\frac{Z'}{Z}$ comes out ± 0.030 , and the probable error of a computed value of $\frac{Z'}{Z}$ comes out ± 0.010 .

For the Admiralty Standard Compass we found $\mathfrak{A} = 0.000$, $\mathfrak{D} = + 0.017$, and $\mathfrak{C} = - 0.001$. We have also

$$\begin{aligned}
 a &= \lambda (1 + \mathfrak{D}) - 1 \\
 e &= \lambda (1 - \mathfrak{D}) - 1 \\
 b &= \lambda (\mathfrak{C} - \mathfrak{A}) \\
 d &= \lambda (\mathfrak{C} + \mathfrak{A})
 \end{aligned}$$

Hence

$$\begin{aligned}
 a &= - 0.0605 & e &= - 0.0917 \\
 b &= - 0.0008 & d &= - 0.0008
 \end{aligned}$$

For the After Azimuth Compass we found $\mathfrak{A} = 0.000$, $\mathfrak{D} = + 0.112$, and $\mathfrak{C} = 0.000$. Hence, in the same manner,

$$\begin{aligned}
 a &= - 0.0396 & e &= - 0.2324 \\
 b &= 0.0000 & d &= 0.0000
 \end{aligned}$$

Collecting our results, we have the following final values of the coefficients of the

ADMIRALTY STANDARD COMPASS.

$$\mathfrak{A} = 0.000$$

$$\mathfrak{B} = + 0.0240 \tan \theta + 0.460 \frac{I}{H} - 0.00102 \frac{t}{H} \pm 0.001$$

$$\mathfrak{C} = - 0.0016 \tan \theta + 0.006 \frac{I}{H} - 0.00023 \frac{t}{H} \pm 0.002$$

$$\mathfrak{D} = + 0.017 \pm 0.001$$

$$\mathfrak{E} = - 0.001 \pm 0.001$$

$$\frac{Z'}{Z} = 1 + 0.0407 \frac{\cos \zeta}{\tan \theta} - 0.0050 \frac{\sin \zeta}{\tan \theta} + 0.1006 + 0.1665 \frac{I}{Z} + 0.000694 \frac{t}{Z} \pm 0.007$$

$\lambda = + 0.924 \pm 0.004$		
$\frac{c}{\lambda} = + 0.0240$	$c = + 0.0221$	$b = - 0.0008$
$\frac{P}{\lambda} = + 0.460$	$P = + 0.425$	$d = - 0.0008$
$\frac{\Delta P}{\lambda} = - 0.00102$	$\Delta P = + 0.00094$	$e = - 0.0917$
$\frac{f}{\lambda} = - 0.0016$	$f = - 0.0015$	$g = + 0.0407$
$\frac{Q}{\lambda} = + 0.006$	$Q = + 0.006$	$h = + 0.0050$
$\frac{\Delta Q}{\lambda} = - 0.00023$	$\Delta Q = - 0.00021$	$k = + 0.1006$
	$a = - 0.0605$	$R = + 0.166$
		$\Delta R = + 0.00069$

Hence, the general equations for the determination of the deviations of this compass are

$$X' = X - 0.0605 X - 0.0008 Y + 0.0221 Z + 0.425 - 0.00094 t$$

$$Y' = Y - 0.0008 X - 0.0917 Y - 0.0015 Z + 0.006 - 0.00021 t$$

$$Z' = Z + 0.0407 X + 0.0050 Y + 0.1006 Z + 0.166 + 0.00069 t$$

The following are the final values of the coefficients of the

AFTER AZIMUTH COMPASS.

$$\mathfrak{A} = 0.000$$

$$\mathfrak{B} = - 0.0026 \tan \theta - 0.373 \frac{I}{H} - 0.00032 \frac{t}{H} \pm 0.004$$

$$\mathfrak{C} = + 0.0066 \tan \theta - 0.044 \frac{I}{H} + 0.00039 \frac{t}{H} \pm 0.004$$

$$\mathfrak{D} = + 0.112 \pm 0.003$$

$$\mathfrak{E} = 0.000 \pm 0.003$$

$$\frac{Z'}{Z} = 1 + 0.1140 \frac{\cos \zeta}{\tan \theta} - 0.0098 \frac{\sin \zeta}{\tan \theta} - 0.0509 - 0.3918 \frac{I}{Z} + 0.00363 \frac{t}{Z} \pm 0.010$$

$$\lambda = + 0.864 \pm 0.011$$

$$\frac{c}{\lambda} = - 0.0026$$

$$\frac{P}{\lambda} = - 0.373$$

$$\frac{\Delta P}{\lambda} = - 0.00032$$

$$\frac{f}{\lambda} = + 0.0066$$

$$\frac{Q}{\lambda} = - 0.044$$

$$\frac{\Delta Q}{\lambda} = + 0.00039$$

$$c = - 0.0022$$

$$P = - 0.322$$

$$\Delta P = - 0.00027$$

$$f = + 0.0058$$

$$Q = - 0.038$$

$$\Delta Q = + 0.00034$$

$$a = - 0.0396$$

$$b = 0.0000$$

$$d = 0.0000$$

$$e = - 0.2324$$

$$g = + 0.1140$$

$$h = + 0.0098$$

$$k = - 0.0509$$

$$R = - 0.392$$

$$\Delta R = + 0.00363$$

Hence, the general equations for the determination of the deviations of this compass are

$$\begin{aligned} X' &= X - 0.0396 X - 0.0000 Y - 0.0022 Z - 0.322 - 0.00027 t \\ Y' &= Y - 0.0000 X - 0.2324 Y - 0.0058 Z - 0.038 + 0.00034 t \\ Z' &= Z + 0.1140 X + 0.0098 Y - 0.0509 Z - 0.392 + 0.00363 t \end{aligned}$$

The constants P, Q, R , are the resolved values of the hard iron magnetism of the ship; and in order to show as clearly as possible how it varied during the cruise, at the positions occupied by the two compasses under discussion, the following table is appended. The columns headed " F " contain the values of the total hard iron force, computed by means of the formula

$$F = \sqrt{P^2 + Q^2 + R^2}$$

Date.	Admiralty Standard Compass.				After Azimuth Compass.			
	P .	Q .	R .	F .	P .	Q .	R .	F .
November 1, 1865	+0.425	+0.006	+0.166	0.456	-0.322	-0.038	-0.392	0.509
June 23, 1866	+0.205	-0.043	+0.327	0.388	-0.385	+0.042	+0.457	0.599

Thus it appears that in the interval between November 1, 1865, and June 23, 1866, the total hard iron force had decreased fifteen per centum at the position of the Admiralty Standard Compass, while it had increased eighteen per centum at the position of the After Azimuth Compass; and in both cases the changes in the direction of the force were very great. On the whole, the so-called permanent and sub-permanent magnetism of the Monadnock seem to have been in a very unstable condition.

There were some places where observations of the deviations of the compasses were obtained on a number of points less than thirty-two, because the ship could not be made to swing completely around. In order to deduce from these observations the corresponding values of the coefficients A_1, B_1, C_1, D_1, E_1 , we remark that each observed deviation furnishes an equation of condition of the form

$$0 = -\delta + A_1 + B_1 \sin \zeta + C_1 \cos \zeta + D_1 \sin 2\zeta + E_1 \cos 2\zeta$$

and from all the equations thus obtained the values of the coefficients must be found by the method of least squares. As all the compasses were observed simultaneously; the deviations at each place are given on the same points in the case of each compass. Hence, although the absolute terms in the equations of condition will be different, the numerical coefficients of the unknown quantities A_1, B_1, C_1, D_1, E_1 , will be identical for all the compasses at any one station. Advantage has been taken of this circumstance in forming the following table, which gives the equations of condition for all the compasses at Ceara. The absolute terms of the equations of condition belonging to any compass will be found in the column headed with the name of that compass, while the coefficients of the remaining terms of the equations will be found in the columns headed A_1, B_1, C_1, D, E_1 . For example, the first equation of condition for the Admiralty Standard Compass is

$$0 = -170 + A_1 + 0.195 B_1 + 0.981 C_1 + 0.383 D_1 + 0.924 E_1.$$

In the same way, the first equation of condition for the After Binnacle Compass is

$$0 = -220 + A_1 + 0.195 B_1 + 0.981 C_1 + 0.383 D_1 + 0.924 E_1.$$

EQUATIONS OF CONDITION AT CEARA.

Absolute Terms.						Coefficients of the Unknown Quantities.				
Admiralty Standard.	After Binnacle.	After Ritchie.	Forward Alidade.	Forward Binnacle.	Forward Ritchie.	A_1	B_1	C_1	D_1	E_1
- 170'	- 220'	- 820'	- 180'	- 110'	- 430'	+ 1.000	+ 0.195	+ 0.981	+ 0.383	+ 0.924
- 210	- 310	- 820	- 270	- 110	- 520	+ 1.000	+ 0.383	+ 0.924	+ 0.707	+ 0.707
- 260	- 390	- 820	- 280	- 110	- 600	+ 1.000	+ 0.556	+ 0.831	+ 0.924	+ 0.383
- 350	- 470	- 970	- 280	- 180	- 480	+ 1.000	+ 0.707	+ 0.707	+ 1.000	0.000
- 340	- 420	- 990	- 211	- 130	- 380	+ 1.000	+ 0.831	+ 0.556	+ 0.924	- 0.383
- 330	- 410	- 1140	- 200	- 110	- 300	+ 1.000	+ 0.924	+ 0.383	+ 0.707	- 0.707
- 310	- 410	- 1020	- 130	- 40	- 420	+ 1.000	+ 0.981	+ 0.195	+ 0.383	- 0.924
- 230	- 260	- 850	- 110	+ 40	- 170	+ 1.000	+ 1.000	0.000	0.000	- 1.000
- 210	- 240	- 690	- 110	+ 130	- 40	+ 1.000	+ 0.981	- 0.195	- 0.383	- 0.924
- 170	- 170	- 660	- 40	+ 140	- 30	+ 1.000	+ 0.924	- 0.383	- 0.707	- 0.707

From these equations of condition five normal equations were obtained for each compass by the method of least squares; but on attempting to solve them the numerical coefficients of D_1 and E_1 came out so small that no confidence could be placed in the resulting values of these quantities; and moreover, the uncertainty of them vitiated the values of A_1 , B_1 , and C_1 . It was therefore considered best to reject the normal equations in D_1 and E_1 , and to employ in their stead the equations

$$0 = -\mathfrak{D} + D_1 + \frac{1}{2}(B_1^2 - C_1^2)$$

$$0 = -\mathfrak{E} + E_1 + B_1 C_1 + A_1 D_1$$

using for \mathfrak{D} and \mathfrak{E} the numerical values already found. The following are the normal equations thus formed, and the resulting values of A_1 , B_1 , C_1 , D_1 , and E_1 , for each compass. For convenience of computation, the unit of the absolute terms of the normal equations has been changed from minutes of arc to radius.

ADMIRALTY STANDARD COMPASS.

$$0 = -0.7505 + 10.000 A_1 + 7.482 B_1 + 3.999 C_1 + 3.938 D_1 - 2.631 E_1$$

$$0 = -0.5789 + 7.482 A_1 + 6.317 B_1 + 1.969 C_1 + 2.334 D_1 - 3.774 E_1$$

$$0 = -0.3183 + 3.999 A_1 + 1.969 B_1 + 3.685 C_1 + 3.708 D_1 + 1.665 E_1$$

$$0 = -0.0169 + D_1 + \frac{1}{2}(B_1^2 - C_1^2)$$

$$0 = +0.0009 + E_1 + B_1 C_1$$

Hence

$$A_1 = -0.0102 = -0^\circ 35'.1$$

$$B_1 = +0.0833 = +4 46.3$$

$$C_1 = +0.0405 = +2 19.2$$

$$D_1 = +0.0142 = +0 48.8$$

$$E_1 = -0.0043 = -0 14.8$$

AFTER BINNACLE COMPASS.

$$\begin{aligned} 0 &= -0.9599 + 10.000 A_1 + 7.482 B_1 + 3.999 C_1 + 3.938 D_1 - 2.631 E_1 \\ 0 &= -0.7253 + 7.482 A_1 + 6.317 B_1 + 1.969 C_1 + 2.334 D_1 - 3.774 E_1 \\ 0 &= -0.4413 + 3.999 A_1 + 1.969 B_1 + 3.685 C_1 + 3.708 D_1 + 1.665 E_1 \\ 0 &= -0.0385 + D_1 + \frac{1}{2}(B_1^2 - C_1^2) \\ 0 &= +0.0018 + E_1 + B_1 C_1 + 0.0047 (B_1^2 - C_1^2) \end{aligned}$$

Hence

$$\begin{aligned} A_1 &= +0.0062 = +0^\circ 21'.3 \\ B_1 &= +0.0801 = +4 \quad 35.2 \\ C_1 &= +0.0362 = +2 \quad 4.6 \\ D_1 &= +0.0360 = +2 \quad 3.6 \\ E_1 &= -0.0048 = -0 \quad 16.3 \end{aligned}$$

AFTER RITCHIE COMPASS.

$$\begin{aligned} 0 &= -2.5540 + 10.000 A_1 + 7.482 B_1 + 3.999 C_1 + 3.938 D_1 - 2.631 E_1 \\ 0 &= -1.9282 + 7.482 A_1 + 6.317 B_1 + 1.969 C_1 + 2.334 D_1 - 3.774 E_1 \\ 0 &= -1.0844 + 3.999 A_1 + 1.969 B_1 + 3.685 C_1 + 3.708 D_1 + 1.665 E_1 \\ 0 &= -0.0340 + D_1 + \frac{1}{2}(B_1^2 - C_1^2) \\ 0 &= +0.0008 + E_1 + B_1 C_1 \end{aligned}$$

Hence

$$\begin{aligned} A_1 &= +0.1030 = +5^\circ 54'.2 \\ B_1 &= +0.1385 = +7 \quad 56.0 \\ C_1 &= +0.0859 = +4 \quad 55.4 \\ D_1 &= +0.0281 = +1 \quad 36.6 \\ E_1 &= -0.0127 = -0 \quad 43.7 \end{aligned}$$

FORWARD ALIDADE COMPASS.

$$\begin{aligned} 0 &= -0.5265 + 10.000 A_1 + 7.482 B_1 + 3.999 C_1 + 3.938 D_1 - 2.631 E_1 \\ 0 &= -0.3589 + 7.482 A_1 + 6.317 B_1 + 1.969 C_1 + 2.334 D_1 - 3.774 E_1 \\ 0 &= -0.3022 + 3.999 A_1 + 1.969 B_1 + 3.685 C_1 + 3.708 D_1 + 1.665 E_1 \\ 0 &= -0.0235 + D_1 + \frac{1}{2}(B_1^2 - C_1^2) \\ 0 &= -0.0007 + E_1 + B_1 C_1 + 0.0125 (B_1^2 - C_1^2) \end{aligned}$$

Hence

$$\begin{aligned} A_1 &= +0.0359 = +2^\circ 3'.5 \\ B_1 &= +0.0001 = +0 \quad 0.2 \\ C_1 &= +0.0188 = +1 \quad 4.8 \\ D_1 &= +0.0237 = +1 \quad 21.4 \\ E_1 &= +0.0007 = +0 \quad 2.4 \end{aligned}$$

FORWARD BINNACLE COMPASS.

$$\begin{aligned} 0 &= -0.1396 + 10.000 A_1 + 7.482 B_1 + 3.999 C_1 + 3.938 D_1 - 2.631 E_1 \\ 0 &= -0.0593 + 7.482 A_1 + 6.317 B_1 + 1.969 C_1 + 2.334 D_1 - 3.774 E_1 \\ 0 &= -0.1831 + 3.999 A_1 + 1.969 B_1 + 3.685 C_1 + 3.708 D_1 + 1.665 E_1 \\ 0 &= -0.0369 + D_1 + \frac{1}{2}(B_1^2 - C_1^2) \\ 0 &= -0.0011 + E_1 + B_1 C_1 \end{aligned}$$

Hence

$$\begin{aligned} A_1 &= -0.0159 = -0^\circ 54'.7 \\ B_1 &= +0.0072 = +0 \quad 24.6 \\ C_1 &= +0.0253 = +1 \quad 26.9 \\ D_1 &= +0.0372 = +2 \quad 7.8 \\ E_1 &= +0.0009 = +0 \quad 3.2 \end{aligned}$$

FORWARD RITCHIE COMPASS.

$$\begin{aligned} 0 &= -0.9803 + 10.000 A_1 + 7.482 B_1 + 3.999 C_1 + 3.938 D_1 - 2.631 E_1 \\ 0 &= -0.6394 + 7.482 A_1 + 6.317 B_1 + 1.969 C_1 + 2.334 D_1 - 3.774 E_1 \\ 0 &= -0.6193 + 3.999 A_1 + 1.969 B_1 + 3.685 C_1 + 3.708 D_1 + 1.665 E_1 \\ 0 &= -0.0407 + D_1 + \frac{1}{2}(B_1^2 - C_1^2) \\ 0 &= +0.0013 + E_1 + B_1 C_1 \end{aligned}$$

Hence

$$\begin{aligned} A_1 &= +0.0614 = + 3^\circ 31'.0 \\ B_1 &= -0.0076 = - 0 26.1 \\ C_1 &= +0.0631 = + 3 36.9 \\ D_1 &= +0.0427 = + 2 26.6 \\ E_1 &= -0.0011 = - 0 3.9 \end{aligned}$$

The following are the equations of condition, together with the resulting normal equations, and the values of the coefficients A_1, B_1, C_1, D_1, E_1 , as determined for each compass from the observations made at Rio Janeiro.

EQUATIONS OF CONDITION AT RIO JANEIRO.

Absolute Terms.							Coefficients of the Unknown Quantities.				
Admiralty Standard.	After Binnacle.	After Ritchie.	After Azimuth.	Forward Altitude.	Forward Binnacle.	Forward Ritchie.	A_1	B_1	C_1	D_1	E_1
+ 290'	- 320'	- 840'	- 160'	- 250'	- 160'	- 500'	+ 1.000	+ 0.556	+ 0.831	+ 0.924	+ 0.383
+ 360	- 410	- 840	- 120	- 250	- 160	- 500	+ 1.000	+ 0.707	+ 0.707	+ 1.000	0.000
+ 390	- 430	- 840	- 20	- 250	- 160	- 370	+ 1.000	+ 0.831	+ 0.556	+ 0.924	- 0.383
+ 350	- 430	- 970	+ 130	- 180	- 160	- 460	+ 1.000	+ 0.924	+ 0.383	+ 0.707	- 0.707
+ 330	- 360	- 1010	+ 160	- 160	- 160	- 500	+ 1.000	+ 0.981	+ 0.195	+ 0.383	- 0.924
+ 320	- 340	- 880	+ 280	- 160	- 160	- 440	+ 1.000	+ 1.000	0.000	0.000	- 1.000
+ 300	- 340	- 720	+ 390	- 160	- 100	- 420	+ 1.000	+ 0.981	- 0.195	- 0.383	- 0.924
+ 280	- 280	- 610	+ 410	- 160	- 140	- 350	+ 1.000	+ 0.924	- 0.383	- 0.707	- 0.707
+ 260	- 260	- 590	+ 440	- 160	- 100	- 330	+ 1.000	+ 0.831	- 0.556	- 0.924	- 0.383
+ 240	- 190	- 590	+ 400	- 160	- 20	- 330	+ 1.000	+ 0.707	- 0.707	- 1.000	0.000
+ 200	- 170	- 510	+ 320	- 160	- 60	- 330	+ 1.000	+ 0.556	- 0.831	- 0.924	+ 0.383
+ 210	- 110	- 510	+ 200	- 230	- 80	- 330	+ 1.000	+ 0.383	- 0.924	- 0.707	+ 0.707
+ 170	- 90	- 510	+ 70	- 250	- 80	- 270	+ 1.000	+ 0.195	- 0.981	- 0.383	+ 0.924
+ 150	- 90	- 510	- 20	- 250	- 140	- 250	+ 1.000	0.000	- 1.000	0.000	+ 1.000
+ 140	- 20	- 510	- 190	- 310	- 100	- 180	+ 1.000	- 0.195	- 0.981	+ 0.383	+ 0.924
+ 120	- 10	- 510	- 290	- 330	- 80	- 230	+ 1.000	- 0.383	- 0.924	+ 0.707	+ 0.707
+ 90	- 10	- 510	- 310	- 330	- 80	- 250	+ 1.000	- 0.556	- 0.831	+ 0.924	+ 0.383

Normal Equations.

ADMIRALTY STANDARD COMPASS.

$$\begin{aligned} 0 &= -1.2217 + 17.000 A_1 + 8.442 B_1 - 5.641 C_1 + 0.924 D_1 + 0.383 E_1 \\ 0 &= -0.7991 + 8.442 A_1 + 8.310 B_1 + 0.462 C_1 - 1.205 D_1 - 4.543 E_1 \\ 0 &= +0.1662 - 5.641 A_1 + 0.462 B_1 + 8.691 C_1 + 3.900 D_1 - 4.438 E_1 \\ 0 &= -0.0169 + D_1 + \frac{1}{2}(B_1^2 - C_1^2) \\ 0 &= +0.0009 + E_1 + B_1 C_1 \end{aligned}$$

Hence

$$\begin{aligned} A_1 &= +0.0453 = + 2^\circ 35'.7 \\ B_1 &= +0.0519 = + 2 58.5 \\ C_1 &= +0.0001 = + 0 0.2 \\ D_1 &= +0.0156 = + 0 53.5 \\ E_1 &= -0.0009 = - 0 3.1 \end{aligned}$$

AFTER BINNACLE COMPASS.

$$\begin{aligned} 0 &= -1.1228 + 17.000 A_1 + 8.442 B_1 - 5.641 C_1 + 0.924 D_1 + 0.383 E_1 \\ 0 &= -0.8724 + 8.442 A_1 + 8.310 B_1 + 0.462 C_1 - 1.205 D_1 - 4.543 E_1 \\ 0 &= -0.0346 - 5.641 A_1 + 0.462 B_1 + 8.691 C_1 + 3.900 D_1 - 4.438 E_1 \\ 0 &= -0.0385 + D_1 + \frac{1}{2}(B_1^2 - C_1^2) \\ 0 &= +0.0018 + E_1 + B_1 C_1 + 0.0047(B_1^2 - C_1^2) \end{aligned}$$

Hence

$$\begin{aligned} A_1 &= +0.0148 = +0^\circ 50'.8 \\ B_1 &= +0.0947 = +5 \quad 25.4 \\ C_1 &= -0.0073 = -0 \quad 25.2 \\ D_1 &= +0.0340 = +1 \quad 57.1 \\ E_1 &= -0.0012 = -0 \quad 4.1 \end{aligned}$$

AFTER RITCHIE COMPASS.

$$\begin{aligned} 0 &= -3.3336 + 17.000 A_1 + 8.442 B_1 - 5.641 C_1 + 0.924 D_1 + 0.383 E_1 \\ 0 &= -1.9499 + 8.442 A_1 + 8.310 B_1 + 0.462 C_1 - 1.205 D_1 - 4.543 E_1 \\ 0 &= +0.6086 - 5.641 A_1 + 0.462 B_1 + 8.691 C_1 + 3.900 D_1 - 4.438 E_1 \\ 0 &= -0.0340 + D_1 + \frac{1}{2}(B_1^2 - C_1^2) \\ 0 &= +0.0008 + E_1 + B_1 C_1 \end{aligned}$$

Hence

$$\begin{aligned} A_1 &= +0.1684 = +9^\circ 39'.0 \\ B_1 &= +0.0659 = +3 \quad 46.6 \\ C_1 &= +0.0203 = +1 \quad 9.8 \\ D_1 &= +0.0320 = +1 \quad 50.1 \\ E_1 &= -0.0021 = -0 \quad 7.4 \end{aligned}$$

AFTER AZIMUTH COMPASS.

$$\begin{aligned} 0 &= +0.4916 + 17.000 A_1 + 8.442 B_1 - 5.641 C_1 + 0.924 D_1 + 0.383 E_1 \\ 0 &= +0.6880 + 8.442 A_1 + 8.310 B_1 + 0.462 C_1 - 1.205 D_1 - 4.543 E_1 \\ 0 &= -0.2024 - 5.641 A_1 + 0.462 B_1 + 8.691 C_1 + 3.900 D_1 - 4.438 E_1 \\ 0 &= -0.1116 + D_1 + \frac{1}{2}(B_1^2 - C_1^2) \\ 0 &= +0.0002 + E_1 + B_1 C_1 \end{aligned}$$

Hence

$$\begin{aligned} A_1 &= -0.0434 = -2^\circ 29'.3 \\ B_1 &= -0.0199 = -1 \quad 8.5 \\ C_1 &= -0.0552 = -3 \quad 9.7 \\ D_1 &= +0.1129 = +6 \quad 28.2 \\ E_1 &= -0.0013 = -0 \quad 4.5 \end{aligned}$$

FORWARD ALIDADE COMPASS.

$$\begin{aligned} 0 &= -1.0908 + 17.000 A_1 + 8.442 B_1 - 5.641 C_1 + 0.924 D_1 + 0.383 E_1 \\ 0 &= -0.4111 + 8.442 A_1 + 8.310 B_1 + 0.462 C_1 - 1.205 D_1 - 4.543 E_1 \\ 0 &= +0.4058 - 5.641 A_1 + 0.462 B_1 + 8.691 C_1 + 3.900 D_1 - 4.438 E_1 \\ 0 &= -0.0235 + D_1 + \frac{1}{2}(B_1^2 - C_1^2) \\ 0 &= -0.0007 + E_1 + B_1 C_1 + 0.0125(B_1^2 - C_1^2) \end{aligned}$$

Hence

$$\begin{aligned} A_1 &= +0.0615 = +3^\circ 31'.5 \\ B_1 &= -0.0084 = -0 \quad 28.8 \\ C_1 &= -0.0166 = -0 \quad 57.2 \\ D_1 &= +0.0236 = +1 \quad 21.1 \\ E_1 &= +0.0006 = +0 \quad 1.9 \end{aligned}$$

FORWARD BINNACLE COMPASS.

$$\begin{aligned}
 0 &= -0.5643 + 17.000 A_1 + 8.442 B_1 - 5.641 C_1 + 0.924 D_1 + 0.383 E_1 \\
 0 &= -0.3228 + 8.442 A_1 + 8.310 B_1 + 0.462 C_1 - 1.205 D_1 - 4.543 E_1 \\
 0 &= +0.0861 - 5.641 A_1 + 0.462 B_1 + 8.691 C_1 + 3.900 D_1 - 4.438 E_1 \\
 0 &= -0.0369 + D_1 + \frac{1}{2}(B_1^2 - C_1^2) \\
 0 &= -0.0011 + E_1 + B_1 C_1
 \end{aligned}$$

Hence

$$\begin{aligned}
 A_1 &= -0.0050 = -0^\circ 17'.1 \\
 B_1 &= +0.0523 = +2 59.8 \\
 C_1 &= -0.0307 = -1 45.5 \\
 D_1 &= +0.0360 = +2 3.7 \\
 E_1 &= +0.0027 = +0 9.3
 \end{aligned}$$

FORWARD RITCHIE COMPASS.

$$\begin{aligned}
 0 &= -1.7570 + 17.000 A_1 + 8.442 B_1 - 5.641 C_1 + 0.924 D_1 + 0.383 E_1 \\
 0 &= -1.0582 + 8.442 A_1 + 8.310 B_1 + 0.462 C_1 - 1.205 D_1 - 4.543 E_1 \\
 0 &= +0.3128 - 5.641 A_1 + 0.462 B_1 + 8.691 C_1 + 3.900 D_1 - 4.438 E_1 \\
 0 &= -0.0407 + D_1 + \frac{1}{2}(B_1^2 - C_1^2) \\
 0 &= +0.0013 + E_1 + B_1 C_1
 \end{aligned}$$

Hence

$$\begin{aligned}
 A_1 &= +0.0564 = +3^\circ 14'.0 \\
 B_1 &= +0.0766 = +4 23.5 \\
 C_1 &= -0.0205 = -1 10.4 \\
 D_1 &= +0.0380 = +2 10.5 \\
 E_1 &= 0.0000 = 0 0.0
 \end{aligned}$$

The following are the equations of condition for the determination of the coefficients of the After Ritchie Compass at Monte Video.

$$\begin{aligned}
 0 &= -240' + 1.000 A_1 \quad 0.000 B_1 + 1.000 C_1 \quad 0.000 D_1 + 1.000 E_1 \\
 0 &= -570 + 1.000 A_1 + 0.195 B_1 + 0.981 C_1 + 0.383 D_1 + 0.924 E_1 \\
 0 &= -570 + 1.000 A_1 + 0.383 B_1 + 0.924 C_1 + 0.707 D_1 + 0.707 E_1 \\
 0 &= -740 + 1.000 A_1 + 0.556 B_1 + 0.831 C_1 + 0.924 D_1 + 0.383 E_1 \\
 0 &= -740 + 1.000 A_1 + 0.707 B_1 + 0.707 C_1 + 1.000 D_1 \quad 0.000 E_1 \\
 0 &= -740 + 1.000 A_1 + 0.831 B_1 + 0.556 C_1 + 0.924 D_1 - 0.383 E_1 \\
 0 &= -910 + 1.000 A_1 + 0.924 B_1 + 0.383 C_1 + 0.707 D_1 - 0.707 E_1 \\
 0 &= -900 + 1.000 A_1 + 0.981 B_1 + 0.195 C_1 + 0.383 D_1 - 0.924 E_1 \\
 0 &= -560 + 1.000 A_1 + 1.000 B_1 \quad 0.000 C_1 \quad 0.000 D_1 - 1.000 E_1 \\
 0 &= -240 + 1.000 A_1 + 0.981 B_1 - 0.195 C_1 - 0.383 D_1 - 0.924 E_1 \\
 0 &= -230 + 1.000 A_1 + 0.924 B_1 - 0.383 C_1 - 0.707 D_1 - 0.707 E_1 \\
 0 &= -60 + 1.000 A_1 + 0.831 B_1 - 0.556 C_1 - 0.924 D_1 - 0.383 E_1 \\
 0 &= +270 + 1.000 A_1 + 0.707 B_1 - 0.707 C_1 - 1.000 D_1 \quad 0.000 E_1 \\
 0 &= +100 + 1.000 A_1 + 0.556 B_1 - 0.831 C_1 - 0.924 D_1 + 0.383 E_1 \\
 0 &= -240 + 1.000 A_1 + 0.383 B_1 - 0.924 C_1 - 0.707 D_1 + 0.707 E_1 \\
 0 &= -240 + 1.000 A_1 + 0.195 B_1 - 0.981 C_1 - 0.383 D_1 + 0.924 E_1 \\
 0 &= -240 + 1.000 A_1 \quad 0.000 B_1 - 1.000 C_1 \quad 0.000 D_1 + 1.000 E_1 \\
 0 &= -410 + 1.000 A_1 - 0.195 B_1 - 0.981 C_1 + 0.383 D_1 + 0.924 E_1 \\
 0 &= -410 + 1.000 A_1 - 0.383 B_1 - 0.924 C_1 + 0.707 D_1 + 0.707 E_1 \\
 0 &= -240 + 1.000 A_1 - 0.556 B_1 - 0.831 C_1 + 0.924 D_1 + 0.383 E_1 \\
 0 &= -240 + 1.000 A_1 - 0.707 B_1 - 0.707 C_1 + 1.000 D_1 \quad 0.000 E_1 \\
 0 &= -570 + 1.000 A_1 - 0.831 B_1 - 0.556 C_1 + 0.924 D_1 - 0.383 E_1
 \end{aligned}$$

The resulting normal equations are

$$\begin{aligned} 0 &= -2.5365 + 22.000 A_1 + 7.482 B_1 - 3.999 C_1 + 3.938 D_1 + 2.631 E_1 \\ 0 &= -1.0294 + 7.482 A_1 + 9.685 B_1 + 1.969 C_1 - 2.334 D_1 - 3.774 E_1 \\ 0 &= -0.3901 - 3.999 A_1 + 1.969 B_1 + 12.316 C_1 + 3.708 D_1 - 1.665 E_1 \\ 0 &= -0.0340 + D_1 + \frac{1}{2}(B_1^2 - C_1^2) \\ 0 &= +0.0008 + E_1 + B_1 C_1 \end{aligned}$$

Hence

$$\begin{aligned} A_1 &= +0.1143 = +6^\circ 32'.8 \\ B_1 &= +0.0146 = +0 50.3 \\ C_1 &= +0.0555 = +3 10.9 \\ D_1 &= +0.0354 = +2 1.8 \\ E_1 &= -0.0016 = -0 5.5 \end{aligned}$$

The following are the equations of condition, together with the resulting normal equations, and the values of the coefficients A_1, B_1, C_1, D_1, E_1 , as determined for each compass from the observations made in Magdalena Bay.

EQUATIONS OF CONDITION AT MAGDALENA BAY.

Absolute Terms.						Coefficients of the Unknown Quantities.				
Admiralty Standard.	After Binnacle.	After Ritchie.	Forward Alidade.	Forward Binnacle.	Forward Ritchie.	A_1	B_1	C_1	D_1	E_1
+ 20'	- 10'	- 100'	- 300'	- 300'	- 540'	+ 1.000	- 0.707	- 0.707	+ 1.000	0.000
+ 60	- 10	- 180	- 370	- 290	- 460	+ 1.000	- 0.831	- 0.556	+ 0.924	- 0.383
+ 110	+ 80	- 180	- 210	- 210	- 380	+ 1.000	- 0.924	- 0.383	+ 0.707	- 0.707
+ 140	+ 160	- 180	- 130	- 210	- 290	+ 1.000	- 0.981	- 0.195	+ 0.383	- 0.924
+ 180	+ 170	- 80	- 130	- 120	- 200	+ 1.000	- 1.000	0.000	0.000	- 1.000
+ 230	+ 320	+ 170	- 210	+ 50	+ 50	+ 1.000	- 0.981	+ 0.195	- 0.383	- 0.924
+ 230	+ 320	+ 330	- 130	+ 130	+ 210	+ 1.000	- 0.924	+ 0.383	- 0.707	- 0.707
+ 250	+ 320	+ 320	- 120	+ 210	+ 210	+ 1.000	- 0.831	+ 0.556	- 0.924	- 0.383
+ 220	+ 320	+ 160	- 40	+ 300	+ 210	+ 1.000	- 0.707	+ 0.707	- 1.000	0.000
+ 220	+ 320	+ 160	- 40	+ 380	+ 300	+ 1.000	- 0.556	+ 0.831	- 0.924	+ 0.383
+ 160	+ 320	+ 150	+ 40	+ 380	+ 370	+ 1.000	- 0.383	+ 0.924	- 0.707	+ 0.707
+ 100	+ 230	+ 60	+ 40	+ 380	+ 210	+ 1.000	- 0.195	+ 0.981	- 0.383	+ 0.924
+ 40	+ 150	- 100	+ 40	+ 370	+ 210	+ 1.000	0.000	+ 1.000	0.000	+ 1.000
+ 30	+ 70	- 190	- 50	+ 290	+ 120	+ 1.000	+ 0.195	+ 0.981	+ 0.383	+ 0.924

Normal Equations.

ADMIRALTY STANDARD COMPASS.

$$\begin{aligned} 0 &= +0.5789 + 14.000 A_1 - 8.825 B_1 + 4.717 C_1 - 1.631 D_1 - 1.090 E_1 \\ 0 &= -0.4310 - 8.825 A_1 + 7.545 B_1 - 0.816 C_1 + 0.934 D_1 + 4.272 E_1 \\ 0 &= +0.2352 + 4.717 A_1 - 0.816 B_1 + 6.456 C_1 - 4.554 D_1 + 3.784 E_1 \\ 0 &= -0.0169 + D_1 + \frac{1}{2}(B_1^2 - C_1^2) \\ 0 &= +0.0009 + E_1 + B_1 C_1 \end{aligned}$$

Hence

$$\begin{aligned} A_1 &= +0.0026 = +0^\circ 9'.1 \\ B_1 &= +0.0559 = +3 12.1 \\ C_1 &= -0.0204 = -1 10.3 \\ D_1 &= +0.0156 = +0 53.5 \\ E_1 &= +0.0002 = +0 0.8 \end{aligned}$$

REPORT ON

AFTER BINNACLE COMPASS.

$$\begin{aligned} 0 &= + 0.8029 + 14.000 A_1 - 8.825 B_1 + 4.717 C_1 - 1.631 D_1 - 1.090 E_1 \\ 0 &= - 0.5291 - 8.825 A_1 + 7.545 B_1 - 0.816 C_1 + 0.934 D_1 + 4.272 E_1 \\ 0 &= + 0.4497 + 4.717 A_1 - 0.816 B_1 + 6.456 C_1 - 4.554 D_1 + 3.784 E_1 \\ 0 &= - 0.0385 + D_1 + \frac{1}{2}(B_1^2 - C_1^2) \\ 0 &= + 0.0018 + E_1 + B_1 C_1 + 0.0047(B_1^2 - C_1^2) \end{aligned}$$

Hence

$$\begin{aligned} A_1 &= - 0.0208 = - 1^\circ 11'.4 \\ B_1 &= + 0.0393 = + 2 15.0 \\ C_1 &= - 0.0222 = - 1 16.2 \\ D_1 &= + 0.0380 = + 2 10.5 \\ E_1 &= - 0.0010 = - 0 3.3 \end{aligned}$$

AFTER RITCHIE COMPASS.

$$\begin{aligned} 0 &= + 0.0989 + 14.000 A_1 - 8.825 B_1 + 4.717 C_1 - 1.631 D_1 - 1.090 E_1 \\ 0 &= - 0.1171 - 8.825 A_1 + 7.545 B_1 - 0.816 C_1 + 0.934 D_1 + 4.272 E_1 \\ 0 &= + 0.2238 + 4.717 A_1 - 0.816 B_1 + 6.456 C_1 - 4.554 D_1 + 3.784 E_1 \\ 0 &= - 0.0340 + D_1 + \frac{1}{2}(B_1^2 - C_1^2) \\ 0 &= + 0.0008 + E_1 + B_1 C_1 \end{aligned}$$

Hence

$$\begin{aligned} A_1 &= + 0.0627 = + 3^\circ 35'.5 \\ B_1 &= + 0.0778 = + 4 27.3 \\ C_1 &= - 0.0497 = - 2 51.0 \\ D_1 &= + 0.0322 = + 1 50.7 \\ E_1 &= + 0.0031 = + 0 10.6 \end{aligned}$$

FORWARD ALIDADE COMPASS.

$$\begin{aligned} 0 &= - 0.4683 + 14.000 A_1 - 8.825 B_1 + 4.717 C_1 - 1.631 D_1 - 1.090 E_1 \\ 0 &= + 0.4115 - 8.825 A_1 + 7.545 B_1 - 0.816 C_1 + 0.934 D_1 + 4.272 E_1 \\ 0 &= + 0.1082 + 4.717 A_1 - 0.816 B_1 + 6.456 C_1 - 4.554 D_1 + 3.784 E_1 \\ 0 &= - 0.0235 + D_1 + \frac{1}{2}(B_1^2 - C_1^2) \\ 0 &= - 0.0007 + E_1 + B_1 C_1 + 0.0125(B_1^2 - C_1^2) \end{aligned}$$

Hence

$$\begin{aligned} A_1 &= + 0.0200 = + 1^\circ 8'.8 \\ B_1 &= - 0.0361 = - 2 4.1 \\ C_1 &= - 0.0197 = - 1 7.6 \\ D_1 &= + 0.0230 = + 1 19.2 \\ E_1 &= 0.0000 = 0 0.0 \end{aligned}$$

FORWARD BINNACLE COMPASS.

$$\begin{aligned} 0 &= + 0.3956 + 14.000 A_1 - 8.825 B_1 + 4.717 C_1 - 1.631 D_1 - 1.090 E_1 \\ 0 &= + 0.0125 - 8.825 A_1 + 7.545 B_1 - 0.816 C_1 + 0.934 D_1 + 4.272 E_1 \\ 0 &= + 0.7497 + 4.717 A_1 - 0.816 B_1 + 6.456 C_1 - 4.554 D_1 + 3.784 E_1 \\ 0 &= - 0.0369 + D_1 + \frac{1}{2}(B_1^2 - C_1^2) \\ 0 &= - 0.0011 + E_1 + B_1 C_1 \end{aligned}$$

Hence

$$\begin{aligned} A_1 &= - 0.0298 = - 1^\circ 42'.6 \\ B_1 &= - 0.0478 = - 2 44.3 \\ C_1 &= - 0.0719 = - 4 7.3 \\ D_1 &= + 0.0384 = + 2 11.8 \\ E_1 &= - 0.0023 = - 0 7.9 \end{aligned}$$

FORWARD RITCHIE COMPASS.

$$\begin{aligned} \circ &= + 0.0058 + 14.000 A_1 - 8.825 B_1 + 4.717 C_1 - 1.631 D_1 - 1.090 E_1 \\ \circ &= + 0.2058 - 8.825 A_1 + 7.545 B_1 - 0.816 C_1 + 0.934 D_1 + 4.272 E_1 \\ \circ &= + 0.6749 + 4.717 A_1 - 0.816 B_1 + 6.456 C_1 - 4.554 D_1 + 3.784 E_1 \\ \circ &= - 0.0407 + D_1 + \frac{1}{2} (B_1^2 - C_1^2) \\ \circ &= + 0.0013 + E_1 + B_1 C_1 \end{aligned}$$

Hence

$$\begin{aligned} A_1 &= + 0.0477 = + 2^\circ 43'.8 \\ B_1 &= + 0.0116 = + 0 39.9 \\ C_1 &= - 0.1051 = - 6 1.3 \\ D_1 &= + 0.0462 = + 2 38.7 \\ E_1 &= - 0.0004 = - 0 1.3 \end{aligned}$$

For convenience of reference the values of the coefficients A_1, B_1, C_1, D_1, E_1 , obtained at stations where the compasses were not read on all the thirty-two points, have been collected in the following table. No use has been made of them.

Stations and Compasses.	A_1	B_1	C_1	D_1	E_1
Ceara, December 19, 1865.					
Admiralty Standard Compass	- 0° 35'.1	+ 4° 46'.3	+ 2° 19'.2	+ 0° 48'.8	- 0° 14'.8
After Binnacle Compass	+ 0 21.3	+ 4 35.2	+ 2 4.6	+ 2 3.6	- 0 16.3
After Ritchie Compass	+ 5 54.2	+ 7 56.0	+ 4 55.4	+ 1 36.6	- 0 43.7
Forward Alidade Compass	+ 2 3.5	+ 0 0.2	+ 1 4.8	+ 1 21.4	+ 0 2.4
Forward Binnacle Compass	- 0 54.7	+ 0 24.6	+ 1 26.9	+ 2 7.8	+ 0 3.2
Forward Ritchie Compass	+ 3 31.0	- 0 26.1	+ 3 36.9	+ 2 26.6	- 0 3.9
Rio Janeiro, January 10, 1866.					
Admiralty Standard Compass	+ 2 35.7	+ 2 58.5	+ 0 0.2	+ 0 53.5	- 0 3.1
After Binnacle Compass	+ 0 50.8	+ 5 25.4	- 0 25.2	+ 1 57.1	- 0 4.1
After Ritchie Compass	+ 9 39.0	+ 3 46.6	+ 1 9.8	+ 1 50.1	- 0 7.4
After Azimuth Compass	- 2 29.3	- 1 8.5	- 3 9.7	+ 6 28.2	- 0 4.5
Forward Alidade Compass	+ 3 31.5	- 0 28.8	- 0 57.2	+ 1 21.1	+ 0 1.9
Forward Binnacle Compass	- 0 17.1	+ 2 59.8	- 1 45.5	+ 2 3.7	+ 0 9.3
Forward Ritchie Compass	+ 3 14.0	+ 4 23.5	- 1 10.4	+ 2 10.5	0 0.0
Monte Video, January 24, 1866.					
After Ritchie Compass	+ 6 32.8	+ 0 50.3	+ 3 10.9	+ 2 1.8	- 0 5.5
Magdalena Bay, June 9, 1866.					
Admiralty Standard Compass	+ 0 9.1	+ 3 12.1	- 1 10.3	+ 0 53.5	+ 0 0.8
After Binnacle Compass	- 1 11.4	+ 2 15.0	- 1 16.2	+ 2 10.5	- 0 3.3
After Ritchie Compass	+ 3 35.5	+ 4 27.3	- 2 51.0	+ 1 50.7	+ 0 10.6
Forward Alidade Compass	+ 1 8.8	- 2 4.1	- 1 7.6	+ 1 19.2	0 0.0
Forward Binnacle Compass	- 1 42.6	- 2 44.3	- 4 7.3	+ 2 11.8	- 0 7.9
Forward Ritchie Compass	+ 2 43.8	+ 0 39.9	- 6 1.3	+ 2 38.7	- 0 1.3

At a number of the ports visited during the cruise, the line dividing the north from the south polarity, on the exterior of the turrets, was traced out; but as the boundary between the two kinds of magnetism was frequently very badly defined, and the observations were otherwise unsatisfactory; and further, as they throw no light whatever on the theory of the deviations of the compasses, and can only be shown by means of drawings on a rather large scale, it has not been deemed worth while to insert them here.

In conclusion, the results of the observations made during the cruise may be briefly recapitulated as follows:

1°. The latitudes of seven points have been determined.

2°. The magnetic declination, inclination, and horizontal force, have been determined at eighteen places.

UNIVERSITY OF CALIFORNIA LIBRARY
BERKELEY

Return to desk from which borrowed.
This book is DUE on the last date stamped below.

7 Jul '52 J PA

JUN 23 1952 LU

4 Jan '56 REY

DEC 11 1955 LU

19 Apr '61 EE

REC'D LD

APR 5 1961

29 Mar '62 TW

REC'D LD

MAY 11 1962

LD 21-95m-11, '50 (2877s16) 476

LIBRARY USE

MAY 6 1963

REC'D LD

MAY 6 1963

25 Mar 65 PM

REC'D LD

MAR 31 '65-3 PM

MAY 24 '66 24 RCD

DEC 12 1967

RECEIVED

DEC 5 '67 -12 M

LOAN DEPT.

RECEIVED

SEP 23 1997

CIRCULATION DEPT.



C05489496

Q.11.
568
18

THE UNIVERSITY OF CALIFORNIA LIBRARY

